#### CODE OF PROJECT

#### DB folder:

# 1-database.php:

```
<?php

$pdo=new PDO('mysql:host=localhost;port=3306;dbname=kidsgame','kidsgame','6517');
$pdo->setAttribute(PDO::ATTR_ERRMODE,PDO::ERRMODE_EXCEPTION);
?>
```

#### **Tables folder:**

#### 1-allproducts.php:

```
<?php
/** @var $pdo \PDO */
require_once("../DB/database.php");
$statement=$pdo->prepare('SELECT * FROM products ORDER BY create_date DESC');

$statement->execute();
$products=$statement->fetchAll(PDO::FETCH_ASSOC);
}
```

#### 2-Users.php:

```
<?php
     @var $pdo \PDO */
require_once("../DB/database.php");
class Users {
public $user_id;
public $user name;
public $user email;
protected $user_password;
public function create_user($pdo,$name,$email,$pass){
    $st= $pdo->prepare("INSERT INTO users(user_name,user_email,user_password)
    VALUES(:uname, :uemail, :upass)");
   $passHashed=password_hash($pass,PASSWORD_DEFAULT);
   $st->bindValue(':uname', $name);
   $st->bindValue(':uemail',$email);
   $st->bindValue(':upass',$passHashed);
   $st->execute();
```

```
return "insert successfully..";
}
```

### 3-loginVerify.php:

```
/** @var $pdo \PDO */
require_once("../DB/database.php");

class Verify{

  public function verifyUser($pdo,$uemail,$pas){

        $query1="SELECT * FROM users WHERE user_email= ?";

        $stmtVerify=$pdo->prepare($query1);
        $stmtVerify->bindParam(1,$uemail);

        $stmtVerify->beccute();

        $res1= $stmtVerify->fetch();

        if (password_verify($pas,$res1['user_password'])) {
            return true; // DECODE THE HASH PASSWORD THAT GET FROM DB
        }else {
            return false;
        }
      }
    }
}

}
```

# 4-logout.php:

```
<?php
  session_start();
  if (isset($_SESSION['userEmail']) and isset($_SESSION['userPassword'])) {
    //    unset($_SESSION['username']);
    //    unset($_SESSION['password']);
    session_unset();
    session_destroy();

    header('Location:../views/index.php');
    exit;
}
</pre>
```

#### 5-product.php:

```
<?php
     @var $pdo \PDO */
require_once(".../DB/database.php");
class Products {
public $pro_id;
public $title=null;
public $description;
public $photo;
public $price;
public $quantity;
public $category;
public static function create_product($pdo,Products $p){
>prepare("INSERT INTO productsr(title, descriptions, photo, price, quantity, category)
    VALUES(:title, :descrip, :photo, :price, :quant, :cat)");
   $st->bindValue(':title',$p->title);
   $st->bindValue(':descrip', $p->description);
   $st->bindValue(':photo',$p->photo);
   $st->bindValue(':price',$p->price);
   $st->bindValue(':quant',$p->quantity);
   $st->bindValue(':cat',$p->category);
   $st->execute();
  return "insert successfully..";
public function store_product($pdo,Products $p)
public static function update_product($pdo,Products $p){
    $statement= $pdo-
>prepare("UPDATE productsr SET title = :tit , descriptions = :descr ,photo = :pho ,
    price = :price , quantity = :quant , category = :cat WHERE id = :id");
    $statement->bindValue(':tit',$p->title);
    $statement->bindValue(':descr',$p->description);
    $statement->bindValue(':pho',$p->photo);
    $statement->bindValue(':price',$p->price);
    $statement->bindValue(':quant',$p->quantity);
    $statement->bindValue(':cat',$p->category);
    $statement->bindValue(':id',$p->id);
    $statement->execute();
```

```
return "update successfully..";
}
}
```

# 6-deleteProduct.php:

```
/** @var $pdo \PDO */
require_once("../DB/database.php");

$id=$_GET['id'] ?? null;

if (!$id) {
    header('Location:../views/products.php');
    exit;
}

$statement= $pdo->prepare('DELETE FROM productsr WHERE id = :id');

$statement->bindValue(':id',$id);
$statement->execute();
header('Location:../views/products.php');
exit;
}>
```

#### Views folder:

# 1-index.php:

```
<?php
<?php include_once("header.php"); ?>
    <div class="landing overflow-hidden ">
       <div class="row d-flex justify-content-between align-items-center mt-5">
           <div class="col-md-6 col-lg-6 circle1">
               <img class="img-fluid bottom-0 mb-0 pb-0 ms-2" src="../images/children-</pre>
playing" alt="">
           <div class="col-md-5 col-lg-5 text-center mt-5 me-4">
               <h1 class="fw-bold b-5">Let your child's intelligance growth</h1>
               ">we have many categories of games that grow minds of your children 
               <a href="products.php" class="btn rounded-pill main-btn pl-</pre>
3" style="font-weight:bold;">Get started</a>
           </div>
       </div>
       </div>
 <?php include_once("footer.php"); ?>
</body>
</html>
```

# 2-header.php:

```
<meta http-equiv="X-UA-Compatible" content="IE=edge">
   <meta name="viewport" content="width=device-width, initial-scale=1.0">
   <title>kidGames</title>
   <link rel="stylesheet" href="../css/bootstrap.min.css">
   <link rel="stylesheet" href="../css/bootstrap.min.css.map">
   <link rel="stylesheet" href="../css/all.min.css">
   <link rel="stylesheet" href="../css/index.css">
</head>
<body>
<div class="nvb">
       <div class="container " style="margin-top:80px;">
           <nav class="navbar fixed-top">
               <div class="container-fluid">
                <div>
                <a class="navbar-brand text-
black" href="#"><img src="../images/kidlogo1.jpg" width="70px" height="45px" alt="" style=
"border-radius:30px;"></a>
                <span>
                  <span><a class="" href="card.php"><i class="fa-solid fa-cart-</pre>
shopping text-white" style="font-size:25px;"></i></a></span>
                 <span class="noti-acount"><?php echo $items_in_cart ?></span>
                </span>
                </div>
                 <button class="navbar-toggler " type="button" data-bs-</pre>
toggle="offcanvas" data-bs-target="#offcanvasNavbar" aria-controls="offcanvasNavbar">
                  <span class=" navbar-toggler-icon navbar-light-toggler-icon-</pre>
bg" ></span>
                 </button>
                 <div class="offcanvas offcanvas-end" tabindex="-</pre>
1" id="offcanvasNavbar" aria-labelledby="offcanvasNavbarLabel">
                  <div class="offcanvas-header">
                    <h5 class="offcanvas-title" id="offcanvasNavbarLabel">Offcanvas</h5>
                    <button type="button" class="btn-close" data-bs-</pre>
dismiss="offcanvas" aria-label="Close"></button>
                  </div>
                   <div class="offcanvas-body sidbar">
                     <a class="nav-link active" aria-</pre>
current="page" href="index.php">Home</a>
                      <a class="nav-link active" aria-</pre>
current="page" href="products.php">products</a>
                      <a class="nav-link active" aria-</pre>
current="page" href="createProduct.php">createProduct</a>
```

```
<a class="nav-link active" aria-</pre>
current="page" href="information.php">information about project</a>
                    <a class="nav-link active" aria-
current="page" href="explainProject.php">explain project</a>
                    <?php
                    if (isset($_SESSION['userEmail']) and $_SESSION['userEmail'] !=nul
1) {
                     echo'
                       <a class="nav-link" href="../tables/logout.php">logout</a>
                      ';
                       } else{
                         echo'
                          <a class="nav-link" href="login.php">login</a>
                         ';
                    <a class="nav-link" href="register.php">register</a>
                     </div>
               </div>
             </div>
           </nav>
      </div>
   </div>
```

### 3-footer.php:

```
<div class="contact">
                 <1i>>
                            <a href="3" class="d-block text-light">
                               <i class="fa-brands fa-facebook fa-</pre>
lg facebook rounded-circle p-2"></i>
                            </a>
                        <1i>>
                            <a href="3" class="d-block text-light">
                               <i class="fa-brands fa-twitter fa-lg twitter rounded-</pre>
circle p-2"></i>
                           </a>
                        <1i>>
                            <a href="3" class="d-block text-light">
                               <i class="fa-brands fa-linkedin fa-</pre>
lg linkedin rounded-circle p-2"></i>
                        </div>
              </div>
              <div class="col-md-6 col-lg-2">
                 <div class="links">
                     <h5 class="text-light">links</h5>
                     Home 
                        serviece
                        products
                     </div>
              </div>
              <div class="col-md-6 col-lg-2">
                 <div class="links">
                    <h5 class="text-light">About us</h5>
                     <a class="text-decoration-none text-</li>
white" href="login.php"> login</a>
                         <a class="text-decoration-none text-
white "href="register.php"> register</a>
                        <a class="text-decoration-none text-
white" href="logout.php"> logout</a>
                        <a class="text-decoration-none text-
white" href="products.php"> our products</a>
                    </div>
              </div>
              <div class="col-md-6 col-lg-4">
                 <div class="contact">
                    <h5 class="text-white">contact us</h5>
```

### 4-login.php:

```
<?php
 session start();
 require_once("../tables/loginVerify.php");
 $verify=new Verify();
 if (isset($_SESSION['userEmail']) and $_SESSION['userEmail'] !=null) {
    header('Location:index.php');
    exit;
 }
<?php include once("header.php"); ?>
    <div class="login mt-5 mb-5 ">
                <div class="box1">
                    <div class="bord p-5 ">
                    <h4 class="header text-center mt-4 mb-4">Login</h4>
                    <form class="" action="<?php $_SERVER['PHP_SELF'] ?>" method="post">
                        <div class="form-group mb-3">
                            <label for="userEmail">Email:</label>
                            <input type="email" class="form-</pre>
control" placeholder="Enter email" name="userEmail" id="" required>
                        <div class="form-group mb-3 ">
                            <label for="userPassword">password:</label>
                            <input type="password" class="form-</pre>
control" placeholder="Enter password" name="userPassword" id="" required>
                        </div>
                        <a href="#"> forget password?</a>
```

```
<div class="form-group text-center">
                              <button class="btn btn-primary rounded-pill ps-4 pe-4 m-</pre>
3" type="submit">login</button>
                    </form>
                   <?php
                    if (isset($_POST['userEmail']) and $_POST['userEmail'] !=null and
                      isset($_POST['userPassword']) and $_POST['userPassword'] !=null )
                        $username= stripslashes($_POST['userEmail']);
                          $pass=stripslashes($_POST['userPassword']);
                        if($verify->verifyUser($pdo,$username,$pass)){
                          echo "<h6 style='color:#3626cd'>loging successfullly... </h6>";
                            $_SESSION['userEmail']=$username;
                            $_SESSION['userPassword']=$pass;
                          echo'
                          <script type="text/javascript">
                            setTimeout(function(){
                                window.location.href="index.php";
                            },2000);
                          </script> ';
                        } else{
                        echo "<h6 style='color:red'> login faild </h6>
                </div>
                </div>
    </div>
    <?php include_once("footer.php"); ?>
</body>
</html>
```

#### 5-register.php:

```
<?php
require_once("../tables/Users.php");
$u =new Users();

if (isset($_POST['userEmail']) && isset($_POST['userPassword']) && isset($_POST['userName'])) {</pre>
```

```
if($res=$u-
>create user($pdo,$ POST['userName'],$ POST['userEmail'], $ POST['userPassword'])){
        echo "<h2 style='color:green;'> $res </h2>";
    } else{
        echo "</h2 style='color:red;'> not added ..?? </h2>";
<?php include once("header.php"); ?>
    <div class="register mt-5 mb-5 ">
       <div class="box1">
                    <div class="bord p-5 ">
                    <h4 class="header text-center mt-4 mb-4">register</h4>
                    <form class="" action="<?php $ SERVER['PHP SELF'] ?>" method="post">
                       <div class="form-group mb-3 ">
                             <label for="userEmail">name:</label>
                            <input type="text" class="form-</pre>
control" placeholder="Enter name" name="userName" id="" required>
                        </div>
                        <div class="form-group mb-3">
                            <label for="userEmail">Email:</label>
                            <input type="email" class="form-</pre>
control" placeholder="Enter email" name="userEmail" id="" required>
                        </div>
                        <div class="form-group mb-3 ">
                            <label for="userPassword">password:</label>
                             <input type="password" class="form-</pre>
control" placeholder="Enter password" name="userPassword" id="passin1" required >
                        </div>
                        <div class="form-group mb-3 ">
                             <label for="userPassword">confirm password:</label>
                            <input type="password" class="form-</pre>
control" placeholder="confirm password" name="confirmPass" id="passin2"
                                                                               onkeyup='chec
kPass(); required>
                            <span class=" fs-10" id="passnoti"> </span>
                        </div>
                        <div class="form-group text-center">
                              <button class="btn btn-primary rounded-pill ps-4 pe-4 m-</pre>
3" type="submit">register</button>
                        </div>
                    </form>
                   <div class="text-center">
                    <a href="#" class="text-center"> has acount-></a>
                   </div>
                </div>
              </div>
    </div>
    <?php include_once("footer.php"); ?>
</body>
</html>
```

### 6-products.php:

```
<?php
// require_once("../tables/allproducts.php");
require_once(".../DB/database.php");
$search=$_GET['search'] ?? '';
if ($search) {
   $statement=$pdo->prepare('SELECT * FROM productsr WHERE title LIKE :tit');
   $statement->bindValue(':tit', "%$search%" );
$statement=$pdo->prepare('SELECT * FROM productsr ');
$statement->execute();
$products=$statement->fetchAll(PDO::FETCH_ASSOC);
<?php include_once("header.php"); ?>
   <div class="product mt-5 ">
       <div class="container-fluid ms-3 me">
           <div class="row">
               <span class="col-xs-3 col-sm-3 col-md-3 col-lg-3 cat" style="border-</pre>
right: 2px solid black;">
                  <h2>Categories</h2>
                  >cartoon 
                      sport
                      Vehicle models
                      Baby&Toddler
                      Learning Toys
                      Action games
                      Intelligence&puzzle Toys
                  <a href="" class="btn btn-filter ps-5 pe-5 ">Filter</a>
                <div class="separate"></div>
               <h2 class="mt-3">Price</h2>
               <form action="" method="post" class="selectpriceinput">
                   <input type="text" name="min" placeholder="Min" >
                   <input type="text" name="max" id="" placeholder="Max">
                 <a href="#" class="btn btn-setprice mt-4 ps-4 pe-5 mb-3">Set Price</a>
               </span>
           <div class="col-xs-9 col-sm-9 col-md-9 col-lg-9 justify-content-center">
               <div class="row">
                   <form action="" method="get">
                      <div class="form-group me-5 mt-3 mb-3 justify-content-center">
                          <input type="text" name="search" placeholder="search" class="fo</pre>
rm-control">
                      </div>
                   </form>
```

```
<?php foreach($products as $product) : ?>
                    <div class="card m-3" style="width: 12rem; border-radius: 17px;">
                        <img src="<?php echo $product['photo'] ?>" class="card-img-
top" alt="...">
                       <div class="card-body border-top pb-0 ps-0 pe-0">
                           <div class="d-flex">
                              <?php if(isset($_SESSION['userEmail'])) : ?>
                               <a href="../tables/deleteProduct.php ?id=<?php echo $produc</pre>
t['id'] ?>"><i class="fas fa-trash-alt text-danger me-1"></i></a>
                               <a href="editProduct.php ?id=<?php echo $product['id'] ?>">
<i class="fas fa-edit text-primary me-1"></i></a>
                              <?php endif ;?>
                           <h5 class="card-title"><?php echo $product['title'] ?></h5>
                           </div>
                           <div class="d-flex justify-content-between align-items-</pre>
center mt-2 ">
                              <div>
                                     <span class="text-black-50">price</span>
                                     <h6><?php echo $product['price'] ?> $</h6>
                              </div>
                               <a href="showProduct.php?id=<?php echo $product['id']?>" c
lass="btn btn-white ps-3 pe-3 add">Add</a>
                           </div>
                        </div>
                    </div>
                    <?php endforeach ; ?>
                </div>
            </div>
            </div>
        </div>
    </div>
    <?php include_once("footer.php"); ?>
</body>
</html>
```

#### 7-showProduct.php

```
<?php
require_once("../DB/database.php");
$id=$_GET['id'] ?? null;
if (!$id) {</pre>
```

```
header('Location:index.php');
$statement= $pdo->prepare("SELECT * FROM productsr WHERE id = :id");
$statement->bindValue(':id',$id);
$statement->execute();
$product =\$statement->fetch(PDO::FETCH ASSOC);
<?php include_once("header.php"); ?>
    <div class="showproduct mt-5 mb-5">
        <div class="container">
            <div class="row">
                <div class="col-md-6 col-lg-6">
                    <div class="container">
                        <img class="img-</pre>
fluid" src="<?php echo $product['photo'] ?>" width="300px" height="250px" alt="" style="bo
rder-radius: 25px;">
                    </div>
                </div>
                <div class="col-md-6 col-lg-6" style="border-left: 1px solid black;">
                    <span class="b-2 d-inline"><span style="font-size:20px;font-</pre>
weight:bold;">Category : </span><?php echo $product['category'] ?></span>
                    <h4><?php $product['title'] ?></h4>
                     <?php echo $product['descriptions'] ?>
                    <h2>$ <span><?php echo $product['price'] ?></span></h2>
                    <hr>>
                    <span class="text-black-</pre>
50">Quantity: <?php echo $product['quantity'] ?></span>
                    <div class="d-flex justify-content-between align-items-center me-5">
                        <div class="btn-group btn-increase" role="group">
                            <button type="button" class="btn plus-</pre>
action" onclick="plusfunc(<?php echo $product['price'] ?>);">+</button>
                            <button type="button" class="btn" id="quant">1</button>
                            <button type="button" class="btn minus-</pre>
action" onclick="minusfunc(<?php echo $product['price'] ?>);">-</button>
                         </div>
                         <div>
                           <span>total: <span style="font-size:25px; font-</pre>
weight:bold;" id="total"><?php echo $product['price'] ?></span></span><span>$</span>
                    </div>
                    <form style="display:inline" action="addToCard.php" method="POST">
                        <input type="hidden" name="id" value="<?php echo $product['id'] ?>
                        <input type="hidden" name="count" id="valcount">
                        <button type="submit" class="btn btn-setprice mt-</pre>
3" style="width: 25rem; ">ADD TO CARD</button>
                   </form>
                    <!-- <a class="btn btn-setprice mt-
3" style="width: 25rem; " href="" >ADD TO CARD</a> -->
                </div>
            </div>
        </div>
```

```
</div>
  <?php include_once("footer.php"); ?>

</body>
</html>
```

### 8-createProduct.php:

```
<?php
require_once("../tables/product.php");
$p =new Products();
$imagePath='';
$errors=[];
if (isset($_POST['title'])) {
   $file_name= $_FILES['photo']['name'] ;
   $file_size=$_FILES['photo']['size'];
     $file_tmp=$_FILES['photo']['tmp_name'];
    $exten=strtolower(end(explode(".",$file_name)));
    $extentions=array("png","jpg","jpeg");
    if ($file size>2*1024*1024)
        $errors[]="file more than 2mb not allowd";
    if(!in_array($exten,$extentions))
    $errors[]=" this file extention not allowd";
   if (empty($errors)) {
     $imagePath="uploadimage/".$file_name;
     move uploaded file($file tmp,$imagePath);
   $p->title=$ POST['title'];
   $p->description=stripslashes($_POST['description']);
    $p->photo=$imagePath;
    $p->price=stripslashes($ POST['price']);
    $p->quantity=stripslashes($_POST['quantity']);
    $p->category=stripslashes($_POST['category']);
   if($res=Products::create product($pdo,$p)){
        echo "<h2 style='color:green;'> $res </h2>";
        echo "</h2 style='color:red;'> not added ..?? </h2>";
    }
   else{
    echo "<h3>there are property not has value </h3> ";
```

```
?>
<?php include_once("header.php"); ?>
    <div class="createproduct mt-5 mb-5 " >
    <?php if(!empty($errors)): ?>
        <div class="alert-danger">
          <?php foreach ($errors as $error ): ?>
                <div> <?php echo $error ?></div>
            <?php endforeach; ?>
           <?php endif; ?>
        </div>
        <div class="container" style="width: 60%;" >
            <h3 class="mt-3 mb-3" style="font-weight: bold; ">Create Product</h3>
            <form action="<?php $_SERVER['PHP_SELF']?>" method="POST" enctype="multipart/
form-data" >
                <div class="form-group mb-3">
                     <label for="title">title</label>
                     <input type="text" name="title" placeholder=" enter title" class="form</pre>
-control" required>
                </div>
                <div class="form-group mb-3">
                     <label for="description">description</label>
                     <input type="text" name="description" placeholder="enter description"</pre>
class="form-control" required>
                </div>
                <div class="form-group mb-3">
                     <label for="photo">photo</label>
                     <input type="file" name="photo" placeholder=" choose image" class="for</pre>
m-control" required>
                </div>
                <div class="form-group mb-3">
                     <label for="price">price</label>
                     <input type="text" name="price" placeholder="enter price" class="form-</pre>
control"required>
                </div>
                <div class="form-group mb-3">
                     <label for="quantity">Quantity</label>
                    <input type="text" name="quantity" placeholder="enter quantity" class=</pre>
"form-control" required>
                </div>
                <div class="form-group mb-3">
                    <label for="category">Category</label>
                     <input type="text" name="category" placeholder="enter category" class=</pre>
'form-control" required>
                </div>
                <div class="form-group mb-3">
                     <button class="btn btn-primary" type="submit">submit</button>
                </div>
            </form>
        </div>
```

```
</div>
  <script src="../js/all.min.js" > </script>
        <script src="../js/bootstrap.bundle.min.js" > </script>
        <script src="../js/bootstrap.bundle.min.js.map" > </script>
        <script src="../js/myfile.js"></script>
        </body>
        </html>
```

#### 9-editProduct.php:

```
<?php
require_once(".../DB/database.php");
$id=$_GET['id'] ?? null;
$product=null;
if ($id) {
$statement= $pdo->prepare('SELECT * FROM productsr WHERE id = :id');
$statement->bindValue(':id',$id);
$statement->execute();
$product=$statement->fetch(PDO::FETCH ASSOC);
<?php include_once("header.php"); ?>
    <div class="createproduct mt-5 mb-5 ">
        <div class="container" style="width: 60%;" >
            <h3 class="mt-3 mb-3" style="font-weight: bold; ">update Product</h3>
            <form action="updateProduct.php" method="POST" enctype="multipart/form-</pre>
data" >
                    <input type="hidden" name="id" value="<?php echo $product['id'] ?>">
               <div class="form-group mb-3">
                    <label for="title">title</label>
                    <input type="text" name="title" placeholder=" enter title" class="form</pre>
-control" value="<?php echo $product['title'] ?>" required>
                </div>
                <div class="form-group mb-3">
                    <label for="description">description</label>
                    <input type="text" name="description" placeholder="enter description"</pre>
class="form-control" value="<?php echo $product['descriptions'] ?>" required>
                </div>
                <div class="form-group mb-3">
                    <label for="photo">photo</label>
                    <input type="file" name="photo" placeholder=" choose image" class="for</pre>
m-control" value="<?php echo $product['photo'] ?>" required>
```

```
</div>
                <div class="form-group mb-3">
                    <label for="price">price</label>
                    <input type="text" name="price" placeholder="enter price" class="form-</pre>
control" value="<?php echo $product['price'] ?>" required>
                </div>
                <div class="form-group mb-3">
                    <label for="quantity">Quantity</label>
                    <input type="text" name="quantity" placeholder="enter quantity" class=</pre>
"form-control"
                value="<?php echo $product['quantity'] ?>" required>
                </div>
                <div class="form-group mb-3">
                    <label for="category">Category</label>
                    <input type="text" name="category" placeholder="enter category" class=</pre>
'form-control"
                value="<?php echo $product['category'] ?>" required>
                </div>
                <div class="form-group mb-3">
                    <button class="btn btn-primary" type="submit">submit</button>
                </div>
            </form>
        </div>
   </div>
   <script src="../js/all.min.js" > </script>
   <script src="../js/bootstrap.bundle.min.js" > </script>
    <script src="../js/bootstrap.bundle.min.js.map" > </script>
    <script src="../js/myfile.js"></script>
</body>
/html>
```

# 10-updateProduct.php:

```
<?php
require once("../tables/product.php");
$p =new Products();
$imagePath='';
$errors=[];
if (isset($ POST['title'])) {
        $file_name= $_FILES['photo']['name'];
        $file_size=$_FILES['photo']['size'];
        $file_tmp=$_FILES['photo']['tmp_name'];
        $exten=strtolower(end(explode(".",$file_name)));
        $extentions=array("png","jpg","jpeg");
        if ($file_size>2*1024*1024)
            $errors[]="file more than 2mb not allowd";
        if(!in_array($exten,$extentions))
        $errors[]=" this file extention not allowd";
        if (empty($errors)) {
        $imagePath="uploadimage/".$file_name;
        move uploaded file($file tmp,$imagePath);
```

### 11-addToCard.php:

```
<?php
 session_start();
 /** @var $pdo \PDO */
 require_once("../DB/database.php");
 $id=$_POST['id'] ?? null;
 $count=$_POST['count'] ?? null;
if (!$count) {
    $count="1";
if (!$id) {
    if(!$count || $count<1){</pre>
    header('Location:index.php');
    exit;
 $stmtquant=$pdo->prepare('SELECT * from productsr where id=:id');
 $stmtquant->bindValue(':id',$id);
 $stmtquant->execute();
 $prodQ=$stmtquant->fetch(PDO::FETCH_ASSOC);
  if ($prodQ['quantity']<= 0 || $count > $prodQ['quantity']) {
    header('Location:products.php');
```

```
exit;
 } else{
      $stmt4=$pdo->prepare('UPDATE productsr SET quantity = quantity-
:coun where id=:id' );
      $stmt4->bindValue(':id',$id);
      $stmt4->bindValue(':coun',$count);
      $stmt4->execute();
      $prodQ['quantity']=$count;
     /// THIS CODE VERY GOOD WORK I LOVE IT , its very very very gooooood
     if (!isset($ SESSION['cart'])) {
       $ SESSION['cart']=Array();
       array_push($_SESSION['cart'], $prodQ);
        foreach ($_SESSION['cart'] as &$item){// this condition if customer select the sam
e item two times
           if($item['id'] ==$id){
              $item['quantity']+=$count;
             header('Location:products.php');
             exit;
       array_push($_SESSION['cart'], $prodQ);
      header('Location:products.php');
      exit;
?>
```

# 12-card.php:

```
<img class="img-fluid me-</pre>
2" src="<?php echo $item['photo'] ?>" alt="" width="70px" height="70px">
                         <span style="width: 30%;"><?php echo $item['title'] ?></span>
                     </div>
                     <div class="ps-3 d-flex justify-content-between align-items-</pre>
center" style="width: 50%;">
                         <div class="btn-group btn-</pre>
increase2" style="width: 25%; height:30px;" role="group">
                             <button type="button" class="btn ">+</button>
                             <button type="button" class="btn"><?php echo $item['quantity']</pre>
 ?></button>
                             <button type="button" class="btn ">-</button>
                         </div>
                         <span class="" style="width: 30%; font-</pre>
weight:bold;"><?php echo $item['price'] * $item['quantity'] ?>$</span>
                         <form style="display:inline" action="cancelCard.php" method="POST"</pre>
                             <input type="hidden" name="id" value="<?php echo $item['id'] ?</pre>
                             <input type="hidden" name="count" value="<?php echo $item['qua</pre>
ntity'] ?>">
                             <button type="submit"class="cancel-card btn">X </button>
                         </form>
                     </div>
            </div>
            <?php $totalcard +=$item['price'] * $item['quantity']; ?>
                document.getElementById('sum').innerHTML= <?php echo $totalcard?> ;
            </script>
            <?php endforeach; ?>
            <?php endif ?>
            </div>
        </div>
    </div>
    <script src="../js/all.min.js" > </script>
    <script src="../js/bootstrap.bundle.min.js" > </script>
    <script src="../js/bootstrap.bundle.min.js.map" > </script>
    <script src="../js/myfile.js"></script>
</body>
</html>
```

## 13-cancelCard.php:

```
<?php
session_start();
/** @var $pdo \PDO */
require_once("../DB/database.php");
$qup=0;</pre>
```

# 14-information.php:

```
<?php include_once("header.php"); ?>
<div class="info mt-5 mb-5</pre>
   <div class="container">
       <h2 class="text-center mb-4 text-uppercase text-black-</pre>
50 ">information about project</h2>
       <div class="row">
          <div class="col-md-6 col-lg-6 mt-lg-5">
             <h5> GOALS</h5>
                 E-
markiting for games through this sit. 
                 class="text-black-"
50">Facilitate choosing games for children from home.
                 class="text-black-"
50">Easy choice of games suitable for children.
              <div class="col-md-6 col-lg-6 mt-lg-5">
              <h5>VISSION</h5>
              <l>
                  50">Meet the needs of the psychological child.
                  class="text-black-"
50">Contribute to the growth of social mental social child.
                  class="text-black-"
50">Configure simple child experience about things.
                   Assistance in child education
              </div>
```

```
<div class="col-md-6 col-lg-6 mt-lg-5">
            <h5>MISSION</h5>
            <l
                50">Making an electronic market through which are suitable for children.
                class="text-black-"
50"> Choose games by mother or father for young children and submit it a gift , where ther
e will be intelligance games and early education games.
            </div>
         <div class="col-md-6 col-lg-6 mt-lg-5">
            <h5>CONTRIBUTION</h5>
                Nasser mohammed 
                 Fadi mofeed 
                 Abdulrahman hamood 
            </div>
      </div>
   </div>
</div>
<?php include_once("footer.php"); ?>
</body>
</html>
```

# 15-explainProject.php:

```
<?php include once("header.php"); ?>
<div class="explain mt-5 mb-3">
   <div class="container">
       <h1 class="text-center mb-5">EXPLAIN PROJECT</h1>
       <h5>introduction </h5>
       50"> first we make this project for bussines and salles and paid product of kids Games
           whene user registet on our website he/she can purchase any product he want , t
he website has the
           validation on login/register and session for each users , also the user can ma
ke logout from his session
           ,website has many pages we will justify bellow :
       <h5>index page</h5>
       <l
           1- cover page of project 
           2-the user start from this page
```

```
3- when click on the menu of right corner or "get started" button will ap
pear the list of option (products -login-logout -register-information about project -
explanation of project ). 
           <a href="index.php">click her to index page </a>
       <h5>products page</h5>
       <l
           1-contain of the all products and category
           2- the customer can choose products from this page. 
           <1i>3-also can search about products here by prices or title </1i>
            <1:>4- admin can edit or delete product from this page by the icones edit an
d delete
           <a href="products.php">click here to products page </a>
       <h5>show selected product page</h5>
       <l
           1- increase the number of product quantity want. 
           2- add the product to the cart . 
           3- see the description of product choosen. 
           <a href="showProduct.php">click here to show page </a>
       <h5>card page</h5>
       <l
           1-show the product that the user selected or he want.
           2- increase or decrease the number of quantity . 
           3- see the number of product selected . 
           4- cancel the product from cart.
           <a href="card.php">click here to show page </a>
       <h5>login page</h5>
       <l
           1-
when user click add button if the user has account in our database the product adding , bu
t if he don't has account in database
               the website will move him to the login page or regiser page.
           <a href="login.php">click here to show page </a>
       <h5>register page</h5>
       <l
           1-
when user click add button if the user has account in our database the product adding , bu
t if he don't has account in database
                the website will move him to the login page or regiser page.
           <a href="register.php">click here to show page </a>
       <h5>create product page</h5>
       <l
           1-the admin can create the product from this page 
               <a href="crateProduct.php">click here to show page </a>
       <h5>information about project page</h5>
       <l
```

#### Css folder:

#### 1-index.css:

```
.navbar{
   background-color:rgb(17, 230, 212);
   color: white;
.footer{
   background-color:rgb(17, 230, 212);
.footer .copyright > span{
   color: var(--green-color);
.footer .copyright div span{
   color: var(--yellow-color);
.footer .contact ul svg{
   width: 20px;
   height: 20px;
.footer .contact ul li a{
   color: white;
.box1{
   display: flex;
   flex-direction: column;
   justify-content: center;
   align-items: center;
.bord{
   border: 3px solid rgb(17, 230, 212);
```

```
border-radius: 10px;
   border-top-right-radius: 52px;
   border-bottom-left-radius: 52px;
  box-shadow: 9px -12px 4px 2px rgb(34 218 255);
.info h5{
    color: rgb(17, 230, 212);
.explain h5{
    color: rgb(17, 230, 212);
.landing{
     min-height: calc(75vh - 72px);
.main-btn{
    background-color: rgb(17, 230, 212);
    color: white;
    padding: 0.5rem 1rem;
     border: 2px solid rgb(17, 230, 212);
.main-btn-e{
     border: 1px solid white;
.main-btn:hover{
    color:
             black;
   background-color:white;
.sidbar{
     background-color:rgba(17, 230, 212, 0.568);
.sidbar .navbar-nav .nav-item .nav-link{
    color: white;
    font-size: 20px;
    margin-left: 0px;
    padding-left: 0px;
.sidbar .navbar-nav .nav-item .nav-link:hover,
.sidbar .navbar-nav .nav-item .nav-link:active{
    border-bottom: 2px solid black;
    color: black;
    transform: translateX(5%);
    transition: 0.5s;
.cat ul li{
    padding-bottom: 5px;
    margin-left: 5px;
.cat ul li:hover,
.cat ul li:active{
  color: rgb(17, 230, 212);
 transition: 0.5s;
  transform: translateX(5%);
```

```
list-style-type: square;
   cursor: pointer;
   font-weight: bold;
.cat .btn-filter{
    background-color:rgb(17, 230, 212);
    color:white;
    font-weight: bold;
.cat .btn-filter:hover,.cat .btn-filter:active{
    background-color: white;
    color: black;
.separate{
 margin-top: 20px;
 width: 100%;
 border: 1px solid black;
 margin-right: 0px;
  padding-right: 0px;
.selectpriceinput{
    display: flex;
    flex-direction: row;
    align-items: center;
.selectpriceinput input{
   width: 60px;
   height: 40px;
    margin-right: 5px;
    border-radius: 5px;
    border: 0.5px solid gray;
.btn-setprice{
    background-color:rgb(17, 230, 212);
    color:white;
    font-weight: bold;
    align-items: center;
.btn-setprice:hover,.btn-setprice:active{
background-color: white;
color: black;
.add{
    border: 1px solid black;
    font-weight: bold;
.add:hover,.add:active{
    background-color: rgb(17, 230, 212);
```

```
color: white;
}
.btn-increase button{
background-color: rgb(204, 196, 196);
font-weight: bold;
height: 40px;
.btn-increase button:nth-child(2){
  height:43px;
   padding-top: 16px;
  border: 1px solid white;
  margin: 1px;
.btn-increase2 button {
   padding: 0px;
 margin-left: -20;
 background-color: rgb(211, 207, 207);
 .btn-increase2 button:nth-child(2){
    border: 1px solid white;
    margin: 1px;
 .cancel-card:hover{
     cursor: pointer;
    color: red;
 .createproduct .form-group label{
    color: rgb(17, 230, 212);
    font-weight: bold;
 .noti-acount{
    position: absolute;
    width: 18px;
    display: flex;
    align-items: center;
    justify-content: center;
    top: 5px;
    left: 127px;
    height: 18px;
    color: white;
    background-color: red;
    border-radius: 30px;
```

#### Js folder:

# 1-myFile.js

```
document.getElementById("passnoti");
function checkPass() {
    if (document.getElementById("passin1").value != document.getElementById("passin2").val
ue) {
        document.getElementById("passnoti").style.color="red";
        document.getElementById("passnoti").innerText="not matching";
    } else{
        document.getElementById("passnoti").innerText="matching";
        document.getElementById("passnoti").style.color="blue";
    }
var count=document.getElementById('valcount');
function plusfunc(price){
var q= document.getElementById('quant').innerHTML;
 var q1=count.value=parseInt(q,10) + 1;
 document.getElementById('quant').innerHTML=q1;
 var p=document.getElementById('total').innerHTML ;
 var p2=parseInt(p,10) + parseInt(price,10);
  document.getElementById('total').innerHTML=p2;
if(parseInt(document.getElementById('valcount').value,10)===0)
    document.getElementById('valcount').value;
function minusfunc(price){
    if (parseInt(document.getElementById("quant").innerHTML,10)>1) {
        document.getElementById("quant").innerHTML-=1;
        document.getElementById("total").innerHTML-=price;
    }
```

Other tools (I am using bootstrap tool only)