PhD Thesis codes

Nathaniel Henman

June 16, 2023

1 Pre-impact phase of droplet impact onto a viscoelastic surface.

Sec. 2.1.2.

Code: 'pre_impact_viscoelastic_code.m'

$$\begin{split} F_{TT} &= \frac{1}{\pi} (PV) \int_{-\infty}^{\infty} \frac{\tilde{e}_3 G_{\zeta}(\zeta, T) + \tilde{e}_5 G_{\zeta T}(\zeta, T)}{X - \zeta} \mathrm{d}\zeta, \\ & \left((F - G)^3 (\tilde{e}_3 G_X + \tilde{e}_5 G_{XT}) \right)_X = 12 (F - G)_T, \\ F &\to \frac{X^2}{2} - T, G \to 0, \quad \text{as } T \to -\infty, |X| \to \infty. \end{split}$$

2 Pre-impact phase of droplet impact onto a flexible surface

Sec. 2.1.3.

Code: 'pre_impact_flexible_code.m'

$$F_{TT} = \frac{1}{\pi} (PV) \int_{-\infty}^{\infty} \frac{P_{\zeta}(\zeta, T)}{X - \zeta} d\zeta,$$

$$\left((F - G)^3 P_X \right)_X = 12(F - G)_T,$$

$$\tilde{e}_1 G_{XXXX} + \tilde{e}_2 G_{XX} + \tilde{e}_3 G + \tilde{e}_4 G_{TT} + \tilde{e}_5 G_T = P,$$

$$F \to \frac{X^2}{2} - T, G \to 0, P \to 0 \quad \text{as } T \to -\infty, |X| \to \infty.$$

3 Pre-impact phase of droplet impact onto a lubricant-infused surface

Sec. 2.2.

Code: 'pre_impact_LIS_code.m'

$$F_{TT} = \frac{1}{\pi} (PV) \int_{-\infty}^{\infty} \frac{P_{\zeta}(\zeta, T)}{X - \zeta} d\zeta,$$

$$\left(\frac{F^{3}(F + 4\Lambda)}{F + \Lambda} P_{X}\right)_{X} = 12F_{T},$$

$$F \to \frac{X^{2}}{2} - T, P \to 0 \quad \text{as } T \to -\infty, |X| \to \infty.$$

4 Boundary layer jet on a flat lubricant-infused surface

Sec. 4.2.2.

Code: 'BL_flat_LIS_code.m'

$$h^{2}uu_{X} + 2Xh\tilde{v}u_{Y} = \frac{2X}{\tilde{R}e}u_{YY},$$

$$(hu)_{X} + \tilde{v}_{Y} = 0,$$
(1)

$$u = \Lambda u_Y, \quad \tilde{v} = 0, \quad \text{at } Y = 0,$$
 (2)

$$u_Y = 0, \qquad \tilde{v} = 0, \qquad Y = 1, \tag{3}$$

$$h = 1,$$
 $u = \frac{3}{2 + 6\Lambda} (2\Lambda + 2Y - Y^2),$ $\tilde{v} = 0,$ at $X = 0$ (4)

5 Boundary layer jet on a deformable lubricant meniscus.

Sec. 4.3.2.

Code: 'BL_meniscus_LIS_code.m'

$$h^{2}X_{x}uu_{X} + h\tilde{v}u_{Y} = \frac{1}{\varepsilon^{2}\text{Re}}u_{YY},$$

$$X_{x}(hu)_{X} + \tilde{v}_{Y} = 0,$$

$$H'''(x) = -\frac{2\mu\text{Ca}}{\varepsilon^{3}}\frac{u_{s}(3A+B)}{(H+1)^{2}} + \frac{\rho\text{ReCa}}{\varepsilon}u_{s}(u_{s}(A+B+C))',$$

$$u = \frac{H+1}{\mu h(3A+2B+C)}u_{Y}, \quad \tilde{v} = 0, \quad \text{at } Y = 0,$$

$$u_{Y} = 0, \quad \tilde{v} = 0, \quad \text{at } Y = 1,$$

$$u = \frac{3Y}{2}(2-Y), \quad \text{at } X = 0,$$

$$h \int_{0}^{1} u \, dY = h_{0}, \quad H(0) = H(1) = \int_{0}^{1} H \, dx = 0.$$
(5)

6 Droplet deformation: flow in air

Sec. 5.3.1.

Code: 'droplet_air_code.m'

$$\psi_{\xi\xi} + \psi_{\theta\theta} = -e^{2\xi}\zeta,$$

$$\zeta_{\xi\xi} + \zeta_{\theta\theta} = \frac{1}{\text{Re}}(\psi_{\theta}\zeta_{\xi} - \psi_{\xi}\zeta_{\theta} - e^{2\xi}\zeta_{t})$$

$$\psi = \psi_{\xi} = 0, \quad \text{at } \xi = 0,$$

$$\psi \to 2\sinh\xi\sin\theta, \quad \zeta \to \infty, \quad \text{as } \xi \to \infty,$$

$$\psi = \zeta = 0, \quad \theta = 0, \pi.$$

7 Droplet deformation" flow in droplet

Sec. 5.3.2.

Code: 'droplet_inside_code.m'

$$\begin{split} r^2 P_{rr} - r P_r + P + P_{\theta\theta} &= 0 \\ r^2 U_t &= -r^2 P_r + r P + \frac{1}{\mu_1 \text{Re}} (r^2 U_{rr} - r U_r + U_{\theta\theta} - 2 V_{\theta}) \\ r^2 V_t &= -r P_{\theta} + \frac{1}{\mu_1 \text{Re}} (r^2 V_{rr} - r V_r + V_{\theta\theta} + 2 U_{\theta}) \\ U &= V = P = 0, \quad \text{at } r = 0, \\ P &= p_g|_{r=1} + \frac{1}{\text{We}}, \quad V_r - V = \mu_1 \zeta_g|_{r=1} - U_{\theta}, \quad U_r = -V_{\theta}, \quad \text{at } r = 1, \\ U_{\theta} &= V = P_{\theta} = 0, \quad \text{at } \theta = 0, \pi. \end{split}$$