Paigaldame seda peamisel serveril ja selleks kasutame käsud:

sudo apt-add-repository ppa:ansible/ansible

```
nikolchuk@nikolchuk:~$ sudo apt-add-repository ppa:ansible/ansible
[sudo] password for nikolchuk:
Repository: 'deb https://ppa.launchpadcontent.net/ansible/ansible/ubuntu/ jammy main'
Description:
Ansible is a radically simple IT automation platform that makes your applications and systems easier
 to deploy. Avoid writing scripts or custom code to deploy and update your applications- automate in
 a language that approaches plain English, using SSH, with no agents to install on remote systems.

http://ansible.com/

If you face any issues while installing Ansible PPA, file an issue here:
https://github.com/ansible-community/ppa/issues
More info: https://launchpad.net/~ansible/+archive/ubuntu/ansible
Adding repository.
Press [ENTER] to continue or Ctrl-c to cancel.^[S^[S^[S
```

sudo apt update

sudo apt install ansible

```
nikolchuk@nikolchuk:~$ sudo apt update
Hit:1 http://ee.archive.ubuntu.com/ubuntu jammy InRelease
Hit:2 http://ee.archive.ubuntu.com/ubuntu jammy-updates InRelease
Hit:3 http://ee.archive.ubuntu.com/ubuntu jammy-backports InRelease
Hit:4 http://ee.archive.ubuntu.com/ubuntu jammy-security InRelease
Hit:5 https://ppa.launchpadcontent.net/ansible/ansible/ubuntu jammy InRelease
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
74 packages can be upgraded. Run 'apt list --upgradable' to see them.
nikolchuk@nikolchuk:~$ sudo apt install ansible
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following additional packages will be installed:
  ansible-core libsodium23 python3-bcrypt python3-jmespath python3-kerberos python3-nacl
  python3-ntlm-auth python3-packaging python3-paramiko python3-requests-kerberos
  python3-requests-ntlm python3-resolvelib python3-winrm python3-xmltodict sshpass
Suggested packages:
  python-nacl-doc python3-gssapi python3-invoke
The following NEW packages will be installed:
  ansible ansible-core libsodium23 python3-bcrypt python3-jmespath python3-kerberos python3-nacl
  python3-ntlm-auth python3-packaging python3-paramiko python3-requests-kerberos
  python3-requests-ntlm python3-resolvelib python3-winrm python3-xmltodict sshpass
0 upgraded, 16 newly installed, 0 to remove and 74 not upgraded.
Need to get 19.5 MB of archives.
After this operation, 214 MB of additional disk space will be used.
Do you want to continue? [Y/n] _
```

Siis avame fail, kuhu lisame kõig hostid, käsuga:

Sudo nano /etc/ansible/hosts

Ja lisame sinna hostid, nagu on pildil:

```
File  Machine  View  Input  Devices  Help
  GNU nano 6.2                          /etc/ansible/hosts *
[linux]
10.245.0.127
10.245.0.190
10.245.0.196

[linux:vars]
ansible_user=nikolchuk
ansible_password=Qwerty123
```

Seejärel avame ansible konfiguratsiooni faili, kasutades käsku:

Sudo nano /etc/ansible/ansible.cfg

Ja lisame sinna kaks rida tekstiga:

[defaults]

host_key_checking=False

```
  GNU nano 6.2                      /etc/ansible/ansible.cfg *
# Since Ansible 2.12 (core):
# To generate an example config file (a "disabled" one with all default settings, commented out):
#               $ ansible-config init --disabled > ansible.cfg
#
# Also you can now have a more complete file by including existing plugins:
# ansible-config init --disabled -t all > ansible.cfg

# For previous versions of Ansible you can check for examples in the 'stable' branches of each vers
# Note that this file was always incomplete  and lagging changes to configuration settings

# for example, for 2.9: https://github.com/ansible/ansible/blob/stable-2.9/examples/ansible.cfg
[defaults]
host_key_checkin=False
```

Praegu meil on tehtud kõik lõppuni ja on vaja kontrollida kas see töötab, käsuga:

Ansible all –m ping

```
nikolchuk@nikolchuk:~$ ansible all -m ping
[WARNING]: Platform linux on host 10.245.0.190 is using the discovered Python interpreter at
/usr/bin/python3.10, but future installation of another Python interpreter could change the meaning
of that path. See https://docs.ansible.com/ansible-
core/2.17/reference_appendices/interpreter_discovery.html for more information.
10.245.0.190 | SUCCESS => {
    "ansible_facts": {
        "discovered_interpreter_python": "/usr/bin/python3.10"
    },
    "changed": false,
    "ping": "pong"
}
[WARNING]: Platform linux on host 10.245.0.127 is using the discovered Python interpreter at
/usr/bin/python3.10, but future installation of another Python interpreter could change the meaning
of that path. See https://docs.ansible.com/ansible-
core/2.17/reference_appendices/interpreter_discovery.html for more information.
10.245.0.127 | SUCCESS => {
    "ansible_facts": {
        "discovered_interpreter_python": "/usr/bin/python3.10"
    },
    "changed": false,
    "ping": "pong"
}
[WARNING]: Platform linux on host 10.245.0.196 is using the discovered Python interpreter at
/usr/bin/python3.10, but future installation of another Python interpreter could change the meaning
of that path. See https://docs.ansible.com/ansible-
core/2.17/reference_appendices/interpreter_discovery.html for more information.
10.245.0.196 | SUCCESS => {
    "ansible_facts": {
        "discovered_interpreter_python": "/usr/bin/python3.10"
    },
    "changed": false,
    "ping": "pong"
}
```