

Generated by [Power BI Helper](#) (Copyright © [RADACAD](#)).

Date: 08/09/2026 21:24:12

***** Visualization *****

File: Terceiro.pbix

Path: C:\Users\Natália\OneDrive\Desktop\Terceiro.pbix

***** Model *****

Model: Terceiro

List of Tables:

Name	Description	Storage Mode	Source
VendasTerritorio		Import	let Source = Excel.Workbook(File.Contents("C:\PESSOAL\ALURA CURSO\MODELAGEM\Base de dados - Power BI Mo #"Navigation 1" = Source {[Item = "VendasTerritorio", Kind = "Table"]}[Data], #"Changed column type" = Table.TransformColumnTypes("#Navigation 1", {{"VendasTerritorioKey", Int64.Type}, {"Reg in #"Changed column type"
fVendas		Import	let Source = Excel.Workbook(File.Contents("C:\PESSOAL\ALURA CURSO\MODELAGEM\Base de dados - Power BI Mo #"Navigation 1" = Source {[Item = "Vendas", Kind = "Table"]}[Data], #"Changed column type" = Table.TransformColumnTypes("#Navigation 1", {{"PedidosKey", Int64.Type}, {"Revendedor #"Replaced Value2" = Table.ReplaceValue("#Changed column type","/", "", Replacer.ReplaceText, {"PedidoVendaData"})) #"Replaced Value1" = Table.ReplaceValue("#Replaced Value2","/", "", Replacer.ReplaceText, {"VencimentoData"}), #"Replaced Value" = Table.ReplaceValue("#Replaced Value1","/", "", Replacer.ReplaceText, {"EntregaData"}), #"Renamed Columns" = Table.RenameColumns("#Replaced Value",{{"EntregaData", "EntregaDataKey"}}), #"Merged Queries" = Table.NestedJoin("#Renamed Columns", {"PedidosKey"}, PedidoVendas, {"PedidosKey"}, "Pedid #"Expanded PedidoVendas" = Table.ExpandTableColumn("#Merged Queries", "PedidoVendas", {"Canal", "Pedido de ve #"Renamed Columns1" = Table.RenameColumns("#Expanded PedidoVendas",{{"PedidoVendaData", "PedidoVendaData

			in #"Renamed Columns1"
dRevendedor		Import	let Source = Excel.Workbook(File.Contents("C:\PESSOAL\ALURA CURSO\MODELAGEM\Base de dados - Power BI Mo #"Navigation 1" = Source {[Item = "Revendedor", Kind = "Table"]}[Data], #"Changed column type" = Table.TransformColumnTypes("#Navigation 1", {{"RevendedorKey", Int64.Type}, {"Tipo de in #"Changed column type"
dProduto		Import	let Source = Excel.Workbook(File.Contents("C:\PESSOAL\ALURA CURSO\MODELAGEM\Base de dados - Power BI Mo #"Navigation 1" = Source {[Item = "Produto", Kind = "Table"]}[Data], #"Changed column type" = Table.TransformColumnTypes("#Navigation 1", {{"ProdutoKey", Int64.Type}, {"SKU", type in #"Changed column type"
dCliente		Import	let Source = Excel.Workbook(File.Contents("C:\PESSOAL\ALURA CURSO\MODELAGEM\Base de dados - Power BI Mo #"Navigation 1" = Source {[Item = "Cliente", Kind = "Table"]}[Data], #"Changed column type" = Table.TransformColumnTypes("#Navigation 1", {{"ClienteKey", Int64.Type}, {"Cliente", typ in #"Changed column type"
Estoque		Import	let Source = Excel.Workbook(File.Contents("C:\PESSOAL\ALURA CURSO\MODELAGEM\Estoque - Power BI Modelage #"Navigation 1" = Source {[Item = "Estoque", Kind = "Table"]}[Data], #"Changed column type" = Table.TransformColumnTypes("#Navigation 1", {{"ProdutoKey", Int64.Type}, {"Data atualiz #"Changed Type" = Table.TransformColumnTypes("#Changed column type", {{"Data atualização", type text}}), #"Replaced Value" = Table.ReplaceValue("#Changed Type", "/", "", Replacer.ReplaceText, {"Data atualização"}), #"Renamed Columns" = Table.RenameColumns("#Replaced Value", {{"Data atualização", "Data atualizaçãoKey"}}) in #"Renamed Columns"
dCalendario		Import	ADDCOLUMNS(CALENDAR("01/01/2017", TODAY()), "DataKey", CONCATENATE(FORMAT([Date], "dd"), CONCATENATE(FORMAT([Date], "mm"), FORMAT([date], "yyyy"))))
Medidas		Import	Row("Column", BLANK())

List of Measures:

Measure Name	Table Name	Description	Expression	Dependency	Reverse Dependency
Total entregas	Medidas		CALCULATE(COUNTROWS(fVendas), USERRELATIONSHIP(dCalendario[DataKey], fVendas[EntregaDataKey]))	►Measure: Total entregas ▼	Measure: Total entregas
Total pedidos	Medidas		CALCULATE(COUNTROWS(fVendas), USERRELATIONSHIP(dCalendario[DataKey], fVendas[PedidoVendaDataKey]))	►Measure: Total pedidos ▼	Measure: Total pedidos
Ticket Médio	Medidas		DIVIDE(SUM(fVendas[Preço unitário]), COUNTROWS(fVendas))	►Measure: Ticket Médio ▼	Measure: Ticket Médio

List of Columns for Table VendasTerritorio:

Column Name	Description	Calculated Column	Expression
Regiao			
País			
Continente			

List of Columns for Table dRevendedor:

Column Name	Description	Calculated Column	Expression
Tipo de negócio			
Revendedor			
Cidade			
Estado - Provincia			
País			
Código postal			

List of Columns for Table dProduto:

Column Name	Description	Calculated Column	Expression
SKU			
Produto			
Custo padrão			
Cor			
Preço listado			
Modelo			
Categoria			
Subcategoria			

List of Columns for Table dCliente:

Column Name	Description	Calculated Column	Expression
Cliente			
Cidade			
Estado			
País			
Código postal			

List of Columns for Table dCalendario:

Column Name	Description	Calculated Column	Expression
Date			
Ano		Calculated Column	YEAR(dCalendario[Date])
AnoMês		Calculated Column	FORMAT(dCalendario[Date], "mmm/yy")

AnoMêsNum		Calculated Column	(YEAR(dCalendario[Date]) * 100) + MONTH(dCalendario[Date])
AnoMêsCompleto		Calculated Column	FORMAT(dCalendario[Date], "mmm/yy")
Column 2		Calculated Column	
Mês		Calculated Column	FORMAT(dCalendario[Date], "mmm")

List of Columns for Table Medidas:

Column Name	Description	Calculated Column	Expression
-------------	-------------	-------------------	------------

List of Roles:

Role Name	Table Name	Description	Expression
-----------	------------	-------------	------------

Relationships:

Name	CrossFilteringBehavior	FromCardinality	FromColumn	FromTable	IsActive	IsRemoved	JoinOnDateBehavior	Re
AutoDetected_48891fa7-3b32-43ab-af6f-ce0caefa3890	OneDirection	Many	VendasTerritorioKey	fVendas	True	False	DateAndTime	Fa
AutoDetected_4de6e68b-130e-439c-8ba8-a13dab261458	OneDirection	Many	RevendedorKey	fVendas	True	False	DateAndTime	Fa
AutoDetected_8d34fe84-8769-479f-bae6-91781b723fe6	OneDirection	Many	ClienteKey	fVendas	True	False	DateAndTime	Fa
AutoDetected_fe71fb1e-636a-4133-8fb5-7c37f5e89e5e	OneDirection	Many	ProdutoKey	fVendas	True	False	DateAndTime	Fa
1c89eb10-59d6-f9bc-92cd-496692feb578	OneDirection	Many	ProdutoKey	Estoque	True	False	DateAndTime	Fa
98ff7c7d-ded4-3c95-7908-e826686188a7	OneDirection	Many	Data atualizaçãoKey	Estoque	True	False	DateAndTime	Fa
9ae709b1-4276-2d5d-e32c-7684da715ae4	OneDirection	Many	VencimentoDataKey	fVendas	False	False	DateAndTime	Fa
e06f06c3-e745-0dda-5e51-20f2c24fa64e	OneDirection	Many	PedidoVendaDataKey	fVendas	True	False	DateAndTime	Fa
5eab8e84-5288-4460-ce28-227980eb2789	OneDirection	Many	EntregaDataKey	fVendas	False	False	DateAndTime	Fa

M (Power Query) Script:

VendasTerritorio

let

Source = Excel.Workbook(File.Contents("C:\PESSOAL\ALURA CURSO\MODELAGEM\Base de dados - Power BI Modelagem de dados.xlsx"), null, true),

#"Navigation 1" = Source{[Item = "VendasTerritorio", Kind = "Table"]}[Data],

#"Changed column type" = Table.TransformColumnTypes(#"Navigation 1", {{"VendasTerritorioKey", Int64.Type}, {"Regiao", type text}, {"País", type text}, {"Continente", type text}}, "en-US")

in

#"Changed column type"

fVendas

let

Source = Excel.Workbook(File.Contents("C:\PESSOAL\ALURA CURSO\MODELAGEM\Base de dados - Power BI Modelagem de dados.xlsx"), null, true),

#"Navigation 1" = Source{[Item = "Vendas", Kind = "Table"]}[Data],

#"Changed column type" = Table.TransformColumnTypes(#"Navigation 1", {{"PedidosKey", Int64.Type}, {"RevendedorKey", Int64.Type}, {"ClienteKey", Int64.Type}, {"ProdutoKey", Int64.Type}, {"VendasTerritorioKey", Int64.Type}, {"QuandidadePedido", Int64.Type}, {"Preço unitário", type number}, {"Custo", type number}, {"PedidoVendaData", type text}, {"VencimentoData", type text}, {"EntregaData", type text}}, "en-US"),

#"Replaced Value2" = Table.ReplaceValue(#"Changed column type", "/", "", Replacer.ReplaceText, {"PedidoVendaData"}),

#"Replaced Value1" = Table.ReplaceValue(#"Replaced Value2", "/", "", Replacer.ReplaceText, {"VencimentoData"}),

#"Replaced Value" = Table.ReplaceValue(#"Replaced Value1", "/", "", Replacer.ReplaceText, {"EntregaData"}),

#"Renamed Columns" = Table.RenameColumns(#"Replaced Value", {{"EntregaData", "EntregaDataKey"}}),

#"Merged Queries" = Table.NestedJoin(#"Renamed Columns", {"PedidosKey"}, PedidoVendas, {"PedidosKey"}, "PedidoVendas", JoinKind.LeftOuter),

#"Expanded PedidoVendas" = Table.ExpandTableColumn(#"Merged Queries", "PedidoVendas", {"Canal", "Pedido de venda", "Pedidos"}, {"Canal", "Pedido de venda", "Pedidos"}),

#"Renamed Columns1" = Table.RenameColumns(#"Expanded PedidoVendas", {{"PedidoVendaData", "PedidoVendaDataKey"}, {"VencimentoData", "VencimentoDataKey"}})

in

#"Renamed Columns1"

dRevendedor

let

Source = Excel.Workbook(File.Contents("C:\PESSOAL\ALURA CURSO\MODELAGEM\Base de dados - Power BI Modelagem de dados.xlsx"), null, true),

#"Navigation 1" = Source{[Item = "Revendedor", Kind = "Table"]}[Data],

#"Changed column type" = Table.TransformColumnTypes(#"Navigation 1", {{"RevendedorKey", Int64.Type}, {"Tipo de negócio", type text}, {"Revendedor", type text}, {"Cidade", type text}, {"Estado - Provincia", type text}, {"País", type text}, {"Código postal", type text}}, "en-US")

in

#"Changed column type"

dProduto

let

Source = Excel.Workbook(File.Contents("C:\PESSOAL\ALURA CURSO\MODELAGEM\Base de dados - Power BI Modelagem de dados.xlsx"), null, true),

#"Navigation 1" = Source{[Item = "Produto", Kind = "Table"]}[Data],

#"Changed column type" = Table.TransformColumnTypes(#"Navigation 1", {{"ProdutoKey", Int64.Type}, {"SKU", type text}, {"Produto", type text}, {"Custo padrão", type number}, {"Cor", type text}, {"Preço listado", type number}, {"Modelo", type text}, {"Categoria", type text}, {"Subcategoria", type text}}, "en-US")

in

#"Changed column type"

dCliente

let

Source = Excel.Workbook(File.Contents("C:\PESSOAL\ALURA CURSO\MODELAGEM\Base de dados - Power BI Modelagem de dados.xlsx"), null, true),

#"Navigation 1" = Source{[Item = "Cliente", Kind = "Table"]}[Data],

#"Changed column type" = Table.TransformColumnTypes(#"Navigation 1", {{"ClienteKey", Int64.Type}, {"Cliente", type text}, {"Cidade", type text}, {"Estado", type text}, {"País", type text}, {"Código postal", type text}}, "en-US")

in

#"Changed column type"

Estoque

let

Source = Excel.Workbook(File.Contents("C:\PESSOAL\ALURA CURSO\MODELAGEM\Estoque - Power BI Modelagem de dados.xlsx"), null, true),

#"Navigation 1" = Source{[Item = "Estoque", Kind = "Table"]}[Data],

#"Changed column type" = Table.TransformColumnTypes(#"Navigation 1", {{"ProdutoKey", Int64.Type}, {"Data atualização", type date}, {"Quantidade", Int64.Type}}, "en-US"),

#"Changed Type" = Table.TransformColumnTypes(#"Changed column type", {{"Data atualização", type text}}),

#"Replaced Value" = Table.ReplaceValue(#"Changed Type", "/", "", Replacer.ReplaceText, {"Data atualização"}),

#"Renamed Columns" = Table.RenameColumns(#"Replaced Value", {{"Data atualização", "Data atualizaçãoKey"}})

in

#"Renamed Columns"

dCalendario

ADDCOLUMNS(

CALENDAR("01/01/2017", TODAY()),

"DataKey",

CONCATENATE(

FORMAT([Date], "dd"),

CONCATENATE(

FORMAT([Date], "mm"),

FORMAT([date], "yyyy")

)

)

)

Medidas

Row("Column", BLANK())

Partitions:

Name	QueryDefinition
VendasTerritorio	<pre>let Source = Excel.Workbook(File.Contents("C:\PESSOAL\ALURA CURSO\MODELAGEM\Base de dados - Power BI Modelagem de dados.xlsx"), null, true), #"Navigation 1" = Source[{Item = "VendasTerritorio", Kind = "Table"}][Data], #"Changed column type" = Table.TransformColumnTypes(#"Navigation 1", {{"VendasTerritorioKey", Int64.Type}, {"Regiao", type text}, {"País", type text}, {"Continente", type text}}, "en-US") in #"Changed column type"</pre>
fVendas	<pre>let Source = Excel.Workbook(File.Contents("C:\PESSOAL\ALURA CURSO\MODELAGEM\Base de dados - Power BI Modelagem de dados.xlsx"), null, true), #"Navigation 1" = Source[{Item = "Vendas", Kind = "Table"}][Data], #"Changed column type" = Table.TransformColumnTypes(#"Navigation 1", {{"PedidosKey", Int64.Type}, {"RevendedorKey", Int64.Type}, {"ClienteKey", Int64.Type}, {"ProdutoKey", Int64.Type}, {"VendasTerritorioKey", Int64.Type}, {"QuantidadePedido", Int64.Type}, {"Preço unitário", type number}, {"Custo", type number}, {"PedidoVendaData", type text}, {"VencimentoData", type text}, {"EntregaData", type text}}, "en-US"), #"Replaced Value2" = Table.ReplaceValue(#"Changed column type", "/", "", Replacer.ReplaceText, {"PedidoVendaData"}), #"Replaced Value1" = Table.ReplaceValue(#"Replaced Value2", "/", "", Replacer.ReplaceText, {"VencimentoData"}), #"Replaced Value" = Table.ReplaceValue(#"Replaced Value1", "/", "", Replacer.ReplaceText, {"EntregaData"}), #"Renamed Columns" = Table.RenameColumns(#"Replaced Value", {{"EntregaData", "EntregaDataKey"}}), #"Merged Queries" = Table.NestedJoin(#"Renamed Columns", {"PedidosKey"}, PedidoVendas, {"PedidosKey"}, "PedidoVendas", JoinKind.LeftOuter), #"Expanded PedidoVendas" = Table.ExpandTableColumn(#"Merged Queries", "PedidoVendas", {"Canal", "Pedido de venda", "Pedidos"}, {"Canal", "Pedido de venda", "Pedidos"}), #"Renamed Columns1" = Table.RenameColumns(#"Expanded PedidoVendas", {{"PedidoVendaData", "PedidoVendaDataKey"}, {"VencimentoData", "VencimentoDataKey"}}) in #"Renamed Columns1"</pre>

dRevendedor	<pre>let Source = Excel.Workbook(File.Contents("C:\PESSOAL\ALURA CURSO\MODELAGEM\Base de dados - Power BI Modelagem de dados.xlsx"), null, true), #"Navigation 1" = Source[{Item = "Revendedor", Kind = "Table"}][Data], #"Changed column type" = Table.TransformColumnTypes(#"Navigation 1", {{"RevendedorKey", Int64.Type}, {"Tipo de negócio", type text}, {"Revendedor", type text}, {"Cidade", type text}, {"Estado - Provincia", type text}, {"País", type text}, {"Código postal", type text}}, "en-US") in #"Changed column type"</pre>
dProduto	<pre>let Source = Excel.Workbook(File.Contents("C:\PESSOAL\ALURA CURSO\MODELAGEM\Base de dados - Power BI Modelagem de dados.xlsx"), null, true), #"Navigation 1" = Source[{Item = "Produto", Kind = "Table"}][Data], #"Changed column type" = Table.TransformColumnTypes(#"Navigation 1", {{"ProdutoKey", Int64.Type}, {"SKU", type text}, {"Produto", type text}, {"Custo padrão", type number}, {"Cor", type text}, {"Preço listado", type number}, {"Modelo", type text}, {"Categoria", type text}, {"Subcategoria", type text}}, "en-US") in #"Changed column type"</pre>
dCliente	<pre>let Source = Excel.Workbook(File.Contents("C:\PESSOAL\ALURA CURSO\MODELAGEM\Base de dados - Power BI Modelagem de dados.xlsx"), null, true), #"Navigation 1" = Source[{Item = "Cliente", Kind = "Table"}][Data], #"Changed column type" = Table.TransformColumnTypes(#"Navigation 1", {{"ClienteKey", Int64.Type}, {"Cliente", type text}, {"Cidade", type text}, {"Estado", type text}, {"País", type text}, {"Código postal", type text}}, "en-US") in #"Changed column type"</pre>
Estoque	<pre>let Source = Excel.Workbook(File.Contents("C:\PESSOAL\ALURA CURSO\MODELAGEM\Estoque - Power BI Modelagem de dados.xlsx"), null, true), #"Navigation 1" = Source[{Item = "Estoque", Kind = "Table"}][Data], #"Changed column type" = Table.TransformColumnTypes(#"Navigation 1", {{"ProdutoKey", Int64.Type}, {"Data atualização", type date}, {"Quantidade", Int64.Type}}, "en-US"), #"Changed Type" = Table.TransformColumnTypes(#"Changed column type", {{"Data atualização", type text}}), #"Replaced Value" = Table.ReplaceValue(#"Changed Type", "/", "", Replacer.ReplaceText, {"Data atualização"}), #"Renamed Columns" = Table.RenameColumns(#"Replaced Value", {{"Data atualização", "Data atualizaçãoKey"}}) in #"Renamed Columns"</pre>
dCalendario	<pre>ADDCOLUMNS(CALENDAR("01/01/2017", TODAY()), "DataKey", CONCATENATE(FORMAT([Date], "dd"), CONCATENATE(FORMAT([Date], "mm"),</pre>

	FORMAT([date], "yyyy"))))
Medidas	Row("Column", BLANK())