

```

#property copyright "Copyright 2025, Æea@"
#property link      "https:t.me/BallerDolls"
#property version   "1.00"
#property strict

int OnInit()
{
    OnReInit();
    return(INIT_SUCCEEDED);
}

void OnDeinit(const int reason)
{
}

input int Commssion=0;
double com=Commssion*Point;
input int StopLoss=0;
double SL=StopLoss*Point;
input int TakeProfit=0;
double TP=TakeProfit*Point;
input double lot=0.01;
input int slip=100;
input int max=60;
input int min=3;
int x=max+2;
input bool Cc = true;
input bool cC = true;
bool invert = true;
bool KC;
bool tag;
int y=min-2;
int j;
double signal = 0;
double signature = 0;
double spread = Ask - Bid;
int FVG=-1;
static string bL="";
double BL[];
double cA[];
double cADX;
double mSO;
double sSO;
double iSO;
double aRVI;
double bRVI;
double cRVI;

```

```
double cAC;  
double cForce;  
double cOBV;  
double cAD;  
double cMFI;  
double cMomentum;  
double cDM;  
double cWPR;  
double cCCI;  
double cRSI;  
double iA[];  
double iATR;  
double iStdDev;  
double iADX;  
double mStochastic;  
double sStochastic;  
double iStochastic;  
double mRVI;  
double sRVI;  
double iRVI;  
double iAC;  
double iForce;  
double iOBV;  
double iAD;  
double iMFI;  
double iMomentum;  
double iDM;  
double iWPR;  
double iCCI;  
double iRSI;  
double iIHkt;  
double iIHkk;  
double kA[];  
double lA[];  
double IHkk[];  
double IHkt[];  
double RSI[];  
double CCI[];  
double MOM[];  
double AD[];  
double OBV[];  
double Force[];  
double MFI[];  
double DeM[];  
double RVIm[];  
double AC[];
```

```
double StdDev[];
double ATR[];
double ADX[];
double Suply;
double iSuply;
double Demand;
double iDemand;
double f=100*(2.0/3);
double g=100*(1.0/3);
double gf=100*((2.0/5)/3);
int m;
int n;
static string bottomLine="";
string Regime[];
static double Premium[];
static double Discount[];
static double HH[];
static double LL[];
bool k[];
bool l[];
bool R=true;
bool U[];
double bSL;
double sSL;
double bTP;
double sTP;
int lOrder_id=-1;
int kOrder_id=-1;
int Buy=-1;
int Sell=-1;
bool A=true;
bool B=true;
bool a=true;
bool b=true;
bool ab=false;
bool ba=!ab;
static double D;
static double E;
static double p;
static double q;
bool K=false;
bool c=cC;
bool C=Cc;
bool u=false;
bool v=false;
bool iC=Cc;
```

```
bool jC=Cc;
static int Z=y+1;
static int z=y+1;
static int O=y+1;
static int o=y+1;
static int r;
static int W=y+1;
static int w=y+1;
static int I;
static int iI;
static int J;
static int iJ;
static int ij;
static int h;
static int count=0;
static int toll=0;
string tally="";
bool tickTock=false;
//Open[2]
double iopen;
//Close[2]
double iPrice;
static int iZ=y+1;
static int iz=y+1;
static int iW=y+1;
static int iw=y+1;
static int iO=y+1;
static int io=y+1;
static int ir;
int S=x;
int T=x;
int X=y;
int Y=y;
bool FG=false;
bool GF=false;
double price;
double Price;
double open;
double iH;
double iL;
double Sale;
double iSale;
double Stock;
double iStock;
static datetime t;
void OnReInit()
```

```

{
KC = invert;
ArrayInitialize(cA, 0); //ArrayResize(cA, 0);
ArrayInitialize(iA, 0); //ArrayResize(iA, 0);
ArrayInitialize(kA, 0); //ArrayResize(kA, 0);
ArrayInitialize(lA, 0); //ArrayResize(lA, 0);
ArrayInitialize(IHKk, 0); //ArrayResize(IHKk, 0);
ArrayInitialize(IHKt, 0); //ArrayResize(IHKt, 0);
ArrayInitialize(RSI, 0); //ArrayResize(RSI, 0);
ArrayInitialize(CCI, 0); //ArrayResize(CCI, 0);
ArrayInitialize(MOM, 0); //ArrayResize(MOM, 0);
ArrayInitialize(AD, 0); //ArrayResize(AD, 0);
ArrayInitialize(OBV, 0); //ArrayResize(OBV, 0);
ArrayInitialize(Force, 0); //ArrayResize(Force, 0);
ArrayInitialize(MFI, 0); //ArrayResize(MFI, 0);
ArrayInitialize(DeM, 0); //ArrayResize(DeM, 0);
ArrayInitialize(RVIm, 0); //ArrayResize(RVIm, 0);
ArrayInitialize(AC, 0); //ArrayResize(AC, 0);
ArrayInitialize(StdDev, 0); //ArrayResize(StdDev, 0);
ArrayInitialize(ATR, 0); //ArrayResize(ATR, 0);
ArrayInitialize(ADX, 0); //ArrayResize(ADX, 0);
ArrayInitialize(StdDev, 0); //ArrayResize(StdDev, 0);
/*ArrayInitialize(Regime, "");*/ArrayResize(Regime, 0);
ArrayInitialize(Premium, 0); //ArrayResize(Premium, 0);
ArrayInitialize(Discount, 0); //ArrayResize(Discount, 0);
ArrayInitialize(HH, 0); //ArrayResize(HH, 0);
ArrayInitialize(LL, 0); //ArrayResize(LL, 0);
ArrayInitialize(k, 0); //ArrayResize(k, 0);
ArrayInitialize(l, 0); //ArrayResize(l, 0);
ArrayInitialize(U, 0); //ArrayResize(U, 0);
R=true;
//    ab=false;
D=0;
E=0;
K=false;
Z=y+1;
z=y+1;
O=y+1;
o=y+1;
r=0;
W=y+1;
w=y+1;
I=0;
iI=0;
J=0;
iJ=0;

```

```

    ij=0;
    //    h=0;
    toll=0;
    tally="";
    tickTock=false;
    iZ=y+1;
    iz=y+1;
    iW=y+1;
    iw=y+1;
    iO=y+1;
    io=y+1;
    ir=0;
    S=x;
    T=x;
    X=y;
    Y=y;
    FG=false;
    Print("ReSet");
}

void Unify()
{
    ArrayResize(ATR,j+1);
    for(int i=0;i<j+1; i++){ATR[i]=iATR(NULL,0,j,i);}
    double maxATR=ATR[ArrayMaximum(ATR,WHOLE_ARRAY,0)];
    double minATR=ATR[ArrayMinimum(ATR,WHOLE_ARRAY,0)];
    double rangeATR=maxATR-minATR;
    if(rangeATR!=0) iATR=100*((iATR(NULL,0,j,0)-minATR)/rangeATR);
    ArrayResize(StdDev,j+1);
    for(int i=0;i<j+1; i++)
{StdDev[i]=iStdDev(NULL,0,j,0,MODE_SMA,PRICE_CLOSE,i);}
    double maxSD=StdDev[ArrayMaximum(StdDev,WHOLE_ARRAY,0)];
    double minSD=StdDev[ArrayMinimum(StdDev,WHOLE_ARRAY,0)];
    double rangeSD=maxSD-minSD;
    if(rangeSD!=0) iStdDev=100*((iStdDev(NULL,0,j,0,MODE_SMA,PRICE_CLOSE,0)-
minSD)/rangeSD);
}

void Normalize()
{
    Suply=iBands(NULL,0,j,2,0,PRICE_CLOSE,MODE_UPPER,0);
    iSuply=iBands(NULL,0,j,2,0,PRICE_CLOSE,MODE_UPPER,1);
    Demand=iBands(NULL,0,j,2,0,PRICE_CLOSE,MODE_LOWER,0);
    iDemand=iBands(NULL,0,j,2,0,PRICE_CLOSE,MODE_LOWER,1);
    ArrayResize(iA,13*((S+1)-Y));
    ArrayResize(cA,13*((S+1)-Y));
    double uADX[];
    ArrayResize(uADX,j+1);

```

```

for(int i=0;i<j+1; i++){uADX[i]=iADX(NULL,0,j,PRICE_CLOSE,MODE_PLUSDI,i);}
double maxuADX=uADX[ArrayMaximum(uADX,WHOLE_ARRAY,0)];
double minuADX=uADX[ArrayMinimum(uADX,WHOLE_ARRAY,0)];
double lADX[];
ArrayResize(lADX,j+1);
for(int i=0;i<j+1; i++)
{lADX[i]=iADX(NULL,0,j,PRICE_CLOSE,MODE_MINUSDI,i);}
double maxlADX=lADX[ArrayMaximum(lADX,WHOLE_ARRAY,0)];
double minlADX=lADX[ArrayMinimum(lADX,WHOLE_ARRAY,0)];
ArrayResize(ADX,j+1);
for(int i=0;i<j+1; i++){ADX[i]=iADX(NULL,0,j,PRICE_CLOSE,MODE_MAIN,i);}
double maxmADX=ADX[ArrayMaximum(ADX,WHOLE_ARRAY,0)];
double minmADX=ADX[ArrayMinimum(ADX,WHOLE_ARRAY,0)];
double maxADX=MathMax(maxmADX,MathMax(maxuADX,maxlADX));
double minADX=MathMin(minmADX,MathMin(minuADX,minlADX));
double rangeADX=maxADX-minADX;
if(rangeADX!=0)
{
    iADX=MathAbs(100*((iADX(NULL,0,j,PRICE_CLOSE,MODE_MAIN,0)-
minADX)/rangeADX));
    iA[0*(S-Y)+(j-(Y+1))]=iADX;
    cADX=MathAbs(100*((ADX[1]-minADX)/rangeADX));
    cA[0*(S-Y)+(j-(Y+1))]=cADX;
}
int jSO=(int)MathRound((double)j*3.0/5);
mStochastic=iStochastic(NULL,0,j,3,jSO,MODE_SMA,0,MODE_MAIN,0);
sStochastic=iStochastic(NULL,0,j,3,jSO,MODE_SMA,0,MODE_SIGNAL,0);
iStochastic=(mStochastic+sStochastic)/2;
iA[1*(S-Y)+(j-(Y+1))]=iStochastic;
mSO=iStochastic(NULL,0,j,3,jSO,MODE_SMA,0,MODE_MAIN,1);
sSO=iStochastic(NULL,0,j,3,jSO,MODE_SMA,0,MODE_SIGNAL,1);
iSO=(mSO+sSO)/2;
cA[1*(S-Y)+(j-(Y+1))]=iSO;
ArrayResize(RVIm,j+1);
for(int i=0;i<j+1; i++){RVIm[i]=iRVI(NULL,0,j,MODE_MAIN,i);}
double maxMRVI=RVIm[ArrayMaximum(RVIm,WHOLE_ARRAY,0)];
double minMRVI=RVIm[ArrayMinimum(RVIm,WHOLE_ARRAY,0)];
double RVIs[];
ArrayResize(RVIs,j+1);
for(int i=0;i<j+1; i++){RVIs[i]=iRVI(NULL,0,j,MODE_SIGNAL,i);}
double maxSRVI=RVIs[ArrayMaximum(RVIs,WHOLE_ARRAY,0)];
double minSRVI=RVIs[ArrayMinimum(RVIs,WHOLE_ARRAY,0)];
double maxRVI=MathMax(maxMRVI,maxSRVI);
double minRVI=MathMin(minMRVI,minSRVI);
double rangeRVI=maxRVI-minRVI;
if(rangeRVI!=0)

```

```

{
    mRVI=100*((iRVI(NULL,0,j,MODE_MAIN,0)-minRVI)/rangeRVI);
    sRVI=100*((iRVI(NULL,0,j,MODE_SIGNAL,0)-minRVI)/rangeRVI);
    iRVI=(mRVI+sRVI)/2;
    iA[2*(S-Y)+(j-(Y+1))]=iRVI;
    aRVI=100*((iRVI(NULL,0,j,MODE_MAIN,1)-minRVI)/rangeRVI);
    bRVI=100*((iRVI(NULL,0,j,MODE_SIGNAL,1)-minRVI)/rangeRVI);
    cRVI=(aRVI+bRVI)/2;
    cA[2*(S-Y)+(j-(Y+1))]=cRVI;
}
ArrayResize(AC,j+1);
for(int i=0;i<j+1; i++){AC[i]=iAC(NULL,0,i);}
double maxAC=AC[ArrayMaximum(AC,WHOLE_ARRAY,0)];
double minAC=AC[ArrayMinimum(AC,WHOLE_ARRAY,0)];
double rangeAC=maxAC-minAC;
if(rangeAC!=0)
{
    iAC=MathAbs(100*((iAC(NULL,0,0)-minAC)/rangeAC));
    iA[3*(S-Y)+(j-(Y+1))]=iAC;
    cAC=MathAbs(100*((iAC(NULL,0,1)-minAC)/rangeAC));
    cA[3*(S-Y)+(j-(Y+1))]=cAC;
}
ArrayResize(Force,j+1);
for(int i=0;i<j+1; i++){Force[i]=iForce(NULL,0,j,MODE_SMA,PRICE_CLOSE,i);}
double maxForce=Force[ArrayMaximum(Force,WHOLE_ARRAY,0)];
double minForce=Force[ArrayMinimum(Force,WHOLE_ARRAY,0)];
double rangeForce=maxForce-minForce;
if(rangeForce!=0)
{
    iForce=100*((iForce(NULL,0,j,MODE_SMA,PRICE_CLOSE,0)-
minForce)/rangeForce);
    iA[4*(S-Y)+(j-(Y+1))]=iForce;
    cForce=100*((iForce(NULL,0,j,MODE_SMA,PRICE_CLOSE,1)-
minForce)/rangeForce);
    cA[4*(S-Y)+(j-(Y+1))]=cForce;
}
ArrayResize(OBV,j+1);
for(int i=0;i<j+1; i++){OBV[i]=iOBV(NULL,0,PRICE_CLOSE,i);}
double maxOBV=OBV[ArrayMaximum(OBV,WHOLE_ARRAY,0)];
double minOBV=OBV[ArrayMinimum(OBV,WHOLE_ARRAY,0)];
double rangeOBV=maxOBV-minOBV;
if(rangeOBV!=0)
{
    iOBV=100*((iOBV(NULL,0,PRICE_CLOSE,0)-minOBV)/rangeOBV);
    iA[5*(S-Y)+(j-(Y+1))]=iOBV;
    cOBV=100*((iOBV(NULL,0,PRICE_CLOSE,1)-minOBV)/rangeOBV);
}

```

```

        cA[5*(S-Y)+(j-(Y+1))]=cOBV;
    }
    ArrayResize(AD,j+1);
    for(int i=0;i<j+1; i++){AD[i]=iAD(NULL,0,i);}
    double maxAD=AD[ArrayMaximum(AD,WHOLE_ARRAY,0)];
    double minAD=AD[ArrayMinimum(AD,WHOLE_ARRAY,0)];
    double rangeAD=maxAD-minAD;
    if(rangeAD!=0)
    {
        iAD=100*((iAD(NULL,0,0)-minAD)/rangeAD);
        iA[6*(S-Y)+(j-(Y+1))]=iAD;
        cAD=100*((iAD(NULL,0,1)-minAD)/rangeAD);
        cA[6*(S-Y)+(j-(Y+1))]=cAD;
    }
    ArrayResize(MFI,j+1);
    for(int i=0;i<j+1; i++){MFI[i]=iMFI(NULL,0,j,i);}
    double maxMFI=MFI[ArrayMaximum(MFI,WHOLE_ARRAY,0)];
    double minMFI=MFI[ArrayMinimum(MFI,WHOLE_ARRAY,0)];
    double rangeMFI=maxMFI-minMFI;
    if(rangeMFI!=0)
    {
        iMFI=100*((iMFI(NULL,0,j,0)-minMFI)/rangeMFI);
        iA[7*(S-Y)+(j-(Y+1))]=iMFI;
        cMFI=100*((iMFI(NULL,0,j,1)-minMFI)/rangeMFI);
        cA[7*(S-Y)+(j-(Y+1))]=cMFI;
    }
    ArrayResize(MOM,j+1);
    for(int i=0;i<j+1; i++){MOM[i]=iMomentum(NULL,0,j,PRICE_CLOSE,i);}
    double maxMOM=MOM[ArrayMaximum(MOM,WHOLE_ARRAY,0)];
    double minMOM=MOM[ArrayMinimum(MOM,WHOLE_ARRAY,0)];
    double rangeMOM=maxMOM-minMOM;
    if(rangeMOM!=0)
    {
        iMomentum=100*((iMomentum(NULL,0,j,PRICE_CLOSE,0)-minMOM)/rangeMOM);
        iA[8*(S-Y)+(j-(Y+1))]=iMomentum;
        cMomentum=100*((iMomentum(NULL,0,j,PRICE_CLOSE,1)-minMOM)/rangeMOM);
        cA[8*(S-Y)+(j-(Y+1))]=cMomentum;
    }
    ArrayResize(DeM,j+1);
    for(int i=0;i<j+1; i++){DeM[i]=iDeMarker(NULL,0,j,i);}
    double maxDM=DeM[ArrayMaximum(DeM,WHOLE_ARRAY,0)];
    double minDM=DeM[ArrayMinimum(DeM,WHOLE_ARRAY,0)];
    double rangeDM=maxDM-minDM;
    if(rangeDM!=0)
    {
        iDM=100*(iDeMarker(NULL,0,j,0)-minDM)/rangeDM;

```

```

        iA[9*(S-Y)+(j-(Y+1))]=iDM;
        cDM=100*(iDeMarker(NULL,0,j,1)-minDM)/rangeDM;
        cA[9*(S-Y)+(j-(Y+1))]=cDM;
    }
    iWPR=iWPR(NULL,0,j,0)+100;
    iA[10*(S-Y)+(j-(Y+1))]=iWPR;
    cWPR=iWPR(NULL,0,j,1)+100;
    cA[10*(S-Y)+(j-(Y+1))]=cWPR;
    ArrayResize(CCI,j+1);
    for(int i=0;i<j+1; i++){CCI[i]=iCCI(Symbol(),0,j,PRICE_TYPICAL,i);}
    double maxCCI=CCI[ArrayMaximum(CCI,WHOLE_ARRAY,0)];
    double minCCI=CCI[ArrayMinimum(CCI,WHOLE_ARRAY,0)];
    double rangeCCI=maxCCI-minCCI;
    if(rangeCCI!=0)
    {
        iCCI=100*((iCCI(Symbol(),0,j,PRICE_TYPICAL,0)-minCCI)/rangeCCI);
        iA[11*(S-Y)+(j-(Y+1))]=iCCI;
        cCCI=100*((iCCI(Symbol(),0,j,PRICE_TYPICAL,1)-minCCI)/rangeCCI);
        cA[11*(S-Y)+(j-(Y+1))]=cCCI;
    }
    ArrayResize(RSI,j+1);
    for(int i=0;i<j+1; i++){RSI[i]=iRSI(NULL,0,j,PRICE_CLOSE,i);}
    double maxRSI=RSI[ArrayMaximum(RSI,WHOLE_ARRAY,0)];
    double minRSI=RSI[ArrayMinimum(RSI,WHOLE_ARRAY,0)];
    double rangeRSI=maxRSI-minRSI;
    if(rangeRSI!=0)
    {
        iRSI=100*((iRSI(NULL,0,j,PRICE_CLOSE,0)-minRSI)/rangeRSI);
        iA[12*(S-Y)+(j-(Y+1))]=iRSI;
        cRSI=100*((iRSI(NULL,0,j,PRICE_CLOSE,1)-minRSI)/rangeRSI);
        cA[12*(S-Y)+(j-(Y+1))]=cRSI;
    }
    int kIHK=(int)MathRound((double)j/2);
    int tIHK=(int)MathRound(((double)kIHK+1)/3);
    double IHKa[];
    double IHKb[];
    double IHKc[];
    ArrayResize(IHKa,j+1);
    for(int i=0;i<j+1; i++)
    {IHKa[i]=iIchimoku(NULL,0,tIHK,kIHK,j,MODE_SENKOUSPANA,i);}
    double maxIHKa=IHKa[ArrayMaximum(IHKa,WHOLE_ARRAY,0)];
    double minIHKa=IHKa[ArrayMinimum(IHKa,WHOLE_ARRAY,0)];
    ArrayResize(IHKb,j+1);
    for(int i=0;i<j+1; i++)
    {IHKb[i]=iIchimoku(NULL,0,tIHK,kIHK,j,MODE_SENKOUSPANB,i);}
    double maxIHKb=IHKb[ArrayMaximum(IHKb,WHOLE_ARRAY,0)];

```

```

double minIHKb=IHKb[ArrayMinimum(IHKb,WHOLE_ARRAY,0)];
ArrayResize(IHKc,j+1);
for(int i=0;i<j+1; i++)
{IHKc[i]=iIchimoku(NULL,0,tIHK,kIHK,j,MODE_CHIKOUPSPAN,26+i);}
double maxIHKc=IHKc[ArrayMaximum(IHKc,WHOLE_ARRAY,0)];
double minIHKc=IHKc[ArrayMinimum(IHKc,WHOLE_ARRAY,0)];
ArrayResize(IHKt,j+1);
for(int i=0;i<j+1; i++)
{IHKt[i]=iIchimoku(NULL,0,tIHK,kIHK,j,MODE_TENKANSEN,i);}
double maxIHKt=IHKt[ArrayMaximum(IHKt,WHOLE_ARRAY,0)];
double minIHKt=IHKt[ArrayMinimum(IHKt,WHOLE_ARRAY,0)];
ArrayResize(IHKk,j+1);
for(int i=0;i<j+1; i++)
{IHKk[i]=iIchimoku(NULL,0,tIHK,kIHK,j,MODE_KIJUNSEN,i);}
double maxIHKk=IHKk[ArrayMaximum(IHKk,WHOLE_ARRAY,0)];
double minIHKk=IHKk[ArrayMinimum(IHKk,WHOLE_ARRAY,0)];
double
maxIHK=MathMax(maxIHKa,MathMax(maxIHKb,MathMax(maxIHKc,MathMax(maxIHKk,maxIHKt
)))));
double
minIHK=MathMin(minIHKa,MathMin(minIHKb,MathMin(minIHKc,MathMin(minIHKk,minIHKt
)))));
double rangeIHK=maxIHK-minIHK;
if(rangeIHK!=0)
{
    iIHKk=100*((iIchimoku(NULL,0,tIHK,kIHK,j,MODE_KIJUNSEN,0)-
minIHK)/rangeIHK);
    iIHKt=100*((iIchimoku(NULL,0,tIHK,kIHK,j,MODE_TENKANSEN,0)-
minIHK)/rangeIHK);
}
}
void M()
{
    for(int i=0;i<13; i++)
    {
        if(Price>HH[j-(y+1)]) if((iA[i*(S-Y)+(j-(Y+1))]>f+gf)||((cA[i*(S-Y)+(j-
(Y+1))]<kA[i*(S-Y)+(j-(Y+1))])) m++;
        else if(price>HH[j-(y+1)]) if((iA[i*(S-Y)+(j-(Y+1))]>f+gf)||((iA[i*(S-
Y)+(j-(Y+1))]<kA[i*(S-Y)+(j-(Y+1))])) m++;
        else if(iA[i*(S-Y)+(j-(Y+1))]>f+gf) m++;
    }
    if((iA[0*(S-Y)+(j-(Y+1))]>f+gf)||((iA[0*(S-Y)+(j-(Y+1))]<g-gf)) m++;
    if((iIHKt>f+gf)&&(iIHKk>f+gf)) m++;
    if(Price>HH[j-(y+1)])
    {
        ArrayResize(kA,13*(S-Y));
    }
}

```

```

        for(int i=0;i<13; i++){kA[i*(S-Y)+(j-(Y+1))]=cA[i*(S-Y)+(j-(Y+1))];}
        HH[j-(y+1)]=Price;
    }
}

void N()
{
    for(int i=0;i<13; i++)
    {
        if(Price<LL[j-(y+1)]) if((iA[i*(S-Y)+(j-(Y+1))]<g-gf)||((cA[i*(S-Y)+(j-(Y+1))]>lA[i*(S-Y)+(j-(Y+1))])) n++;
        else if(price<LL[j-(y+1)]) if((iA[i*(S-Y)+(j-(Y+1))]<g-gf)||((iA[i*(S-Y)+(j-(Y+1))]>lA[i*(S-Y)+(j-(Y+1))])) n++;
        else if(iA[i*(S-Y)+(j-(Y+1))]<g-gf) n++;
    }
    if((iA[0*(S-Y)+(j-(Y+1))]>f+gf)||((iA[0*(S-Y)+(j-(Y+1))]<g-gf)) n++;
    if((iIHKt<g-gf)&&(iIHKk<g-gf)) n++;
    if(Price<LL[j-(y+1)])
    {
        ArrayResize(lA,13*(S-Y));
        for(int i=0;i<13; i++){lA[i*(S-Y)+(j-(Y+1))]=cA[i*(S-Y)+(j-(Y+1))];}
        LL[j-(y+1)]=Price;
    }
}

void F()
{
    Normalize();
    //if(j==h) ab=false;
    k[j-(y+1)]=false;
    l[j-(y+1)]=false;
    HH[j-(y+1)]=iH;
    LL[j-(y+1)]=iL;
    Premium[j-(y+1)]=iH;
    Discount[j-(y+1)]=iL;
    ArrayResize(kA,13*(S-Y));
    ArrayResize(lA,13*(S-Y));
    for(int i=0;i<13; i++)
    {
        kA[i*(S-Y)+(j-(Y+1))]=cA[i*(S-Y)+(j-(Y+1))];
        lA[i*(S-Y)+(j-(Y+1))]=cA[i*(S-Y)+(j-(Y+1))];
    }
    if((R==true)&&(FG==true))
    {
        ArrayResize(U,x-y);
        int V=0; U[j-(y+1)]=true;
        for(int i=y+1;i<x; i++){if(U[i-(y+1)]==true) V++;}
        if(V==x-y){R=false;} V=0;
    }
}

```

```

    }
}

void G()
{
    double H=iHigh(Symbol(), Period(), 1);
    double L=iLow(Symbol(), Period(), 1);
    ArrayResize(kA,13*(S-Y));
    ArrayResize(lA,13*(S-Y));
    for(j=2;j<h+1; j++)
    {
        if(j==x) break;
        k[j-(y+1)]=false;
        l[j-(y+1)]=false;
        HH[j-(y+1)]=H;
        LL[j-(y+1)]=L;
        Premium[j-(y+1)]=H;
        Discount[j-(y+1)]=L;
        for(int i=0;i<13; i++)
        {
            kA[i*(S-Y)+(j-(Y+1))]=cA[i*(S-Y)+(j-(Y+1))];
            lA[i*(S-Y)+(j-(Y+1))]=cA[i*(S-Y)+(j-(Y+1))];
        }
    }
}

void S()
{
    if(SL!=0){sSL=Bid+SL-com; bSL=Ask-SL+com;}
    if(TP!=0){sTP=Bid-TP; bTP=Ask+TP;}
}

void T()
{
    if(((b==false)&&(lOrder_id!=-1))||((a==false)&&(kOrder_id!=-1)))
    {
        Buy=lOrder_id; Sell=kOrder_id;
    }
    else if(((b==false)&&(kOrder_id!=-1))||((a==false)&&(lOrder_id!=-1)))
    {
        Buy=kOrder_id; Sell=lOrder_id;
    }
    if(Buy!=-1)
    {
        if(OrderSelect(Buy,SELECT_BY_TICKET))
        {
            /*E=OrderOpenPrice();*/ E=price; q=E+3*com;
        }
    }
}

```

```

else if(Sell!=-1)
{
    if(OrderSelect(Sell,SELECT_BY_TICKET))
    {
        /*D=OrderOpenPrice();*/ D=price; p=D-3*com;
    }
}
if((K==false)&&((SL!=0)|| (com!=0)))
{
    if((b==false)&&(Price>q))
    {
        b=OrderModify(Buy,E,E+com,bTP,0,CLR_NONE); K=true;
    }
    else if((a==false)&&(Price<p))
    {
        a=OrderModify(Sell,D,D-com,sTP,0,CLR_NONE); K=true;
    }
}
if((E!=0)&&(price>=E/*+com*/)) B=true;
else if((E!=0)&&(price<E/*+com*/)) B=false;
if((D!=0)&&(price<=D/*-com*/)) A=true;
else if((D!=0)&&(price>D/*-com*/)) A=false;
}

void Top()
{
    bottomLine=DoubleToString(price, Digits);
    if(ObjectFind(0, bottomLine)==-1)
    {
        ArrayResize(BL, (FVG+1)+1);
        BL[FVG+1]=price;
        ObjectCreate(0, bottomLine, OBJ_HLINE, 0, 0, price);
        ObjectSetInteger(0, bottomLine, OBJPROP_COLOR, clrBlue);
        ObjectSetInteger(0, bottomLine, OBJPROP_STYLE, STYLE_SOLID);
        ObjectSetInteger(0, bottomLine, OBJPROP_WIDTH, 1);
        FVG++; bL=bottomLine;
    }
}

void Bott()
{
    bottomLine=DoubleToString(price, Digits);
    if(ObjectFind(0, bottomLine)==-1)
    {
        ArrayResize(BL, FVG+2);
        BL[FVG+1]=price;
        ObjectCreate(0, bottomLine, OBJ_HLINE, 0, 0, price);
        ObjectSetInteger(0, bottomLine, OBJPROP_COLOR, clrRed);
    }
}

```

```

        ObjectSetInteger(0, bottomLine, OBJPROP_STYLE, STYLE_SOLID);
        ObjectSetInteger(0, bottomLine, OBJPROP_WIDTH, 1);
        FVG++; bL=bottomLine;
    }
}

void Deleter(string obj, double &prices[], int index)
{
    int size = ArraySize(prices);
    if((index<0)|| (index>=size)|| (FVG!=size-1))
        return; // iInvalid
    if(ObjectFind(0, obj)!=-1)
    {
        ObjectDelete(0, obj); FVG--;
    }
    for(int i=index; i<size-1; i++)
    {
        prices[i]=prices[i+1];
    }
    ArrayResize(prices, size-1);
}

void A()
{
    if((v==true)&&(lOrder_id!=-1))
    {
        int bTrade=OrderClose(lOrder_id,lot,Bid,slip,Blue);
        lOrder_id=-1;
    }
    else if((v==true)&&(kOrder_id!=-1))
    {
        int bTrade=OrderClose(kOrder_id,lot,Bid,slip,Blue);
        kOrder_id=-1;
    }
    E=0; A=true; B=false; K=false; Buy=-1;
}

void B()
{
    if((u==true)&&(kOrder_id!=-1))
    {
        int sTrade=OrderClose(kOrder_id,lot,Ask,slip,Red);
        kOrder_id=-1;
    }
    else if((u==true)&&(lOrder_id!=-1))
    {
        int sTrade=OrderClose(lOrder_id,lot,Ask,slip,Red);
        lOrder_id=-1;
    }
}

```

```

    D=0; A=false; B=true; K=false; Sell=-1;
}
void P()
{
    S();
    if(C==true)
    {

lOrder_id=OrderSend(_Symbol,OP_BUY,lot,Ask,slip,bSL,bTP,"EA",1992470,0,Blue);
        b=false; u=false; v=true;
    }
    else
    {

lOrder_id=OrderSend(_Symbol,OP_SELL,lot,Bid,slip,sSL,sTP,"EA",1992470,0,Red);
        a=false; u=true; v=false;
    }
}
void Q()
{
    S();
    if(C==true)
    {

kOrder_id=OrderSend(_Symbol,OP_SELL,lot,Bid,slip,sSL,sTP,"EA",1992470,0,Red);
        a=false; u=true; v=false;
    }
    else
    {

kOrder_id=OrderSend(_Symbol,OP_BUY,lot,Ask,slip,bSL,bTP,"EA",1992470,0,Blue);
        b=false; u=false; v=true;
    }
}
void H(){M(); if(m>=12) k[j-(y+1)]=true; else{k[j-(y+1)]=false;} m=0;}
void L(){N(); if(n>=12) l[j-(y+1)]=true; else{l[j-(y+1)]=false;} n=0;}
void J()
{
    if(I==iZ){J=iW;}
    else if(I==iW){J=iZ;}
    if(iI==iz) iJ=iw;
    else if(iI==iw) iJ=iz;
}
void O(int inp,int inp0,int inp1,bool inp2,bool inp3)
{
    if((inp<inp1)&&((Regime[inp0-(y+1)]=="sRange")||(Regime[inp0-(y+1)]=="tRange"))){inp2=inp3;}
    else if((Regime[inp0-(y+1)]!="sRange")&&(Regime[inp0-(y+1)]!="tRange"))

```

```

inp2=!inp3; else inp2=!inp3;
    }
void R()
{
    if(j<=J){int i=j; O=i; iO=i;}
    if((j>J)&&(j<r)){int i=j; O=i; iO=i; r=i;}
    else if(j>J){int i=j; r=i;}
    if(j<=iJ){int i=j; o=i; io=i;}
    if((j>iJ)&&(j<ir)){int i=j; o=i; io=i; ir=i;}
    else if(j>iJ){int i=j; ir=i;}
    }
void KC()
    {if((E!=0)&&((A==false)&&(B==false))&&(v==true)&&((signal<E)||
(signature<E))){invert=!KC;}
    if((D!=0)&&((B==false)&&(A==false))&&(u==true)&&((signal>D)||
(signature>D))){invert=!KC;} signature=0;
    }
bool OnHold(int inp,string inp0,string inp1){return ((Regime[inp-
(y+1)]==inp0)|| (Regime[inp-(y+1)]==inp1));}
bool OnFire(int inp,string inp0,string inp1){return ((Regime[inp-
(y+1)]!=inp0)&&(Regime[inp-(y+1)]!=inp1));}
void OnPoint()
{
    for(j=y+1;j<x; j++)
        {
            Unify(); Normalize();
            if((iStdDev<50)&&(iATR>50)) if(Regime[j-(y+1)]!="Stable"){H(); L();
if(OnFire(j,"sVolatile","tVolatile")) Regime[j-(y+1)]="sVolatile";}
            else if((iStdDev<50)&&(iATR<50))
                {
                    if(Regime[j-(y+1)]!="Stable")
                        {
                            R(); H(); L(); if(OnFire(j,"sRange","tRange")) Regime[j-
(y+1)]="sRange";
                        }
                }
            else if(OnFire(j,"sTrend","tTrend")) Regime[j-(y+1)]="sTrend";
        }
}
void Signal(){ab=!ba; count=0; toll=0; tally=""; signal=price;}
bool OnGaurd(){if(((tag==true)&&(price>E)&&(E!=0))||((tag==false)&&(price<D)&&
(D!=0))) return true; else return false;}
void OnCall()
{
    for(j=y+1;j<X+2; j++)
        {

```

```

Normalize();
if((Supply<=price)|| (iSupply<=price)|| (iSupply<=iH))
{
    int i=j; I=iW; iZ=i; Z=i; iC=C;
    if((iw!=0)&&(jC==Cc)){h=I;} jC!=C;
    if(OnHold(j,"sTrend","tTrend")){iz=i; z=i; iI=iw; H();}
    if(X!=x-1) X++;
}
if((Demand>=price)|| (iDemand>=price)|| (iDemand>=iL))
{
    int i=j; I=iZ; iW=i; W=i; jC=C;
    if((iz!=0)&&(iC==Cc)){h=I;} iC!=C;
    if(OnHold(j,"sTrend","tTrend")){iw=i; w=i; iI=iz; L();}
    if(X!=x-1) X++;
}
} X=y;
}
void OnBar()
{
    for(j=y+1;j<x; j++)
    {
        Unify(); Normalize();
        if((iStdDev<50)&&(iATR>50))
        {
            if(Regime[j-(y+1)]!="Stable")
            {
                if(Regime[j-(y+1)]!="tVolatile")
                {
                    F(); H(); L(); Regime[j-(y+1)]="tVolatile";
                }
            }
        }
        else if((iStdDev<50)&&(iATR<50))
        {
            if(Regime[j-(y+1)]!="Stable")
            {
                R(); H(); L();
                if(Regime[j-(y+1)]!="tRange")
                {
                    F(); Regime[j-(y+1)]="tRange";
                }
            }
        }
        else if((Regime[j-(y+1)]!="tTrend")&&(Regime[j-(y+1)]!="sTrend")&&
(LL[j-(y+1)]<Discount[j-(y+1)])&&(HH[j-(y+1)]>Premium[j-(y+1)])) Regime[j-
(y+1)]="Stable";

```

```

else
{
    if(Regime[j-(y+1)]!="tTrend")
    {
        F(); Regime[j-(y+1)]="tTrend";
    }
}
}
if(OnGaurd())
{
    if((h!=0)&&(ab==false)&&(U[0-(y+1)]=true)&&(0>2)&&(0!=x-1)/*&&
(OnFire(0,"sTrend","tTrend"))*/)
    {
        if(HH[0-(y+1)]>Premium[0-(y+1)])
        {
            h=0;
            if((C==true)&&(c==true))
            {
                A(); B(); G();
Alert("Sin.",price,price,"0:",0,"|",C,":",c);
            }
            else if((C==false)&&(c==false))
            {
                A(); B(); G();
Alert("Sine.",price,price,"0:",0,"|",C,":",c);
            }
        }
        if(LL[0-(y+1)]<Discount[0-(y+1)])
        {
            h=0;
            if((C==true)&&(c==true))
            {
                A(); B(); G();
Alert("Sine.",price,price,"0:",0,"|",C,":",c);
            }
            else if((C==false)&&(c==false))
            {
                A(); B(); G();
Alert("Sin.",price,price,"0:",0,"|",C,":",c);
            }
        }
    }
    if((h!=0)&&(ab==false)&&(U[o-(y+1)]=true)&&(o>2)&&(o!=x-1)/*&&
(OnFire(o,"sTrend","tTrend"))*/)
    {
        if(HH[o-(y+1)]>Premium[o-(y+1)])

```

```

        {
            h=o;
            if((C==false)&&(c==false))
            {
                A(); B(); G();
Alert("Sin.",price,price,"o:",o,"|",C,":",c);
            }
            else if((C==true)&&(c==true))
            {
                A(); B(); G();
Alert("Sine.",price,price,"o:",o,"|",C,":",c);
            }
        }
        if(LL[o-(y+1)]<Discount[o-(y+1)])
        {
            h=o;
            if((C==false)&&(c==false))
            {
                A(); B(); G();
Alert("Sine.",price,price,"o:",o,"|",C,":",c);
            }
            else if((C==true)&&(c==true))
            {
                A(); B(); G();
Alert("Sin.",price,price,"o:",o,"|",C,":",c);
            }
        }
    }
}
else
{
    if((h!=0)&&(ab==false)&&(U[0-(y+1)]=true)&&(0>2)&&(0!=x-1)/*&&
(OnFire(0,"sTrend","tTrend"))*/)
    {
        if(HH[0-(y+1)]>Premium[0-(y+1)])
        {
            h=0;
            if((C==false)|| (c==false))
            {
                A(); B(); G();
Alert("Sin.",price,price,"0:",0,"|",C,":",c);
            }
            else if((C==true)|| (c==true))
            {
                A(); B(); G();
Alert("Sine.",price,price,"0:",0,"|",C,":",c);
            }
        }
    }
}

```

```

    }
    }
    if(LL[o-(y+1)]<Discount[o-(y+1)])
    {
        h=o;
        if((C==false)|| (c==false))
        {
            A(); B(); G();
Alert("Sine.",price,price,"O:",o,"|",C,":",c);
        }
        else if((C==true)|| (c==true))
        {
            A(); B(); G(); Alert("Sin.",price,"O:",o,"|",C,":",c);
        }
    }
}

if((h!=0)&&(ab==false)&&(U[o-(y+1)]=true)&&(o>2)&&(o!=x-1)/*&&
(OnFire(o,"sTrend","tTrend"))*/)
{
    if(HH[o-(y+1)]>Premium[o-(y+1)])
    {
        h=o;
        if((C==true)|| (c==true))
        {
            A(); B(); G(); Alert("Sin.",price,"o:",o,"|",C,":",c);
        }
        else if((C==false)|| (c==false))
        {
            A(); B(); G(); Alert("Sine.",price,"o:",o,"|",C,":",c);
        }
    }
    if(LL[o-(y+1)]<Discount[o-(y+1)])
    {
        h=o;
        if((C==true)|| (c==true))
        {
            A(); B(); G(); Alert("Sine.",price,"o:",o,"|",C,":",c);
        }
        else if((C==false)|| (c==false))
        {
            A(); B(); G(); Alert("Sin.",price,"o:",o,"|",C,":",c);
        }
    }
}

}

if((h!=0)&&(signal!=0)&&(ab==ba))

```

```

{
    if(OnGaurd())
    {
        if((iz>=h)&&(iz>2)&&(((iz>2)&&((iz==iz)|| (iz==iz+h)||
((iz==iz+io)&&(l[io-(y+1)]==false)/*&&(OnHold(o,"sRange","tRange"))*/)))||
((I>2)&&((I==iz)|| (I==iz+h)|| ((I==iz+io)&&(l[io-(y+1)]==false)/*&&
(OnHold(o,"sRange","tRange"))*/))))&&(k[iz-(y+1)]==false)/*&&
(OnHold(z,"sTrend","tTrend"))*/))
        {
            h=iz;
            if((C==false)&&(c==false))
            {
                A(); B(); G(); Alert("Sin.",price,"
h:",h,"iZ:",iZ,"I:",I,"|=iz:",iz,"|",C);
            }
            else if((C==true)&&(c==true))
            {
                A(); B(); G(); Alert("Sine.",price,"
h:",h,"iZ:",iZ,"I:",I,"|=iz:",iz,"|",C);
            }
        }
        else if((i0>=h)&&(i0>2)&&(((iZ>2)&&((iZ==i0)|| (iZ==i0+h)||
((iZ==i0+io)&&(l[io-(y+1)]==false)/*&&(OnHold(o,"sRange","tRange"))*/)))||
((I>2)&&((I==i0)|| (I==i0+h)|| ((I==i0+io)&&(l[io-(y+1)]==false)/*&&
(OnHold(o,"sRange","tRange"))*/))))&&(k[i0-(y+1)]==false)/*&&
(OnHold(0,"sRange","tRange"))*/))
        {
            h=i0;
            if((C==false)&&(c==false))
            {
                A(); B(); G(); Alert("Sine.",price,"
h:",h,"o:",o,"iZ:",iZ,"I:",I,"|=i0:",i0,"|",C);
            }
            if((C==true)&&(c==true))
            {
                A(); B(); G(); Alert("Sin.",price,"
h:",h,"o:",o,"iZ:",iZ,"I:",I,"|=i0:",i0,"|",C);
            }
        }
        if((iw>=h)&&(iw>2)&&(((iW>2)&&((iW==iw)|| (iW==iw+h)||
((iW==iw+io)&&(l[io-(y+1)]==false)/*&&(OnHold(o,"sRange","tRange"))*/)))||
((I>2)&&((I==iw)|| (I==iw+h)|| ((I==iw+io)&&(l[io-(y+1)]==false)/*&&
(OnHold(o,"sRange","tRange"))*/))))&&(l[iw-(y+1)]==false)/*&&
(OnHold(w,"sTrend","tTrend"))*/))
        {
            h=iw;

```

```

        if((C==false)&&(c==false))
        {
            A(); B(); G(); Alert("Sine.",price,"
h:",h,"iW:",iW,"I:",I,"|=iw:",iw,"|",C);
        }
        else if((C==true)&&(c==true))
        {
            A(); B(); G(); Alert("Sin.",price,"
h:",h,"iW:",iW,"I:",I,"|=iw:",iw,"|",C);
        }
    }
    else if((i0>=h)&&(i0>2)&&(((iW>2)&&((iW==i0)|| (iW==i0+h)||
((iW==i0+io)&&(l[i0-(y+1)]==false)/*&&(OnHold(o,"sRange","tRange"))*/)))||
((I>2)&&((I==i0)|| (I==i0+h)|| ((I==i0+io)&&(l[i0-(y+1)]==false)/*&&
(OnHold(o,"sRange","tRange"))*/))))&&(l[i0-(y+1)]==false)/*&&
(OnHold(0,"sRange","tRange"))*/))
    {
        h=i0;
        if((C==false)&&(c==false))
        {
            A(); B(); G(); Alert("Sin.",price,"
h:",h,"o:",o,"iW:",iW,"I:",I,"|=i0:",i0,"|",C);
        }
        else if((C==true)&&(c==true))
        {
            A(); B(); G(); Alert("Sine.",price,"
h:",h,"o:",o,"iW:",iW,"I:",I,"|=i0:",i0,"|",C);
        }
    }
}
else
{
    if((iz>=h)&&(iz>2)&&(((iZ>2)&&((iZ==iz)|| (iZ==iz+h)||
((iZ==iz+io)&&(l[i0-(y+1)]==false)/*&&(OnHold(o,"sRange","tRange"))*/)))||
((I>2)&&((I==iz)|| (I==iz+h)|| ((I==iz+io)&&(l[i0-(y+1)]==false)/*&&
(OnHold(o,"sRange","tRange"))*/))))&&(k[iz-(y+1)]==false)/*&&
(OnHold(z,"sTrend","tTrend"))*/))
    {
        h=iz;
        if((C==true)|| (c==true))
        {
            A(); B(); G(); Alert("Sin.",price,"
h:",h,"iZ:",iZ,"I:",I,"|=iz:",iz,"|",C);
        }
        else if((C==false)|| (c==false))
        {

```

```

        A(); B(); G(); Alert("Sine.",price,"
h:",h,"iZ:",iZ,"I:",I,"|=iz:",iz,"|",C);
    }
}
else if((i0>=h)&&(i0>2)&&(((iZ>2)&&((iZ==i0)|| (iZ==i0+h)||
((iZ==i0+io)&&(l[i0-(y+1)]==false)/*&&(OnHold(o,"sRange","tRange"))*/)))||
((I>2)&&((I==i0)|| (I==i0+h)|| ((I==i0+io)&&(l[i0-(y+1)]==false)/*&&
(OnHold(o,"sRange","tRange"))*/))))&&(k[i0-(y+1)]==false)/*&&
(OnHold(0,"sRange","tRange"))*/))
{
    h=i0;
    if((C==true)|| (c==true))
    {
        A(); B(); G(); Alert("Sine.",price,"
h:",h,"o:",o,"iZ:",iZ,"I:",I,"|=i0:",i0,"|",C);
    }
    if((C==false)|| (c==false))
    {
        A(); B(); G(); Alert("Sin.",price,"
h:",h,"o:",o,"iZ:",iZ,"I:",I,"|=i0:",i0,"|",C);
    }
}
if((iw>=h)&&(iw>2)&&(((iw>2)&&((iw==iw)|| (iw==iw+h)||
((iw==iw+io)&&(l[i0-(y+1)]==false)/*&&(OnHold(o,"sRange","tRange"))*/)))||
((I>2)&&((I==iw)|| (I==iw+h)|| ((I==iw+io)&&(l[i0-(y+1)]==false)/*&&
(OnHold(o,"sRange","tRange"))*/))))&&(l[iw-(y+1)]==false)/*&&
(OnHold(w,"sTrend","tTrend"))*/))
{
    h=iw;
    if((C==true)|| (c==true))
    {
        A(); B(); G(); Alert("Sine.",price,"
h:",h,"iW:",iW,"I:",I,"|=iw:",iw,"|",C);
    }
    else if((C==false)|| (c==false))
    {
        A(); B(); G(); Alert("Sin.",price,"
h:",h,"iW:",iW,"I:",I,"|=iw:",iw,"|",C);
    }
}
else if((i0>=h)&&(i0>2)&&(((iw>2)&&((iw==i0)|| (iw==i0+h)||
((iw==i0+io)&&(l[i0-(y+1)]==false)/*&&(OnHold(o,"sRange","tRange"))*/)))||
((I>2)&&((I==i0)|| (I==i0+h)|| ((I==i0+io)&&(l[i0-(y+1)]==false)/*&&
(OnHold(o,"sRange","tRange"))*/))))&&(l[i0-(y+1)]==false)/*&&
(OnHold(0,"sRange","tRange"))*/))
{

```

```

        h=i0;
        if((C==true)|| (c==true))
        {
            A(); B(); G(); Alert("Sin.",price,"
h:",h,"o:",o,"iW:",iW,"I:",I,"|=i0:",i0,"|",C);
        }
        else if((C==false)|| (c==false))
        {
            A(); B(); G(); Alert("Sine.",price,"
h:",h,"o:",o,"iW:",iW,"I:",I,"|=i0:",i0,"|",C);
        }
    }
}

Stock=iBands(NULL,0,y,2,0,PRICE_CLOSE,MODE_UPPER,0);
Sale=iBands(NULL,0,y,2,0,PRICE_CLOSE,MODE_LOWER,0);
iStock=iBands(NULL,0,y,2,0,PRICE_CLOSE,MODE_UPPER,1);
iSale=iBands(NULL,0,y,2,0,PRICE_CLOSE,MODE_LOWER,1);
iopen=iOpen(Symbol(),0,2);
iPrice=iClose(Symbol(),0,2);
double lPass=0;
if(Price<open){lPass=Price;} else{lPass=open;}
double ilPass=0;
if(iPrice<iopen){ilPass=iPrice;} else{ilPass=iopen;}
double kPass=0;
if(Price>open){kPass=Price;} else{kPass=open;}
double ikPass=0;
if(iPrice>iopen){kPass=iPrice;} else{kPass=iopen;}
string fg="";
if(signal!=0)
{
    if(/*(price>=signal+spread)||*/(price>=signal+com))
    {
        Alert("Long: ",price);
        if((count==0)&&(tally=="Sell")){count ++;} tally="Buy";
    }
    if(/*(price<=signal-spread)||*/(price<=signal-com))
    {
        Alert("Short: ",price);
        if((count==0)&&(tally=="Buy")){count ++;} tally="Sell";
    }
    if(tickTock==false)
    {
        if((((Price>signal)|| (Price>ikPass)|| (price>kPass)))&&(((iC==Cc)&&
(Price>HH[min-(y+1)]))|| ((jC==Cc)&&(Price>=LL[3-(y+1)])&&((open>=Stock)||
(Price>=Stock))|| ((open>=iStock)|| (Price>=iStock))))))

```

```

    {
        Alert("Buy: ",price);
        if((toll==0)&&(tally=="Sell")){toll ++;} if(Price>signal)
{fg="Up";} tally="Buy";
    }
    if((((Price<signal)||(Price<ilPass)||(price<lPass)))&&((jC==Cc)&&
(Price<LL[min-(y+1)]))||((iC==Cc)&&(Price<=HH[3-(y+1)])&&((open<=Sale)||
(Price<=Sale))||((open<=iSale)||(Price<=iSale)))))
    {
        Alert("Sell: ",price);
        if((toll==0)&&(tally=="Buy")){toll ++;} if(Price<signal)
{fg="Down";} tally="Sell";
    }
    if((toll==1)&&((tally=="Buy")||(fg=="Up")))
    {
        if(tag==true)
            {if(((A==true)||(B==false))&&((u==true)||(v==false)))
                {B(); if(C==true) P(); else Q();} Alert("Bull");
            Top(); E=price;}
        else if(((A==false)||(B==true))&&((u==false)||(v==true)))
            {A(); /*if(C==false) {P();} else {Q();}*/ Alert("Bear");
            Bott(); D=price;}
        signal=0; toll=0; tally=""; GF=true;
    }
    if((toll==1)&&((tally=="Sell")||(fg=="Down")))
        {if(tag==false)
            {if(((A==false)||(B==true))&&((u==false)||(v==true)))
                {A(); if(C==false) P(); else Q();} Alert("Bear");
            Bott(); D=price;}
        else if(((A==true)||(B==false))&&((u==true)||(v==false)))
            {B(); /*if(C==true) {P();} else {Q();}*/ Alert("Bull");
            Top(); E=price;}
        signal=0; toll=0; tally=""; GF=true;
    }
    if((count==1)&&((tally=="Buy")||(fg=="Up")))
        {if(tag==true)
            {if(((A==true)||(B==false))&&((u==true)||(v==false)))
                {B(); if(C==true) P(); else Q();} Alert("Hawk");
            Top(); E=price;}
        else if(((A==false)||(B==true))&&((u==false)||(v==true)))
            {A(); /*if(C==false) {P();} else {Q();}*/ Alert("Dove");
            Bott(); D=price;}
        count=0; tally=""; GF=true;
    }
    if((count==1)&&((tally=="Sell")||(fg=="Down")))
        {if(tag==false)

```

```

        {if(((A==false)|| (B==true))&&((u==false)|| (v==true)))
        {A(); if(C==false) P(); else Q();} Alert("Dove"); Bott();
D=price;}

        else if(((A==true)|| (B==false))&&((u==true)|| (v==false)))
        {B(); /*if(C==true) {P();} else {Q();}*/ Alert("Hawk");
Top(); E=price;}

        count=0; tally=""; GF=true;
        }

    }

    }

    if(ab!=ba){ab==ba;} tickTock = false;
    }
void OnGoe()
{
    if(/*(ab==false)&&*/(signal==0))
    {
        if(OnGaurd()==KC)
        {
            if(((h==io)&&(z>o))||((h==iO)&&(Z>O))||((h==iz)&&(Z>z))||
((h==iZ)&&(Z<z)))
            {
                if((C==false)&&(c==false))
                {
                    Signal(); tickTock=true; /*if(KC==true) */tag=false;*/
else tag=true;*/ G(); Alert("Sign.",price,"
h:",h,"|","Z:",iZ,"z:",iz,"O:",iO,"o:",io,"|",C,":",c);
                }
            else
            {
                signature=price; tickTock=true; /*if(KC==true) tag=true;
else tag=false;*/ G(); Alert("Sig.",price,"
h:",h,"|","Z:",iZ,"z:",iz,"O:",iO,"o:",io,"|",C,":",c);
            }
        }
        else if(((h==io)|| (h==iZ)|| (h==iz)|| (h==iO)))
        {
            if((C==false)&&(c==false))
            {
                signature=price; tickTock=true; /*if(KC==true) tag=true;
else tag=false;*/ G(); Alert("Sig.",price,"
h:",h,"Z:",iZ,"z:",iz,"O:",iO,"o:",io,"|",C,":",c);
            }
        }
        else
        {
            Signal(); tickTock=true; /*if(KC==true) */tag=false;*/
else tag=true;*/ G(); Alert("Sign.",price,"

```

```

h:",h,"Z:",iZ,"z:",iz,"0:",i0,"o:",io,"|",C,":",c);
    }
    }
    }
    else
    {
        if(((h==io)&&(z>o))||((h==i0)&&(Z>0))||((h==iz)&&(Z>z))||
((h==iZ)&&(Z<z)))
        {
            if((C==false)|| (c==false))
            {
                Signal(); tickTock=true; /*if(KC==true) */tag=false; /*
else tag=true;*/ G(); Alert("Sign.",price,"
h:",h,"|", "Z:",iZ,"z:",iz,"0:",i0,"o:",io,"|",C,":",c);
            }
            else
            {
                signature=price; tickTock=true; /*if(KC==true) tag=true;
else tag=false;*/ G(); Alert("Sig.",price,"
h:",h,"|", "Z:",iZ,"z:",iz,"0:",i0,"o:",io,"|",C,":",c);
            }
        }
        else if(((h==io)|| (h==iZ)|| (h==iz)|| (h==i0)))
        {
            if((C==false)|| (c==false))
            {
                signature=price; tickTock=true; /*if(KC==true) tag=true;
else tag=false;*/ G(); Alert("Sig.",price,"
h:",h,"Z:",iZ,"z:",iz,"0:",i0,"o:",io,"|",C,":",c);
            }
            else
            {
                Signal(); tickTock=true; /*if(KC==true) */tag=false; /*
else tag=true;*/ G(); Alert("Sign.",price,"
h:",h,"Z:",iZ,"z:",iz,"0:",i0,"o:",io,"|",C,":",c);
            }
        }
        KC();
    }
}

void OnToe()
{
    if(/*(ab==false)&&*/(signal==0))
    {
        if(OnGaurd()==KC)

```

```

    {
        if(((h==io)&&(w>o))||((h==iO)&&(W>O))||((h==iW)&&(W>w))||
((h==iW)&&(W<w)))
        {
            if((C==false)&&(c==false))
            {
                Signal(); tickTock=true; /*if(KC==true) */tag=true; /* else
tag=false;*/ G(); Alert("Sig.",price," h:",h,"
W<w","|","W:",iW,"w:",iw,"O:",iO,"o:",io,"|",C,":",c);
            }
            else
            {
                signature=price; tickTock=true; /*if(KC==true) tag=false;
else tag=true;*/ G(); Alert("Sign.",price," h:",h,"
W<w","|","W:",iW,"w:",iw,"O:",iO,"o:",io,"|",C,":",c);
            }
        }
        else if(((h==io)||((h==iW)||((h==iW)||((h==iO)))
        {
            if((C==false)&&(c==false))
            {
                signature=price; tickTock=true; /*if(KC==true) tag=false;
else tag=true;*/ G(); Alert("Sign.",price,"
h:",h,"W:",iW,"w:",iw,"O:",iO,"o:",io,"|",C,":",c);
            }
            else
            {
                Signal(); tickTock=true; /*if(KC==true) */tag=true; /* else
tag=false;*/ G(); Alert("Sig.",price,"
h:",h,"W:",iW,"w:",iw,"O:",iO,"o:",io,"|",C,":",c);
            }
        }
    }
    else
    {
        if(((h==io)&&(w>o))||((h==iO)&&(W>O))||((h==iW)&&(W>w))||
((h==iW)&&(W<w)))
        {
            if((C==false)||((c==false))
            {
                Signal(); tickTock=true; /*if(KC==true) */tag=true; /* else
tag=false;*/ G(); Alert("Sig.",price," h:",h,"
W<w","|","W:",iW,"w:",iw,"O:",iO,"o:",io,"|",C,":",c);
            }
            else
            {

```

```

        signature=price; tickTock=true; /*if(KC==true) tag=false;
else tag=true;*/ G(); Alert("Sign.",price," h:",h,"
W<w","|","W:",iW,"w:",iw,"O:",iO,"o:",io,"|",C,":",c);
    }
}
else if(((h==io)|| (h==iW)|| (h==iw)|| (h==iO)))
{
    if((C==false)|| (c==false))
    {
        signature=price; tickTock=true; /*if(KC==true) tag=false;
else tag=true;*/ G(); Alert("Sign.",price,"
h:",h,"W:",iW,"w:",iw,"O:",iO,"o:",io,"|",C,":",c);
    }
    else
    {
        Signal(); tickTock=true; /*if(KC==true) */tag=true;/*
else tag=false;*/ G(); Alert("Sig.",price,"
h:",h,"W:",iW,"w:",iw,"O:",iO,"o:",io,"|",C,":",c);
    }
}
}
KC();
}
}
}
void OnTrack()
{
    KC=invert; S=x; T=x; X=y; Y=y; datetime is=iTime(_Symbol,0,0);
    for(int s=x-1;s<S; s++)
    {
        int js=s; j=js; Normalize(); Unify();
        if((Suply<=price)|| (iSuply<=price)|| (iSuply<=iH))
        {
            int i=s; I=iW; j=max; Z=j; iZ=i; T++; iC=C;
            if((iw!=0)&&(jC==Cc)){h=I;} jC!=C;
            if(iStdDev>50){S++; iz=i; iI=iw; j=i; H();}
            else if(iATR<50){S++; iO=i; io=i; j=i; H();} else{j=i; H();}
        }
        if(is!=t){if(OnFire(j,"Stable","tVolatile")){F(); Regime[j-
(y+1)]= "tVolatile";}} else{Regime[j-(y+1)]= "sVolatile";} S++;}
    }
    if((Demand>=price)|| (iDemand>=price)|| (iDemand>=iL))
    {
        int i=s; I=iZ; j=max; W=j; iW=i; T++; jC=C;
        if((iz!=0)&&(iC==Cc)){h=I;} iC!=C;
        if(iStdDev>50){S++; iw=i; iI=iz; j=i; L();}
        else if(iATR<50){S++; iO=i; io=i; j=i; L();} else{j=i; L();}
    }
    if(is!=t){if(OnFire(j,"Stable","tVolatile")){F(); Regime[j-

```

```

(y+1)]="tVolatile";}} else{Regime[j-(y+1)]="sVolatile";} S++;}
    }
    if(s==4*max) break;
}
for(int s=x-1;s<S; s++)
{
    int js=s; j=js; Normalize(); Unify();
    if((iStdDev<50)&&(iATR<50)){R(); L(); H();}
    } S=x; T=x;
    if((Z!=4*max)&&(Z>=z)){j=max-1; z=j; if(is!=t){if(Regime[j-
(y+1)]!="tTrend"){F(); Regime[j-(y+1)]="tTrend";}} else{Regime[j-
(y+1)]="sTrend";}}
    else if((Z!=4*max)&&(Z<z)){j=max; z=j; if(is!=t){if(Regime[j-
(y+1)]!="tTrend"){F(); Regime[j-(y+1)]="tTrend";}} else{Regime[j-
(y+1)]="sTrend";}} else{j=x-1; z=j; if(is!=t){if(Regime[j-(y+1)]!="tTrend")
{F(); Regime[j-(y+1)]="tTrend";}} else{Regime[j-(y+1)]="sTrend";}}
    if((W!=4*max)&&(W>=w)){j=max-1; w=j; if(is!=t){if(Regime[j-
(y+1)]!="tTrend"){F(); Regime[j-(y+1)]="tTrend";}} else{Regime[j-
(y+1)]="sTrend";}}
    else if((W!=4*max)&&(W<w)){j=max; w=j; if(is!=t){if(Regime[j-
(y+1)]!="tTrend"){F(); Regime[j-(y+1)]="tTrend";}} else{Regime[j-
(y+1)]="sTrend";}} else{j=x-1; w=j; if(is!=t){if(Regime[j-(y+1)]!="tTrend")
{F(); Regime[j-(y+1)]="tTrend";}} else{Regime[j-(y+1)]="sTrend";}}
}
void OnStand()
{
    S=x; T=x; X=y; Y=y; datetime is=iTime(_Symbol,0,0);
    for(int s=y+1;s>Y; s--)
    {
        if(s==1) break;
        int js=s; j=js; ir=0; ij=0; Normalize(); Unify();
        if((Suply<=price)|| (iSuply<=price)|| (iSuply<=iH))
        {
            int i=s; I=iW; j=min+1; Z=j; iZ=i; T--; iC=C;
            if((iw!=0)&&(jC==Cc)){h=I;} jC!=C;
            if((X!=Y)&&(iz==0)&&(iStdDev>50)){ij=i; iz=i; iI=iw; j=i; H();
if((ir==0)&&(Y!=2)){Y--;}}
            else if((X!=Y)&&(i0==0)&&(iATR<50)){i0=i; ir=i; j=i; H();
if((ij==0)&&(Y!=2)){Y--;}}
            else if(X==Y){j=i; H(); if(is!=t)
{if(OnFire(j,"Stable","tVolatile")){F(); Regime[j-(y+1)]="tVolatile";}}
else{Regime[j-(y+1)]="sVolatile";} if((Y!=2)&&(X!=2)){Y--; X--;}}
        }
        else if((Demand>=price)|| (iDemand>=price)|| (iDemand>=iL))
        {
            int i=s; I=iZ; j=min+1; W=j; iW=i; T--; jC=C;

```

```

        if((iz!=0)&&(iC==Cc)){h=I;} iC!=C;
        if((X!=Y)&&(iw==0)&&(iStdDev>50)){ij=i; iw=i; iI=iz; j=i; L();
if((ir==0)&&(Y!=2)){Y--;}}
        else if((X!=Y)&&(iO==0)&&(iATR<50)){iO=i; io=i; ir=0; j=i; L();
if((ij==0)&&(Y!=2)){Y--;}}
        else if(X==Y){j=i; L(); if(is!=t)
{if(OnFire(j,"Stable","tVolatile")){F(); Regime[j-(y+1)]="tVolatile";}}
else{Regime[j-(y+1)]="sVolatile";} if((Y!=2)&&(X!=2)){Y--; X--;}}
        } else{if((Y!=2)&&(X!=2)){Y--; X--;}}
    }
    for(int s=Y+1;s<y+1; s++)
    {
        int js=s; j=js; Normalize(); Unify();
        if((iStdDev<50)&&(iATR<50)){R(); L(); H();}
        } X=y; Y=y;
        if((Z!=2)&&(Z>=z)){j=min; z=j; if(is!=t){if(Regime[j-(y+1)]!="tTrend")
{F(); Regime[j-(y+1)]="tTrend";}} else{Regime[j-(y+1)]="sTrend";}}
        else if((Z!=2)&&(Z<z)){j=min+1; z=j; if(is!=t){if(Regime[j-
(y+1)]!="tTrend"){F(); Regime[j-(y+1)]="tTrend";}} else{Regime[j-
(y+1)]="sTrend";}} else{j=y+1; z=j; if(is!=t){if(Regime[j-(y+1)]!="tTrend")
{F(); Regime[j-(y+1)]="tTrend";}} else{Regime[j-(y+1)]="sTrend";}}
        if((W!=2)&&(W>=w)){j=min; w=j; if(is!=t){if(Regime[j-(y+1)]!="tTrend")
{F(); Regime[j-(y+1)]="tTrend";}} else{Regime[j-(y+1)]="sTrend";}}
        else if((W!=2)&&(W<w)){j=min+1; w=j; if(is!=t){if(Regime[j-
(y+1)]!="tTrend"){F(); Regime[j-(y+1)]="tTrend";}} else{Regime[j-
(y+1)]="sTrend";}} else{j=y+1; w=j; if(is!=t){if(Regime[j-(y+1)]!="tTrend")
{F(); Regime[j-(y+1)]="tTrend";}} else{Regime[j-(y+1)]="sTrend";}}
    }
void OnTick()
{
    datetime is=iTime(_Symbol,0,0);
    price=SymbolInfoDouble(_Symbol,SYMBOL_BID);
    Price=iClose(Symbol(),0,1);
    open=iOpen(Symbol(),0,1);
    iH=iHigh(Symbol(),0,1);
    iL=iLow(Symbol(),0,1);
    if(FVG>=0)
    {
        for(int ii=0; ii<FVG; ii++)
        {
            bottomLine=DoubleToString(BL[ii], Digits);
            color bLC=ObjectGet(bottomLine, OBJPROP_COLOR);
            if(bottomLine!=bL)
            {
                if((bLC==clrRed)&&((A==false)&&(B==false))&&(BL[ii]<=price))
{if(E!=0){Alert("Red");} Deleter(bottomLine, BL, ii);}

```

```

        if((bLC==clrBlue)&&((B==false)&&(A==false))&&(BL[ii]>=price))
{if(D!=0){Alert("Blue");} Deleter(bottomLine, BL, ii);}
    }
}
}
if(FG==false)
{
    ArrayResize(k,x-y);
    ArrayResize(l,x-y);
    ArrayResize(HH,x-y);
    ArrayResize(LL,x-y);
    ArrayResize(Premium,x-y);
    ArrayResize(Discount,x-y);
    ArrayResize(Regime,x-y);
    for(j=y+1;j<x; j++){F();} FG=true;
}
T(); OnPoint(); O(i0,0,J,C,Cc); O(io,o,iJ,c,cC); OnCall(); J();
if(is!=t){OnBar(); O(i0,0,J,C,Cc); O(io,o,iJ,c,cC);}
if((J==y+1)&&(J!=2))
{
    OnStand(); J(); O(i0,0,J,C,Cc); O(io,o,iJ,c,cC);
    if((i0!=2)&&(J>=i0)){j=min; O=j; if(is!=t)
{if(OnFire(j,"Stable","tRange")){F(); Regime[j-(y+1)]="tRange";}}
else{Regime[j-(y+1)]="sRange";}}
    else if((i0!=2)&&(J<i0)){j=min+1; O=j; if(is!=t)
{if(OnFire(j,"Stable","tRange")){F(); Regime[j-(y+1)]="tRange";}}
else{Regime[j-(y+1)]="sRange";}} else{j=2; O=j; if(is!=t)
{if(OnFire(j,"Stable","tRange")){F(); Regime[j-(y+1)]="tRange";}}
else{Regime[j-(y+1)]="sRange";}}
    if((io!=2)&&(iJ>=io)){j=min; o=j; if(is!=t)
{if(OnFire(j,"Stable","tRange")){F(); Regime[j-(y+1)]="tRange";}}
else{Regime[j-(y+1)]="sRange";}}
    else if((io!=2)&&(iJ<io)){j=min+1; o=j; if(is!=t)
{if(OnFire(j,"Stable","tRange")){F(); Regime[j-(y+1)]="tRange";}}
else{Regime[j-(y+1)]="sRange";}} else{j=2; o=j; if(is!=t)
{if(OnFire(j,"Stable","tRange")){F(); Regime[j-(y+1)]="tRange";}}
else{Regime[j-(y+1)]="sRange";}}
}
if(J==x-1)
{
    OnTrack(); J(); O(i0,0,J,C,Cc); O(io,o,iJ,c,cC);
    if((i0!=4*max)&&(J>=i0)){j=max-1; O=j; if(is!=t)
{if(OnFire(j,"Stable","tRange")){F(); Regime[j-(y+1)]="tRange";}}
else{Regime[j-(y+1)]="sRange";}}
    else if((i0!=4*max)&&(J<i0)){j=max; O=j; if(is!=t)
{if(OnFire(j,"Stable","tRange")){F(); Regime[j-(y+1)]="tRange";}}

```

```

else{Regime[j-(y+1)]="sRange";}} else{j=x-1; o=j; if(is!=t)
{if(OnFire(j,"Stable","tRange")){F(); Regime[j-(y+1)]="tRange";}}
else{Regime[j-(y+1)]="sRange";}}
    if((io!=4*max)&&(iJ>=io)){j=max-1; o=j; if(is!=t)
{if(OnFire(j,"Stable","tRange")){F(); Regime[j-(y+1)]="tRange";}}
else{Regime[j-(y+1)]="sRange";}}
    else if((io!=4*max)&&(iJ<io)){j=max; o=j; if(is!=t)
{if(OnFire(j,"Stable","tRange")){F(); Regime[j-(y+1)]="tRange";}}
else{Regime[j-(y+1)]="sRange";}} else{j=x-1; o=j; if(is!=t)
{if(OnFire(j,"Stable","tRange")){F(); Regime[j-(y+1)]="tRange";}}
else{Regime[j-(y+1)]="sRange";}}
    } t=is;
    if(Z!=x-1)
    {
        if((Z!=y+1)&&(k[iZ-(y+1)]==true)){h=iZ; OnGoe();}
        else if((k[iZ-(y+1)]==true)&&(z!=y+1)&&(z!=x-1)/*&&
(OnHold(z,"tTrend","sTrend"))*/){h=iZ; OnGoe();}
        else if((k[iO-(y+1)]==true)&&(o!=y+1)&&(o!=x-1)/*&&
(OnHold(o,"tRange","sRange"))*/){h=iO; OnGoe();}
        else if((k[iO-(y+1)]==true)&&(O!=y+1)&&(O!=x-1)/*&&
(OnHold(O,"tRange","sRange"))*/){h=iO; OnGoe();}
    }
    if(W!=x-1)
    {
        if((W!=y+1)&&(l[iW-(y+1)]==true)){h=iW; OnToe();}
        else if((l[iW-(y+1)]==true)&&(w!=y+1)&&(w!=x-1)/*&&
(OnHold(w,"tTrend","sTrend"))*/){h=iW; OnToe();}
        else if((l[iO-(y+1)]==true)&&(o!=y+1)&&(o!=x-1)/*&&
(OnHold(o,"tRange","sRange"))*/){h=iO; OnToe();}
        else if((l[iO-(y+1)]==true)&&(O!=y+1)&&(O!=x-1)/*&&
(OnHold(O,"tRange","sRange"))*/){h=iO; OnToe();}
    }
    if(GF==true){OnReInit(); GF=false;}
    Comment("    ^",iZ,":",Z,"|",iz,":",z,"=",k[Z-(y+1)],"|",k[z-(y+1)],
"\n Lim",iO,":",O,"^",k[O-(y+1)],"_",l[O-(y+1)],".",io,":",o,"^",k[o-
(y+1)],"_",l[o-(y+1)],"=",h,".",C,":",c,
"\n    _",iW,":",W,"|",iw,":",w,"=",l[W-(y+1)],"|",l[w-(y+1)]);
} //U+1F48E-💎 Natalia Tanyatia

```

// Commented out code are optional/alternatives