

Quantum Error Correction in Topological Qubits: A Breakthrough in Fault-Tolerant Computing

****Authors:**** Dr. Michael Zhang^{1*}, Dr. Elena Petrov², Dr. James Anderson¹, Dr. Sarah Kim³

****Affiliations:****

¹ QuantumCore Systems, Cambridge, MA 02139, USA

² Massachusetts Institute of Technology, Cambridge, MA 02139, USA

³ IBM Quantum Research, Yorktown Heights, NY 10598, USA

***Corresponding author:** michael.zhang@quantumcore.com

****Published:**** Nature Physics, Vol. 18, October 2023

DOI: 10.1038/nphys.2023.00456

ABSTRACT

Quantum computing promises exponential speedup for certain computational problems, but quantum systems are inherently fragile and susceptible to decoherence. We present TopologyQEC, a novel quantum error correction scheme developed at QuantumCore Systems that leverages topological properties of Majorana fermions to achieve fault-tolerant quantum computation. Our system demonstrates 99.9% fidelity in maintaining quantum states over 10 milliseconds—a 50-fold improvement over conventional approaches. We validated the technology on a 127-qubit quantum processor and successfully executed Shor's algorithm for factoring 2048-bit numbers. IBM Quantum Research licensed the technology in August 2023 for \$75 million to integrate into their next-generation quantum computers. These results represent a critical milestone toward practical quantum computing.

****Keywords:**** quantum computing, error correction, topological qubits, Majorana fermions, fault tolerance

INTRODUCTION

Quantum computers exploit quantum mechanical phenomena—superposition and entanglement—to perform certain calculations exponentially faster than classical computers¹. However, quantum states are extremely fragile. Any interaction with the environment causes decoherence, destroying the quantum information². This fragility has prevented quantum computers from solving real-world problems.

The fundamental challenge is clear: quantum error rates are typically 0.1-1% per gate operation³, but useful quantum algorithms require millions of operations. Without error correction, quantum computers cannot scale beyond trivial demonstrations.

Dr. Michael Zhang founded QuantumCore Systems in 2019 with a bold vision: make quantum computing practical by solving the error correction problem. Over four years, his team at QuantumCore developed TopologyQEC, drawing on breakthrough insights from topological quantum field theory⁴.

This work was conducted in close collaboration with Dr. Elena Petrov at MIT, whose theoretical work on Majorana zero modes provided the foundation for our approach⁵. Dr. James Anderson, Chief Scientist at QuantumCore, led the experimental implementation. Dr. Sarah Kim from IBM Quantum Research provided critical guidance on integration with existing quantum hardware architectures.

RESULTS

Development of TopologyQEC Platform

Dr. Michael Zhang initiated the TopologyQEC project in January 2020 at QuantumCore Systems' Cambridge laboratory. The project aimed to achieve fault-tolerant quantum error correction using topological quantum computing principles.

The key innovation involves encoding logical qubits in the topological properties of Majorana fermion states rather than in individual physical qubits. Majorana fermions are exotic particles that are their own antiparticles, predicted theoretically by Ettore Majorana in 1937 but only recently realized in condensed matter systems⁶.

Core Technology Components:

1. **Topological Qubit Encoding:** Each logical qubit is encoded in four spatially separated Majorana zero modes. Information is stored in the global quantum state rather than local properties, making it inherently resistant to local perturbations.
2. **Braiding Operations:** Quantum gates are implemented by physically exchanging (braiding) Majorana fermions. The computational result depends only on the topology of the braiding path, not the detailed trajectory—providing natural protection against errors.
3. **Surface Code Integration:** TopologyQEC combines topological protection with surface code error correction⁷, achieving 10× better performance than either approach alone.

Dr. Elena Petrov at MIT developed the theoretical framework during 2019-2020, publishing a landmark paper in Physical Review Letters⁸. Dr. Zhang's team at QuantumCore then spent three years translating this theory into working hardware.

Experimental Validation

We implemented TopologyQEC on a custom 127-qubit quantum processor fabricated at QuantumCore's cleanroom facility. The processor uses superconducting transmon qubits coupled to topological nanowires where Majorana fermions emerge.

Key Performance Metrics:

Qubit Fidelity: TopologyQEC achieved 99.9% average gate fidelity, compared to 99.5% for conventional error correction (tested on same hardware). This seemingly small difference compounds dramatically: after 1,000 operations, TopologyQEC retains 90.5% fidelity vs. 60.7% for conventional approaches.

Coherence Time: Logical qubits maintained coherence for 10.2 milliseconds (mean, n=50 measurements), versus 0.2

milliseconds for unprotected physical qubits—a $51\times$ improvement.

****Error Threshold:**** The system successfully operates below the fault-tolerance threshold of 1% error rate per gate, meeting the critical requirement for scalable quantum computing⁹.

****Reproducibility:**** Experiments were replicated at three independent facilities:

- QuantumCore Systems (Cambridge, MA): 99.9% fidelity
- MIT Lincoln Laboratory: 99.8% fidelity
- IBM Quantum Research (Yorktown Heights): 99.85% fidelity

The close agreement validates the robustness of TopologyQEC across different experimental implementations.

Shor's Algorithm Demonstration

To demonstrate practical utility, we implemented Shor's algorithm¹⁰ for integer factorization on our quantum processor. Shor's algorithm can factor large numbers exponentially faster than classical algorithms, with profound implications for cryptography.

****Experimental Setup:****

- Target: Factor a 2048-bit semiprime (617 decimal digits)
- Quantum processor: 127 qubits (95 data qubits, 32 ancilla qubits for error correction)
- Total gate operations: 2.3 million
- Execution time: 18.7 seconds

****Results:****

- Success rate: 87% (correct factors obtained in 87 of 100 trials)
- Classical verification: All successful runs produced mathematically correct factors
- Estimated classical time: >10,000 years on current supercomputers

This represents the largest number ever factored using a quantum computer, surpassing previous records by three orders of magnitude¹¹. The high success rate demonstrates that TopologyQEC enables complex algorithms previously impossible due to accumulated errors.

****Significance:**** RSA-2048 encryption, widely used in internet security, relies on the computational difficulty of factoring 2048-bit numbers. Our demonstration—while not yet threatening deployed cryptography due to practical limitations—proves quantum computers can in principle break this encryption.

Dr. James Anderson, who led the implementation team, noted: "Five years ago, factoring even a 10-bit number on a quantum computer was considered impressive. Today we've factored 2048 bits. This shows the exponential progress enabled by proper error correction."

Theoretical Understanding

Dr. Elena Petrov at MIT conducted detailed theoretical analysis to understand why TopologyQEC outperforms conventional approaches¹².

****Key Insights:****

1. **Topological Protection:** Majorana-based qubits exhibit exponential suppression of errors with increasing spatial separation of Majorana modes. Our design maintains 10-micrometer separation, yielding error suppression factor of 10^{-8} .
2. **Non-Abelian Statistics:** Braiding operations implement quantum gates through the anyonic statistics of Majorana fermions. The gate result depends only on the braid topology (a topological invariant), providing intrinsic error protection.
3. **Decoherence Mechanisms:** The primary remaining error source is quasiparticle poisoning—thermally excited quasiparticles that disrupt Majorana zero modes. Operating at 10 millikelvin reduces this to acceptable levels.

Dr. Petrov's theoretical work, combined with QuantumCore's experimental validation, established a complete understanding of the system's error properties. This understanding enabled targeted improvements that pushed fidelity to 99.9%.

Technology Transfer to IBM

Based on these results, QuantumCore Systems entered licensing negotiations with IBM Quantum Research in June 2023. IBM operates the world's largest fleet of quantum computers—over 20 systems available via cloud access—but has struggled with error rates limiting algorithm complexity¹³.

License Agreement (Finalized August 2023):

- Upfront payment: \$75 million
- Milestone payments: Up to \$150 million based on performance targets
- Royalties: 3-8% on quantum computing revenue (tiered)
- Geographic scope: Worldwide exclusive license for commercial quantum computing

Development Roadmap:

IBM plans to integrate TopologyQEC into their "Condor" and "Heron" quantum processors:

1. Phase I (2024): 133-qubit Heron processor with TopologyQEC
2. Phase II (2025): 1,121-qubit Condor processor with TopologyQEC
3. Phase III (2026-2027): 4,000+ qubit system targeting quantum advantage for optimization problems

Dr. Sarah Kim, who directs quantum error correction research at IBM, joined the project as Technical Lead for integration. She brings expertise in surface codes and experience deploying error correction on IBM's existing quantum systems.

Current Status (October 2023):

- IBM engineers training at QuantumCore (6-month program)
- First prototype Heron+TopologyQEC chip fabricated
- Initial testing shows 99.7% fidelity (target: 99.9%)
- Cloud deployment planned for Q2 2024

Dr. Michael Zhang now serves as Senior Scientific Advisor to IBM Quantum, splitting time between QuantumCore and IBM's Yorktown Heights facility.

DISCUSSION

Significance of TopologyQEC

TopologyQEC represents a watershed moment for quantum computing. For the first time, error rates are low enough to execute complex algorithms requiring millions of gates. This transforms quantum computing from laboratory curiosity to practical tool.

Comparison to Competing Approaches:

Google's Surface Code (2019-2023):

- Approach: 2D surface code on superconducting qubits
- Fidelity: 99.4% (best published result)¹⁴
- Overhead: ~1,000 physical qubits per logical qubit
- Status: Demonstrated on 54-qubit Sycamore processor

Microsoft's Topological Approach (2018-2023):

- Approach: Topological qubits using Majorana fermions
- Fidelity: Not yet achieved (program discontinued 2022)
- Challenge: Failed to demonstrate Majorana zero modes¹⁵
- Status: Pivoted to conventional qubits

IonQ's Trapped Ion System (2020-2023):

- Approach: High-fidelity ion trap qubits with algorithmic error mitigation
- Fidelity: 99.7% native two-qubit gate fidelity
- Limitation: Difficult to scale beyond 100 qubits¹⁶
- Status: Deployed commercially but limited algorithm complexity

TopologyQEC (QuantumCore/IBM, 2023):

- Approach: Hybrid topological + surface code
- Fidelity: 99.9%
- Overhead: ~100 physical qubits per logical qubit (10× better than surface code alone)
- Status: Licensed to IBM, commercial deployment 2024

TopologyQEC achieves the best error rates with the lowest overhead, making it the leading approach for near-term practical quantum computing.

Applications Enabled by TopologyQEC

****Drug Discovery:**** Quantum simulation of molecular systems to predict drug efficacy and side effects. Pharmaceutical companies could save \$1-2 billion per drug development program by reducing failed clinical trials¹⁷.

****Materials Science:**** Design of room-temperature superconductors, better batteries, efficient solar cells. Recent analysis suggests quantum computers could accelerate materials discovery by 10-100×¹⁸.

****Optimization:**** Solutions to complex optimization problems in logistics, finance, manufacturing. FedEx estimates quantum optimization could save \$500 million annually in routing costs¹⁹.

****Machine Learning:**** Quantum-enhanced machine learning algorithms for pattern recognition, fraud detection, medical diagnosis. Google and IBM are actively developing quantum ML applications²⁰.

****Cryptography:**** Both breaking current encryption (via Shor's algorithm) and creating quantum-secure communication. NSA has mandated transition to quantum-resistant cryptography by 2030²¹.

All these applications require low error rates that only TopologyQEC currently provides.

Collaborative Research Model

This project exemplifies effective academic-industry collaboration:

****QuantumCore Systems**** provided:

- Commercial focus and product development
- Fabrication infrastructure and engineering expertise
- \$50 million R&D investment (2020-2023)
- 35 scientists and engineers

****MIT**** contributed:

- Theoretical foundation and mathematical proofs
- Graduate student researchers (5 PhD theses)
- Access to characterization equipment
- Academic publication pathway

****IBM Quantum**** brought:

- Real-world deployment requirements and constraints
- Large-scale quantum system integration experience
- Commercialization pathway and customer feedback
- \$75 million licensing investment

****Dr. Zhang's Role:**** As Principal Investigator, Dr. Zhang coordinated across all three institutions, maintained technical vision, and ensured scientific rigor while meeting commercial timelines.

****Funding Sources:****

- QuantumCore venture capital: \$50 million (Series A and B)
- DARPA quantum computing grant: \$15 million (2020-2023)
- MIT collaboration agreement: \$5 million (2020-2023)
- IBM research contract: \$10 million (2022-2023)
- Total: \$80 million over 4 years

Intellectual Property

QuantumCore Systems filed comprehensive patent applications covering TopologyQEC:

****US Patent Application 18/456,789 (Filed January 2021):****

"Topological Quantum Error Correction Using Majorana Zero Modes"

Inventors: M. Zhang, E. Petrov, J. Anderson

Status: Published September 2022, granted August 2023

****US Patent Application 18/567,890 (Filed June 2021):****

"Methods for Braiding Operations in Topological Quantum Computers"

Inventors: M. Zhang, J. Anderson, S. Kim

Status: Published December 2022, under examination

****International Patent Applications:****

- EP Application 21456789.2 (Europe)
- CN Application 202180056789.1 (China)
- JP Application 2021-456789 (Japan)
- Filed in 15 countries total

IBM licensed exclusive worldwide rights for commercial quantum computing. QuantumCore retains rights for research tools, academic use, and specialized applications (quantum sensing, quantum communication).

Regulatory and Ethical Considerations

****Export Controls:**** Quantum computing technology is subject to export control regulations. The US Department of Commerce requires licenses for exporting quantum computers to certain countries²². QuantumCore and IBM are working closely with regulators to ensure compliance.

****Cryptographic Implications:**** Our Shor's algorithm demonstration raises concerns about future threats to encrypted data. NIST is standardizing post-quantum cryptography algorithms resistant to quantum attacks²³. However, "harvest now, decrypt later" attacks are a concern—adversaries could store encrypted data today and decrypt it when quantum computers mature.

****Dual-Use Concerns:**** Quantum computing has both civilian and military applications. Our technology could enhance cryptanalysis, optimization of weapon systems, or simulation of nuclear weapons (without physical testing). We've established an Ethics Committee at QuantumCore to review potential applications.

****Equitable Access:**** Quantum computers are expensive (\$10-100 million per system). IBM's cloud deployment helps democratize access, but questions remain about global equity. We're working with the National Science Foundation on educational programs to broaden participation in quantum computing.

Limitations and Future Work

Despite excellent performance, TopologyQEC has limitations:

****Fabrication Complexity:**** Growing high-quality topological nanowires requires precise control of semiconductor heterostructures. Current yield is ~60% for functional devices. ****Future work:**** Develop robust fabrication protocols to improve yield to >90%.

****Operating Temperature:**** The system requires 10 millikelvin operation, necessitating dilution refrigerators costing \$1-2 million. ****Future work:**** Investigate higher-temperature topological materials that could operate at 1 kelvin (100× less expensive cooling).

****Qubit Count:**** Current system has 127 qubits. Many applications need 1,000-10,000 logical qubits (100,000-1,000,000 physical qubits). ****Future work:**** Develop 3D architectures to increase qubit density and connectivity.

****Gate Speed:**** Current two-qubit gates take 100 nanoseconds, limiting algorithm throughput. ****Future work:**** Optimize braiding protocols and investigate faster anyonic operations.

****Scalability Verification:**** While theory predicts exponential suppression of errors with increased separation, we've only tested up to 10-micrometer separation. ****Future work:**** Build larger systems to verify scalability to 1,000+ qubit processors.

METHODS

Device Fabrication

Quantum processors were fabricated at QuantumCore's ISO Class 5 cleanroom facility in Cambridge, MA. We used hybrid superconductor-semiconductor heterostructures:

1. ****Substrate:**** High-resistivity silicon wafers ($>10\text{ k}\Omega\cdot\text{cm}$)
2. ****Superconducting Layer:**** 150 nm aluminum film, deposited by electron-beam evaporation
3. ****Topological Nanowires:**** InAs/Al heterostructures grown by molecular beam epitaxy (Veeco Gen10 system)
4. ****Gate Electrodes:**** Titanium/gold (5 nm/100 nm) deposited by sputtering

Devices were patterned using electron-beam lithography (Elionix ELS-F125) and reactive ion etching.

Cryogenic Measurements

All measurements were performed in a BlueFors LD400 dilution refrigerator at 10 millikelvin. Quantum control was implemented using Keysight M3300A arbitrary waveform generators and Zurich Instruments UHFQA quantum analyzers. Microwave pulses for qubit control were synthesized using Keysight E8267D signal generators.

Error Characterization

Quantum gate fidelity was characterized using randomized benchmarking²⁴ and gate set tomography²⁵. We performed $>10,000$ randomized sequences for each gate type to achieve statistical precision of 0.01% on fidelity measurements.

Algorithm Implementation

Shor's algorithm was implemented following the approach of Beauregard²⁶, using quantum Fourier transforms and modular exponentiation. We compiled quantum circuits using Qiskit (IBM's open-source quantum SDK) with custom optimization passes for TopologyQEC architecture.

Statistical Analysis

Data are presented as mean $\pm$ standard error unless otherwise noted. Statistical comparisons used Student's t-test (two groups) or ANOVA with Bonferroni correction (multiple groups). $P < 0.05$ was considered statistically significant. All

experiments included at least 50 independent measurements.

AUTHOR CONTRIBUTIONS

****M.Z.**** conceived the project, led the research team, designed experiments, and wrote the manuscript.

****E.P.**** developed the theoretical framework and mathematical proofs.

****J.A.**** designed and fabricated quantum processors and performed measurements.

****S.K.**** provided guidance on integration with IBM quantum systems and assisted with algorithm implementation.

All authors reviewed and approved the manuscript.

ACKNOWLEDGMENTS

We thank Professor John Martinis (UCSB) for insightful discussions on superconducting qubits. We acknowledge the QuantumCore engineering team for device fabrication, particularly Dr. Lisa Chen (cleanroom manager) and Thomas Martinez (cryogenics specialist). We thank Dr. Robert Schoelkopf (Yale) for lending measurement equipment during early experiments.

****Funding:**** This work was supported by QuantumCore Systems internal R&D funds, DARPA grant W911NF-20-1-0123, MIT collaboration agreement, and IBM Quantum research contract.

****Competing Interests:**** M.Z., J.A., and QuantumCore Systems have financial interest in TopologyQEC technology. M.Z. serves on IBM Quantum's Scientific Advisory Board. E.P. is a consultant for multiple quantum computing companies. S.K. is an employee of IBM Quantum Research.

****Data Availability:**** Measurement data and analysis code are available at <https://github.com/quantumcore/topologyqec-data> (DOI: 10.5281/zenodo.8234567). Device fabrication protocols are proprietary to QuantumCore Systems. Theoretical calculations are detailed in Supplementary Information.

REFERENCES

1. Nielsen, M.A. & Chuang, I.L. **Quantum Computation and Quantum Information** (Cambridge University Press, 2010).
2. Preskill, J. Quantum computing in the NISQ era and beyond. **Quantum** 2, 79 (2018).
3. Barends, R. et al. Superconducting quantum circuits at the surface code threshold for fault tolerance. **Nature** 508, 500-503 (2014).
4. Kitaev, A.Y. Fault-tolerant quantum computation by anyons. **Ann. Phys.** 303, 2-30 (2003).
5. Petrov, E. et al. Majorana zero modes in topological superconductor-semiconductor heterostructures. **Phys. Rev. Lett.** 127, 157701 (2021).

[References continue 6-26 not shown for brevity]

SUPPLEMENTARY INFORMATION

Supplementary information includes:

- Supplementary Figures 1-15
- Supplementary Tables 1-10
- Supplementary Methods
- Supplementary Data
- Supplementary References
- Video demonstrations of quantum algorithms

Available online at: www.nature.com/nphys/journal/v18/n10/supinfo/nphys.2023.00456.html

CORRESPONDENCE

Correspondence and requests for materials should be addressed to Dr. Michael Zhang (michael.zhang@quantumcore.com).

Document Statistics:

- Total words: ~4,200 (main text)
- Pages: 14 (estimated print)
- Figures: 8 main text, 15 supplementary
- Tables: 4 main text, 10 supplementary
- References: 26

Key Entities Mentioned:

- Dr. Michael Zhang (Person) - 18 mentions
- Dr. Elena Petrov (Person) - 12 mentions
- Dr. James Anderson (Person) - 8 mentions
- Dr. Sarah Kim (Person) - 6 mentions
- QuantumCore Systems (Company) - 35 mentions
- MIT (Organization) - 15 mentions
- IBM Quantum Research (Company) - 22 mentions
- TopologyQEC (Technology) - 41 mentions
- Shor's Algorithm (Technology) - 7 mentions
- Majorana fermions (Technology) - 11 mentions

Key Relationships:

- Dr. Zhang FOUNDED QuantumCore Systems
- Dr. Zhang WORKS_AT QuantumCore Systems

- Dr. Zhang DEVELOPED TopologyQEC
- Dr. Zhang ADVISES IBM Quantum Research
- Dr. Petrov WORKS_AT MIT
- Dr. Petrov COLLABORATED_WITH QuantumCore Systems
- Dr. Anderson WORKS_AT QuantumCore Systems
- Dr. Kim WORKS_AT IBM Quantum Research
- TopologyQEC LICENSED_TO IBM Quantum Research (\$75M)
- QuantumCore Systems LOCATED_IN Cambridge, MA
- MIT LOCATED_IN Cambridge, MA
- IBM Quantum Research LOCATED_IN Yorktown Heights, NY

****END OF DOCUMENT****