

LAPORAN UTS DESAIN DAN PEMROGRAMAN WEB



2022

Praktikan

2131710109 NATASYA TRI MELINNA MI-1F



1. Menuliskan kode index1.html

```
🗎 index1.html 🗵 📙 style1.css 🗵 📙 biodata.html 🗵 블 styleb.css 🗵 📙 login.html 🗵 블 stylel.css 🗵 🗒 signUp.html 🗵
        | <html>
               <title> Bismillah UTS</title>
               <link rel="stylesheet" href="style1.css">
          -</head>
       | Cbody>
| Cd
| Cd
| Cd
               <div class="container">
               <div class="navbar">
                    <nav>
                          <l
                              <!i><a href="biodata.html" target="tesl"> Biodata</a>
<a href="login.html" target="tesl"> Member</a>
<a href="signUp.html" target="tesl"> Non Member</a>
<a href="aboutUs.html" target="tesl"> About Us</a>

 14
 16
                    </nav>
               </div>
 19
               <div class="content">
 20
                    <h1> COMFEE</h1>
                    Your comfort place to enjoy your coffees~
               </div>
 22
23
 24
               <div class="slide">
                               <div class="slide1"></div>
 26
                               <div class="slide2"></div>
 27
                               <div class="slide3"></div>
 28
                               <div class="slide4"></div>
 29
                    </div>
         -</body>
        -</html>
```


2. Menuliskan kode style1.css

```
📑 index1.html 🗵 블 style1.css 🗵 🔚 biodata.html 🗵 블 styleb.css 🗵 📙 login.html 🗵 블 stylel.css 🗵 📙 signUp.html 🗵
           margin: 0:
           padding: 0;
      L}
     container{
           height: 100vh;
           width: 100%;
           background-image: url(img/bg.jpg);
           background-position: center;
           background-size: cover;
           padding-left: 5%;
           padding-right: 5%;
13
           box-sizing: border-box;
           position: relative;
      \sqcup_{\mathbf{I}}
    _ .navbar{
16
17
           width: 100%:
           height: 15vh;
19
           margin: auto;
20
           display: flex;
           align-items: center;
     L}
    nav{
           flex: 1;
           padding-left: 60px;
     L<sub>}</sub>
     ⊟nav ul li{
28
           display: inline-table;
           background: linear-gradient(45deg, #e3b07d, #d4b08c);
30
           border-radius: 6px;
           padding: 10px 20px;
32
           box-sizing: border-box;
33
           text-decoration: none;
34
           color: #000000;
           box-shadow: 3px 8px 22px rgba(94. 28, 68, 0.15);
           list-style: none;
37
           margin: 0px 20px;
38
```



```
⊟nav ul li{
           text-decoration: none;
41
           color: #000000;
42
           text-transform: uppercase;
43
    content h1{
44
           font-size: 80px;
45
46
           font-weight: bold;
           margin-top: 5px;
48
           margin-bottom: 0px;
49
           color: #623609;
50
           font-family: verdana;
     L}
51
     content p{
53
          font-size: 20px;
54
           color: #412406;
55
           font-family: sans-serif;
     L<sub>}</sub>
56
57
    = .slide {
          max-width: auto;
           height: 690px;
          position: relative;
60
     └}
61
62
     ☐ .slide1,.slide2,.slide3 {
63
          position: absolute;
64
           width: 50%;
65
           height: 100%;
66
     .slide1{
67
           background: url(img/imgg.jpg) no-repeat center;
68
           background-size: 100%;
69
           animation: fade1 8s infinite;
71
           -webkit-animation: fade1 8s infinite;
     \lfloor}
73
74
     .slide2 {
          background: url(img/img3.jpg) no-repeat center;
           background-size: 100%;
animation: fade2 8s infinite;
75
76
           -webkit-animation: fade2 8s infinite;
78
     = .slide3 {
79
           background: url(img/img4.jpg) no-repeat center;
80
           background-size: 100%;
animation: fade3 8s infinite;
81
82
           -webkit-animation: fade3 8s infinite;
83
84
85
86
     @keyframes fade1{
87
           0%{opacity: 0}
           33.333%{opacity: 1}
89
           66.666%{opacity: 0}
           100%{opacity: 0}
90
91
92
     ☐@keyframes fade2{
93
           0%{opacity: 0}
94
           33.333%{opacity: 0}
95
           66.666%{opacity: 1}
96
           100%{opacity:0}
97
     @keyframes fade3{
98
99
           0%{opacity: 0}
           33.333%{opacity: 0}
           66.666%{opacity: 0}
           100%{opacity: 1}
```






3. Menuliskan kode biodata.html

4. Menuliskan kode styleb.css





5. Menuliskan kode login.html

```
index1.html 🗵 📙 style1.css 🗵 📙 biodata.html 🗵 🔡 styleb.css 🗵 🔚 login.html 🗵 🔡 stylel.css 🗵 🔠 signUp.html 🗵
         <!DOCTYPE HTML>
       <html lang="en" dir="ltr">
  <head>
 3
             <title> Log In</title>
             <meta charset="utf-9">
 6
             <link rel="stylesheet" type="text/css" href="stylel.css">


<
 8
 9
             <div class="container">
             <div class="navbar">
11
                   <nav>
12
                       <u1>
                             <a href="index1.html" target="tes1"> Home</a>
13
14
                   </div>
15
16
      <div class="login-box">
17
                  <h1> Log In</h1>
18
                   <div class="textbox">
19
                       <i class="fas fa-user"></i></i>
                        <input type="text" placeholder="Username">
                  </div>
      þ
22
23
                  <div class="textbox">
                   <i class="fas fa-lock"></i></i>
24
                   <input type="password" placeholder="Password">
25
26
                   <input type="button" class="btn" value="Sign in">
27
             </div>
        -</body>
28
       </html>
```

6. Menuliskan kode stylel.css



```
index1.html 🗵 📑 style1.css 🗵 📑 biodata.html 🗵 📇 styleb.css 🗵 📑 login.html 🗵 📇 stylel.css 🗵 📑 signUp.html 🗵 🛗 styles.css
                  margin:0;
                  padding:0;
font-family: sans-serif;
        __container{
                  height: 100vh;
width: 100%;
                  background-image: url(img/bgg.jpg);
                   background-position: center;
                  background-size: cover;
                  padding-left: 5%;
padding-right: 5%;
                  box-sizing: border-box;
position: relative;
        - login-box{
18
19
20
21
22
23
24
25
26
                  width: 100%:
                  max-width: 500px;
                  position: absolute;
                   top: 50%;
                  left: 50%;
                  tert: 50%;
transform: translate(-50%,-50%);
color: #fff;
border: 1px solid rgba(255,255,255,0.3);
background: rgba(255,255,255,0.2);
                  color: #000000;
 29
30
31
32
        - .login-box h1{
float: left;
                  font-size: 40px;
                  margin-bottom: 50px;
 34
35
                  padding: 13px 0;
 36
37
38
39
        .textbox{
                  width: 100%;
                  overflow: hidden:
font-size: 20px;
 40
41
                  padding: 8px 0;
margin: 8px 0;
42
        .textbox i{
    width: 26px;
    float: left;
    text-align: center;
43
 48
        = .textbox input{
                  border: none;
outline: none;
background: none;
50
51
52
53
54
55
56
57
58
                  color: #fff;
font-size: 18px;
width: 80%;
float: left;
                  margin: 0 10px;
        □.btn{
           j.btn{
  width: 100%;
  background: none;
  border: 2px solid #000000;
  color: #000000;
  font-weight: bold;
  padding: 5px;
  font-size: 18px;
 59
60
 61
62
 63
64
65
66
                  cursor: pointer;
                  margin: 12px 0;
 68
69
        _ navbar{
 70
71
72
73
74
75
76
77
78
79
                  width: 100%;
                  height: 15vh;
margin: auto;
display: flex;
                  align-items: center;
        nav{
                  flex: 1;
                  padding-left: 60px;
 80
                  display: inline-table;
background: #ffbf80;
border-radius: 6px;
padding: 10px 20px;
 81
82
 83
84
 85
                   box-sizing: border-box;
text-decoration: none;
                   box-shadow: 3px 8px 22px rgba(94. 28, 68, 0.15); list-style: none;
 87
88
89
90
                   margin: 0px 20px;
 92
         ⊟nav ul li{
                   text-decoration: none;
 94
95
96
97
                   color: #000000:
                   text-transform: uppercase;
```





7. Menuliskan kode signUp.html

```
index1.html 🗵 📙 style1.css 🗵 🔡 biodata.html 🗵 📙 styleb.css 🗵 🔡 login.html 🗵 🔡 stylel.css 🗵 🔡 signUp.html 🗵
     <title> Sign Up</title>
<meta charset="utf-9">
            <link rel="stylesheet" type="text/css" href="styles.css">
     -</head:
       -</head>
             <div class="container">
             <div class="navbar">
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
                 <nav>
                     <a href="index1.html" target="tes1"> Home</a>
                  </div>
             <div class="signup-box">
                 <h1> Sign Up</h1>
                 ddiv class="textbox">
     <i class="fas fa-user"></i>
     <i input type="text" placeholder="Username">
     1
                  </div>
                 <div class="textbox">
                     <i class="fas fa-user"></i><input type="text" placeholder="Email">
                  </div>
                 <div class="textbox">
                 <i class="fas fa-lock"></i></i>
                 <input type="password" placeholder="Password">
30
                 <input type="button" class="btn" value="Register as Member">
31
32
33
             </div>
       -</body>
       </html>
```



8. Menuliskan kode styles.css

```
📑 index1.html 🗵 📑 style1.css 🗵 🛗 biodata.html 🗵 📑 styleb.css 🗵 📑 login.html 🗵 📑 stylel.css 🗵 📑 signUp.html 🗵 🛗 styles.css 🗵
                           margin:0;
                           padding:0;
                           font-family: sans-serif;
           eight: 100vh;
                          width: 100%;
background-image: url(img/bgg.jpg);
                         background-image: url(img/bg/
background-size: cover;
background-size: cover;
padding-left: 5%;
padding-right: 5%;
box-sizing: border-box;
position: relative;
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
                          width: 100%;
max-width: 500px;
                          position: absolute;
                            top: 50%;
                         left: 50%;
transform: translate(-50%,-50%);
border: 1px solid rgba(255,255,255,0.3);
background: rgba(255,255,255,0.2);
color: #000000;
           .signup-box h1{
                         gnup-box n1{
float: left;
font-size: 40px;
margin-bottom: 50px;
padding: 13px 0;
31
32
33
34
35
36
37
38
39
40
41
                         width: 100%;
overflow: hidden:
font-size: 20px;
padding: 8px 0;
margin: 8px 0;
           textbox i{
    width: 26px;
    float: left;
    text-align: center;
43
44
45
            :
:textbox input{
46
                         border: none;
outline: none;
47
48
49
50
51
52
53
54
55
56
60
61
62
63
64
66
67
71
72
73
74
75
77
                         background: none;
color: #000000;
font-size: 18px;
width: 80%;
float: left;
margin: 0 10px;
            .btn{
                        width: 100%;
background: none;
border: 2px solid #000000;
color: #000000;
font-weight: bold;
padding: 5px;
font-size: 18px;
cursor: pointer;
margin: 12px 0;
           navbar {
                          width: 100%;
height: 15vh;
margin: auto;
display: flex;
                           align-items: center;
            □ nav{
                          padding-left: 60px;
```



```
may ul li{
              display: inline-table;
80
81
             background: #ffbf80;
border-radius: 6px;
82
83
84
85
86
              padding: 10px 20px;
             box-sizing: border-box;
text-decoration: none;
              color: #000000:
             box-shadow: 3px 8px 22px rgba(94. 28, 68, 0.15); list-style: none;
87
88
             margin: 0px 20px;
89
      □nav ul li{
91
              text-decoration: none;
92
93
              color: #000000;
              text-transform: uppercase;
```


9. Menuliskan kode aboutUs.html

```
📑 style1.css 🗵 🔚 biodata.html 🗵 📑 styleb.css 🗵 📑 login.html 🗵 📑 style1.css 🗵 📑 signUp.html 🗵 📑 styles.css 🗵 🛗 aboutUs.html 🗵
    <title>About Us</title>
          <meta charset="utf-9">
<link rel="stylesheet" type="text/css" href="stylef.css">
          </head>
    cbody>
div class="container">
<h1>COMFEE</h1>
              Jl. Lidah Buaya No. 51, Jakarta Selatan
          </div>
          <div class="navbar">
             <nav>
                 <l
                     <a href="index1.html" target="tes1"> Home</a>
                    <BR>
                     <a href="order.html" target="tes1"> Order Now</a>
          </div>
             Rp 17.000
             </div>
             <div class="item">
                 <img src="img/img5.jpg">
<h4> Pancake</h4>
                 Rp 18.000
              <div class="item">
                 <img src="img/img6.jpg">
<h4> Ice/Hot Latte</h4>
40
41
42
43
44
45
46
47
48
              Rp 21.000</div>
             49
50
51
52
53
54
55
56
              </div>
             </div>
          </section>
      </body>
     L</html>
```



10. Menuliskan kode stylef.css

Output






11. Menuliskan kode order.html

12. Menuliskan kode styleo.css





13. Menuliskan kode pemesanan.php

Output

