CRACKING IDM

Name: Natnael Sisay ID: CTC-1475-26

Target: Internet Download Manager 6.43 build 15.2

- Windows 10

- Method: registry edit

TESTED AND WORKING

21/10/26


The Idea

IDM does not store the licence inside the program file.It stores it in one registry key:

`HKCU\Software\DownloadManager`


On every start IDM reads a few values from that key and picks a state:

0 = registered and clean 1 = trial 2 = expired 3 = fake or blocked serial



- So the whole method is: close IDM, clear the old values, write a complete registration record and write a script to block idm from reading(accessing) some registry keys.

Serial - 20 characters in 4 groups of 5, dashes between the groups. Shape: XXXXX-XXXXX-XXXXX-XXXXX Any letters and digits work. But this is the SHAPE check.



What You Need

A Windows PC.

IDM 6.43 build 15.2 installed normally.

The One Rule That Matters

- IDM MUST BE CLOSED BEFORE YOU TOUCH THE REGISTRY.
- This is the step people get wrong, and it fails silently because While IDM runs it keeps the licence state in memory it reads the registry, decides it is still Trial, and writes that back. So if you write the registration while IDM is running, IDM overwrites it You get no error idm just stays Trial.

Step 1: Open Command Prompt as Administrator

All commands below are typed in that window. Copy one line at a time.

Step 2: Delete the Old Values

Run each line one by one:

```
reg delete "HKCU\Software\DownloadManager" /v FName /f

reg delete "HKCU\Software\DownloadManager" /v LName /f

reg delete "HKCU\Software\DownloadManager" /v Email /f

reg delete "HKCU\Software\DownloadManager" /v Serial /f

reg delete "HKCU\Software\DownloadManager" /v scansk /f

reg delete "HKCU\Software\DownloadManager" /v tvfrdt /f

reg delete "HKCU\Software\DownloadManager" /v radxcnt /f

reg delete "HKCU\Software\DownloadManager" /v LstCheck /f

reg delete "HKCU\Software\DownloadManager" /v ptrk_scdt /f

reg delete "HKCU\Software\DownloadManager" /v LastCheckQU /f

reg delete "HKCU\Software\DownloadManager" /v isSSW_OK /f

reg delete "HKCU\Software\DownloadManager" /v lastintres /f
```

Some lines will reply:

ERROR: The system was unable to find the specified registry key or value. That is fine. It only means the value was not there to delete. What these values are:

FName, LName first and last name on the registration ,Email registration email, Serial the serial number, scansk hidden check marker , tvfrdt hidden date marker ,radxcnt hidden counter LstCheck last check date ,ptrk_scdt next re-check date ,LastCheckQU last check timestamp isSSW_OK registration ok flag, lastintres result of the last check

You clear all of them so IDM starts from nothing.

Step 3: Write the New Record

Run these five lines:


reg add "HKCU\Software\DownloadManager" /v FName /t REG_SZ /d "FNAME" /f

reg add "HKCU\Software\DownloadManager" /v LName /t REG_SZ /d "LNAME" /f

reg add "HKCU\Software\DownloadManager" /v Email /t REG_SZ /d "EMAIL@tonec.com" /f

reg add "HKCU\Software\DownloadManager" /v Serial /t REG_SZ /d "XXXXX-XXXXX-XXXXX-XXXXX" /f

About each line:FName This is the first name. LName This is the last name. ,Email first.last@tonec.com tonec.com is IDM's own domain. Keep that domain.Serial 20 characters in 4 groups of 5, dashes between them. Letters and digits both work. This is only the SHAPE check. A made-up serial with the right shape gets the counterfeit box.



Every line should reply:

The operation completed successfully.

Step 5: Write a SCRIPT

I writed a simple script and saved it as .bat

What the script actually does is stop IDM's registration from going down and It does that by locking IDM out of the part of the Windows registry where IDM keeps its trial data.

- So Every time IDM starts it reads those keys and checks if the trial is over.
- The script finds those keys and **denies IDM permission to change them**.
- IDM can still read them so it still thinks it is registered but it can't reset or decrement them.
- the registration stays where it is.

And the script has 2 features -ACTIVATE AND -RESET.

What the script does, step by step


1. **Checks it's running as admin**
2. **Finds user SID-** (`HKEY_USERS\<SID>`). The script needs this to find the keys.
3. **Checks if** `HKCU` **and** `HKU\<SID>` **are the same-** (in most cases its ok its for safety.
4. **Find IDM-** Reads its install path from the registry or defaults to `C:\Program Files (x86)\Internet Download Manager\IDMan.exe`.
5. **Backs up the CLSID registry keys-** to `C:\Windows\Temp\` with a timestamp. This is for safety so you can restore from it if something goes wrong.
6. **Deletes the old trial/registration values**
7. **Recreates** `AdvIntDriverEnabled2 = 1- its` a registry flag that IDM checks on startup. Idk why but without it it wont work.
8. **Scans the CLSID keys-** and spots that IDM uses by their patterns:
    - Default value looks like a number
    - Default value contains ^+ or =
    - Has a `Version` subkey with a number
    - Contains values like `MData`, `Model`, `scansk`, `Therad`
    - Is completely empty

These patterns match IDM trial keys but not other apps' keys.(I got them from ghidra and online).


9. **Locks those keys-** The script takes ownership, gives itself full control, then sets a **Deny** rule for `Everyone`. IDM can now read the keys but cant change them.
10. **Triggers three downloads through IDM -**idm recreates some of its own registry keys during a download, so the script downloads three PNG files to make sure those keys exist then locks them too.
11. **Locks the CLSID keys again-** with the newly-created ones included.

The scripts :-

1. activation




2.reset




ctrl +click here for the full .bat file

Step 5: run the .bat


- After step3 we run the .bat file and choose activate then it will block idm


7:20 PM
10/21/26
81% 52%
QEMU (Windows 10 VM)
Machine View
Recycle Bin
staging
Administrator: IDM Activation
[1] Activate
[2] Reset Activation
[0] Exit
Enter a menu option in the Keyboard [1,2,0]
New folder
YTD Video Downloader
New Text Document (2)
New Text Document
9:20 AM
10/21/2026



7:21 PM
10/21/26
81% 42%
QEMU (Windows 10 VM)
Machine View
Administrator: IDM Activation
Searching IDM CLSID Registry Keys in HKCU:\Software\Classes\WOW6432Node\CLSID
IDM CLSID Registry Keys are not found.
Triggering a few downloads to create certain registry keys, please wait...
SUCCESS: The process "IDMan.exe" with PID 1344 has been terminated.
Searching IDM CLSID Registry Keys in HKCU:\Software\Classes\WOW6432Node\CLSID
{07999AC3-058B-40BF-984F-69EB1E554CA7} - Found MData Model scansk Therad
{214e7874-0d52-9694-cc55-43c3b84c221b} - Found Digit In \Version and No Other Subkeys
{2efdf89e-9b2d-6d7c-095c-d16a4b346ec7} - Found Digit In \Version and No Other Subkeys
{40880960-7428-10e0-ee1e-ef6423ad8cff} - Found Empty Key
Locking IDM CLSID Registry Keys...
Locked - HKCU:\Software\Classes\WOW6432Node\CLSID\{07999AC3-058B-40BF-984F-69EB1E554CA7}
Locked - HKCU:\Software\Classes\WOW6432Node\CLSID\{214e7874-0d52-9694-cc55-43c3b84c221b}
Locked - HKCU:\Software\Classes\WOW6432Node\CLSID\{2efdf89e-9b2d-6d7c-095c-d16a4b346ec7}
Locked - HKCU:\Software\Classes\WOW6432Node\CLSID\{40880960-7428-10e0-ee1e-ef6423ad8cff}
The IDM Activation process has been completed.
If the fake serial screen appears, run the script again.
Press any key to return...
New Text Document
9:21 AM
10/21/2026


Step 6: Confirm

Use IDM normally and check:



It should show your name and the serial, not Trial.





What Not To Do

Do not write the registry while IDM is running.

Do not run IDM as Administrator.