
The Orison V2

Owner improvement dossier - illustrated implementation review

39 / 40

Scoped items implemented and visually reviewed

G15 remains conditional and uninstalled by default. The other items cover geometry, materials, practical-light review and fitted details requested in the answering dossier.

This is a completion review of that bounded request, not a claim that the entire V1-to-V2 conversion or photoreal world pass is finished. The original answering dossier is preserved. Native component plates and production views are labeled separately.

The final plates cover apartments, public interiors, appliances, lights, plant soil, entry frontage, roof, skyline and lift. Earlier verified batches are indexed and represented by their saved images. Full-resolution images, source hashes, runtime contracts and limitations accompany the committed evidence packets.

Review feedback: identify the card ID and pictured view; describe the visible problem, desired change, objects to preserve, and priority. Separate a required correction from a new narrative or set-dressing proposal.

Geometry and functional stock

Complete card index. Reviewed means the scoped visual intervention, not unrestricted world acceptance.

G01	Lobby call board and detector clock	Reviewed
G02	Night register, signal register and tour key	Reviewed
G03	House telephone switchboard	Reviewed
G04	Service dumbwaiter	Reviewed
G05	Basement fuse panel	Reviewed
G06	House-tank level mechanism	Reviewed
G07	Six alley and shed work lights	Reviewed
G08	Harukiya loudspeakers	Reviewed
G09	Harukiya piano and stage microphone	Reviewed
G10	Songbook recording apparatus / phonautograph	Reviewed
G11	Darts board, score panel and loose darts	Reviewed
G12	Harukiya receiving cabinets	Reviewed
G13	Bar, bodega and Orison signage	Reviewed
G14	Task-lamp supply cords	Reviewed
G15	Retained V1 lights not installed in V2	conditional uninstalled

Household and shop finishes

Complete card index. Reviewed means the scoped visual intervention, not unrestricted world acceptance.

T01	Boiler, radiators and heating metals	Reviewed
T02	Basement washer, tubs and ailer	Reviewed
T03	Bathroom porcelain, chrome and cloth	Reviewed
T04	Wardrobes and kept clothing	Reviewed
T05	Seating and household tables	Reviewed
T06	Household storage, books and small objects	Reviewed
T07	Refrigerators and gas ranges	Reviewed
T08	Small appliances and medicine stock	Reviewed
T09	Installed indoor lighting family	Reviewed
T10	Pawnbroker cases and window stock	Reviewed
T11	Hardware and locksmith stock	Reviewed
T12	Cobbler machinery and shoe stock	Reviewed
T13	Druggist glass, bottles and stonework	Reviewed
T14	Diner counters and plated apparatus	Reviewed
T15	Photo and radio shop equipment	Reviewed
T16	Laundry parcels and hanging cloth	Reviewed
T17	Plants and funeral foliage	Reviewed

Building finishes

Complete card index. Reviewed means the scoped visual intervention, not unrestricted world acceptance.


A01	Apartment light, plaster and floor grain	Reviewed
A02	Public floors, paneling and door joinery	Reviewed
A03	Bedrooms and bedding	Reviewed
A04	Basement walls, floors and service context	Reviewed
A05	Exterior stone trim and entry frontage	Reviewed
A06	Roof field, drainage and ventilator housings	Reviewed
A07	Neighboring rooftop tanks and aerals	Reviewed
A08	Lift cab paneling and public metalwork	Reviewed

Preserved authorities


Room dimensions, practical-light controls, original doors, fan mechanics, roof drainage, lift drive and gate ownership remain source-owned. Finish shaders add no geometric displacement. Unchanged native geometry is reused with explicit evidence; captures alone are not runtime proof.

Service instruments and lamp supply

G01-G07 and G14 / earlier verified implementation




Telephone board / installed native stock



Tank service / original working controls



Dumbwaiter / fitted moving construction



Task lamp / one of five authorized outlet routes

Fabricated instruments retain their original controls and state. Five task-lamp supplies terminate at documented, owner-authorized outlet placements.

Full item results and proof: [service_instruments_20261008](#) and [bar_and_supply_20261008](#) evidence packets. These are selected views.

Bar equipment and signage

G08-G13 / earlier verified implementation



Piano / native construction study



Darts and score panel / installed view



Receiving cabinets / original programme owners




Bodega sign / retained live lettering and power

Native cases, playable control owners, fitted supports and Label3D lettering remain distinct. The final lighting check also seats the west bar sconce against the replacement score-panel face.


G15 is deliberately excluded from default installation. The receiving-cabinet review does not authorize populating other empty positions.

Household cloth and service finishes


T01-T06, T08, A03-A04 / earlier verified implementation



Airer / native cloth, tubs and fitted support



3B wardrobe / all four garments from standing gap



Washer / original tub and mechanisms



2A bedding / installed cloth finish

Cloth gains shaped hems, folds and seams; zinc, enamel, timber and iron receive bounded finish changes. Existing inventories, garment counts and working mechanisms remain.

Wardrobe image frames contents at the original lens; the separate native plate records the complete open cabinet. No furniture was moved for the view.

Shop materials and fitted stock

T10-T16 / earlier verified implementation




Pawn display / neutral native study



Diner / production cooking stock



Druggist carboys / rounded shoulders and stoppers



Cobbler / installed bench and materials

Shop timber, paper, cloth and metal are quieter and more distinct. Glass and emission remain with their optical owners; source-local wear follows handling and service areas.

Shop interaction and ordinary passage reload are covered by the saved contract. Empty source displays remain empty; no broad stock expansion is implied.

T17 / Plants and soil

Final detail and finish review



Household plant / final neutral native plate



Same plant / installed 3A view

The household specimen retains its six source leaf stations. Curved blades, petioles, midribs and terminal bud improve form. Soil is recessed and dark brown; the pot retains quiet terracotta variation.

Earlier funeral-foliage geometry and finish evidence is reused. No added plant inventory, growth system or wind simulation.

A01 / Apartment balance

Fixed production stations / bright and dim rooms



2A main room / existing nighttime practicals



3B main room / existing nighttime practicals

Shared plaster and timber keep finer relief and lower pigment contrast. Cream surfaces, cloth and wood remain distinct within warm practical pools. Bright and dim households retain their existing lighting identities.

Exposure and practical controls are retained. Paired room-off images accompany these views; the carried service lamp is present and explicitly labeled.

A02 / Public interiors

Vestibule and lobby / current installed finish



Vestibule / floor, dado, door and casing



Lobby / public floor and timber framing

Mapped aggregate, dark dado and painted trim keep separate material identities. The review reuses accepted joinery and thresholds while calming shared surface contrast.

Entrance and inner-door collision, input and motion are exercised separately by the route contract. These stills do not independently prove traversability.

T07 / Refrigerators and ranges

Retained native construction / current production finish



2A refrigerator / stocked interior and original leaf



2B gas range / original oven and cooking controls

Pale enamel, dark cooking iron, zinc and timber remain readable under practical lighting. Door, hatch, drip-pan and stove-control travel is checked after the original tweens settle.

The current source contains 18 refrigerators, including seven monitor-top units. The dossier's older four-unit wording was not used to delete existing assignments. No cabinet geometry was rebuilt here.

T09 / Practical fixtures

Same camera and fixture / original powered and off states



3B opal sconce / powered



3B opal sconce / off



4B pendant / powered




4B pendant / off

Fitted opal envelopes and holders remain finite shapes. The original mutable bulb, emitter, bounce, halo, swing and circuits are preserved across all 199 installations and 27 variants.

The service lamp remains present in both states. Neutral component renders intentionally omit runtime bloom. West bar sconce attachment is checked against its actual native support.

A05 / Entry frontage

Same approach / production day and night



Frontage / daytime production atmosphere



Frontage / nighttime production atmosphere

Stone receives restrained relief and ledge-related runoff. Timber and public iron use the calibrated finishes. Opening dimensions, canopy construction, door reveals and threshold remain intact.


A neutral entrance component plate accompanies the full-resolution packet. The live route checks the closed barrier and a keyboard-operated entrance round trip.

A06 / Roof and ventilators

Roof-scale production view / native fan detail



Roof / retained laps, structures and production daylight




Fan / neutral default-variant material and construction plate

Fine bitumen and quieter galvanizing preserve physical laps and authored bond colors. Bounded roof-coordinate variation follows seams. Fan stock keeps its original motor, shutter and service ownership.

The isolated membrane is not a complete drainage model. Existing roof support, service-door motion and route evidence remain separate; no new LOD policy was introduced.

A07 / Neighboring skyline


Native detail / verified roof and street observations




One original tank assembly / neutral base finish



Neighboring skyline / supported roof station, daylight



Original aerial dish / neutral native construction



Street observation / tank partially masked by parapet

Stave timber, zinc bands and aerial metals are separated. Tank-band wear and small seeded tone differences follow the source component frame. Near and far views retain measured draw-submission observations.

Original geometry and support tests remain. Two older whole-blockout hash pins are preserved with an explicit comparison proving the registration fields consumed by these assets are unchanged.

A08 / Lift cab

Complete installed cab / native joinery detail



Assembled cab / mirror, rails, panels and original light



Panel detail / quiet grain and bounded touch wear

Wood grain is reduced without flattening the raised-panel construction. Metal and varnished fields remain distinct. Native metre charts keep the joinery texture attached to the moving cab.

The live passenger route visits B1 through F06, verifies platform carry and the empty-shaft barrier, and recalls the car. Gate articulation and existing collision are retained; save reconstruction is outside this review.

Evidence and remaining scope

Use the individual contracts and file hashes when making implementation claims.

Evidence packet

art/renders/orison_v2/building_finishes_20261008 contains native and installed plates, complete batch results, runner receipts and test-written schema-2 contracts. review_images.json binds delivered images to source files. The PDF image index records every embedded source hash.

Scope limits

The dossier is a bounded geometry/material improvement request. It does not establish complete V2 world acceptance, save reconstruction for every item, historical certainty for all adaptations, or a fully photoreal environment. Known baseline resource-shutdown warnings are reported in the technical record.

Conditional item

G15 remains uninstalled by default. No empty stock positions or new programme owners were added to turn this conditional item into a completed installation.

Broader V2 work

The V1 fabrication census, unregistered builders and older source-binding drift remain separate work. Continue by room and shared dependency, using native fit/render checks followed by one composed Godot batch for changed areas.

Returning feedback

Quote the card ID and view caption. State the observed defect, requested visual outcome, priority, and any functional or canon constraints. New room narratives or backstory expansions should be labeled proposals until accepted.