

Remaining geometry and texture work

40 review sets / 84 selected images / stable IDs for your notes



G01 Lobby call board and detector clock



G09 Harukiya piano and stage microphone



T07 Refrigerators and gas ranges



A01 Apartment light, plaster and floor grain

Use this dossier to say what should change, what should stay, and which sets matter most. Each item page includes a description, observed visual condition, suggested review topics, and a fillable notes box.

The refrigerator and stove batches are finished and pushed. V2 as a whole is still in progress. These are images of existing models, not proposed redesigns. Native studies and production-light views are labeled separately.

Find a review set

Return notes by ID, for example: G09 - piano keys, body proportions, pedals, timber finish.

Geometry and detail

G01	Lobby call board and detector clock	3
G02	Night register, signal register and tour key	4
G03	House telephone switchboard	5
G04	Service dumbwaiter	6
G05	Basement fuse panel	7
G06	House-tank level mechanism	8
G07	Six alley and shed work lights	9
G08	Harukiya loudspeakers	10
G09	Harukiya piano and stage microphone	11
G10	Songbook playback apparatus	12
G11	Darts board, score panel and loose darts	13
G12	Harukiya receiving cabinets	14
G13	Bar, bodega and Orison signage	15
G14	Task-lamp supply cords	16
G15	Retained V1 lights not installed in V2	17

Fabricated families / finishes


T01	Boiler, radiators and heating metals	18
T02	Basement washer, tubs and airer	19
T03	Bathroom porcelain, chrome and cloth	20
T04	Wardrobes and kept clothing	21
T05	Seating and household tables	22
T06	Household storage, books and small objects	23
T07	Refrigerators and gas ranges	24
T08	Small appliances and medicine stock	25
T09	Installed indoor lighting family	26
T10	Pawnbroker cases and window stock	27
T11	Hardware and locksmith stock	28
T12	Cobbler machinery and shoe stock	29
T13	Druggist glass, bottles and stonework	30
T14	Diner counters and plated apparatus	31
T15	Photo and radio shop equipment	32
T16	Laundry parcels and hanging cloth	33
T17	Plants and funeral foliage	34

Architecture and room balance

A01	Apartment light, plaster and floor grain	35
A02	Public floors, paneling and door joinery	36
A03	Bedrooms and bedding	37
A04	Basement walls, floors and service context	38
A05	Exterior stone trim and entry frontage	39
A06	Roof field, drainage and ventilator housings	40
A07	Neighboring rooftop tanks and aerials	41
A08	Lift cab paneling and public metalwork	42

G01 Lobby call board and detector clock

The porter call annunciator and the watchman detector clock; both are working lobby instruments with retained controls and text.



LobbyPorterBoard | current model / neutral light



F01_WATCHMAN_DETECTOR | current model / neutral light

VISUAL CONDITION

The cases read as shallow rectangular boxes. Brown surfaces are largely uniform; sharp case edges and simple brass plates dominate. The clock face is legible, but depth, cabinet joinery and small hardware remain schematic.

REVIEW TOPICS

Case construction, timber character, dial depth and the amount of handling wear.


YOUR NOTES / Keep, change, priority

G02 Night register, signal register and tour key

Three related service stations: a shelf and key board, a signal recording cabinet, and the guarded tour key.



F01_NIGHT_REGISTER | current model / neutral light



F01_SIGNAL_REGISTER | current model / neutral light



F01_TOUR_KEY_GUARD | current model / neutral light

VISUAL CONDITION

Distinct functions are already readable. Shelf supports, blank brown panels, simple hooks and broad flat brass pieces still look assembled from basic shapes. Existing labels and paper content belong to the live interface.


REVIEW TOPICS

Shared cabinet style, joints, metal thickness, paper seating and restrained wear.

YOUR NOTES / Keep, change, priority

G03 House telephone switchboard

The lobby house-line board, with repeated sockets, indicators and trunk controls.



Front three-quarter | current model / neutral light



Opposite front | current model / neutral light

VISUAL CONDITION

The dark face and brass socket grid read clearly. The enclosing timber frame is severe and uniform; socket recesses, wiring, panel fasteners and layered construction need closer art direction.

REVIEW TOPICS

Socket detail, frame profiles, face material and visible cabling.

YOUR NOTES / Keep, change, priority

G04 Service dumbwaiter

The small lobby service lift with its original shaft opening, car, brake and overhead wheels.



Opening and car | current model / neutral light



Back and overhead wheels | current model / neutral light

VISUAL CONDITION

The frame, car and wheel silhouettes remain basic. The car looks like a plain solid box; the overhead parts have little surface detail. A neutral isolated view removes the surrounding wall, so it does not prove the installed shaft fit.

REVIEW TOPICS

Car construction, ropes and sheaves, hatch framing and worn working surfaces.


YOUR NOTES / Keep, change, priority

G05 Basement fuse panel

The original electrical panel and its live service controls.



Interior | current model / neutral light



Exterior sheet and door | current model / neutral light

VISUAL CONDITION

The open cabinet is readable, but the outer material resembles coarse stone or concrete more than thin sheet metal. Interior parts are sparse blocks and bars. Door thickness, edges, fasteners and control detailing are still schematic.


REVIEW TOPICS

Painted-metal finish, cabinet section, period components and localized wear.


YOUR NOTES / Keep, change, priority

G06 House-tank level mechanism

The roof tank ballcock assembly: a tall level/mechanical linkage with narrow brass and metal components.



Linkage and valve | current model / neutral light



Reverse side | current model / neutral light

VISUAL CONDITION

Thin rods and flat levers establish the mechanism, but much of the assembly looks smooth and minimally jointed. Several pieces are hard to distinguish at room distance. This is the mechanism alone, without the tank enclosure.

REVIEW TOPICS

Mechanical joints, bearing housings, metal variation and readable scale.

YOUR NOTES / Keep, change, priority

G07 Six alley and shed work lights

Four alley and two shed cage-bulb fixtures still use the older visual form. The shed entry lamp is the representative shown.



ShedEntryWorkLamp | current model / neutral light



Newer indoor cage family for comparison | native family review

VISUAL CONDITION

A bright bulb sits inside a simple cage beneath a long straight stem. The small cap and cage are legible but lack the fitted mount, socket layering and local finish refinement of the newer indoor family.

REVIEW TOPICS

Cage construction, weathering, stem or cable treatment and mounting detail.

YOUR NOTES / Keep, change, priority

G08 Harukiya loudspeakers

The two stage loudspeakers; the first speaker is shown from front and back.



Speaker front | current model / neutral light



Speaker case | current model / neutral light

VISUAL CONDITION

The case is a plain box with prominent, uniform wood grain. The driver, central disc and small controls are readable but simplified. Cabinet seams, grille or cloth treatment, hardware and surface age need a coherent direction.

REVIEW TOPICS

Cabinet construction, driver and grille detail, wood scale and mounting.

YOUR NOTES / Keep, change, priority

G09 Harukiya piano and stage microphone

The upright piano and slender microphone on the small stage. The red stage drapes already have a separate native fabrication pass.



Piano and microphone | current production light



Stage context | current production light

VISUAL CONDITION

The piano is still a few large timber blocks with a pale keyboard strip. Individual keys, pedals, legs, panels and lid construction are not clearly modeled. The microphone is a thin angular stem with a minimal head and base.


REVIEW TOPICS

Piano proportions and construction, visible key and pedal detail, microphone form.


YOUR NOTES / Keep, change, priority

G10 Songbook playback apparatus

The bar songbook terminal, presented as mechanical playback apparatus on a small timber base.



Drive and horn | current model / neutral light



Reverse assembly | current model / neutral light

VISUAL CONDITION

The horn, drum and drive components are strongly faceted; several parts appear to hover or lack an obvious physical connection. Broad smooth colors and the simple base make the assembly look schematic.

REVIEW TOPICS

Mechanical connections, horn profile, base construction and metal finishes.


YOUR NOTES / Keep, change, priority

G11 Darts board, score panel and loose darts

The wall-mounted dartboard and scoring panel, plus the small live darts holder on the adjacent ledge.



Complete wall installation | current production light



Loose darts and holder | current model / neutral light

VISUAL CONDITION

The board reads as a coarse colored radial emblem rather than a detailed target. Cabinet doors are large plain slabs; the score panel has a strong mottled texture. Loose darts are straight stems with flat rectangular flights.

REVIEW TOPICS

Target sectors and wire divisions, cabinet joinery, score surface and dart construction.

YOUR NOTES / Keep, change, priority

G12 Harukiya receiving cabinets

The two complete bar receiving cabinets, including original live scopes, programme headers and controls.



Both complete bar cabinets | current production light

VISUAL CONDITION

Tall flat cabinets with broad material bands still resemble the earlier chassis. Their circular live displays are distinct, but case section, lower panels, feet and service detailing are simple. Actor-only images omitted the static cases; this production view includes them.

REVIEW TOPICS

Period cabinet construction, face hierarchy, vents, feet, hardware and material treatment.

YOUR NOTES / Keep, change, priority

G13 Bar, bodega and Orison signage


Existing sign housings and supports; the lettering is retained scene text, not a generated texture.



Harukiya | current model / neutral light



Bodega fascia | current model / neutral light



Orison blade | current model / neutral light

VISUAL CONDITION

Harukiya has flat dark panels and simple lanterns. The bodega fascia is intensely yellow with very thin returns. The Orison blade is a narrow dark box with exposed lettering and small brackets. Mounts, case depth and weathering need consistency.


REVIEW TOPICS

Sign case sections, brackets, lanterns, saturation and surface age; retain wording.

YOUR NOTES / Keep, change, priority

G14 Task-lamp supply cords

Five existing apartment task lamps already have native body geometry. This landlord lamp represents the external supply-cord work that remains.



Front of landlord lamp | current model / neutral light



Cable-entry side | current model / neutral light

VISUAL CONDITION

The shade, stem, base and switch are fitted and readable. The visible base entry ends without a routed supply flex in this isolated view. Surface response is slightly grainy and bright, so cord detail and finish should be reviewed together.

REVIEW TOPICS

Flex route, plug and entry detail; preferred enamel roughness and wear.


YOUR NOTES / Keep, change, priority

G15 Retained V1 lights not installed in V2


The source chandelier, eye pendant and street-lamp form. These are current source prototypes instantiated for review, not evidence of V2 placement.



Chandelier source | current model / neutral light



Eye-pendant source | current model / neutral light



Street-lamp source | current model / neutral light

VISUAL CONDITION

The chandelier has visible polygonal bowls and simple gold-colored links. The eye pendant is a low-detail white oval on a short stem. The street form is a faceted dark hood with an orange lower bowl. Their installation and native replacement remain separate decisions.


REVIEW TOPICS

Which forms to carry forward, then proportions, mounting and material character.

YOUR NOTES / Keep, change, priority

T01 Boiler, radiators and heating metals

The current boiler and a household radiator, including the repeated cast sections omitted by the first capture draft.



B1_BOILER_01 | current model / neutral light



F02_A_RADIATOR_01 with all cast sections | current model / neutral light

VISUAL CONDITION

The boiler has fitted doors, fittings and instruments but broad pale bands and dark slabs remain visually dominant. Radiator metal has a strong mottled surface and simple repeated lobes. Brass valves are very saturated relative to the iron.


REVIEW TOPICS

Paint, casting texture, soot placement, brass age and small edge detail.


YOUR NOTES / Keep, change, priority

T02 Basement washer, tubs and ailer

The wringer washer and the shared wash tubs with overhead drying rack.



Wringer washer | current model / neutral light



Tubs and ailer | current model / neutral light

VISUAL CONDITION

The operating components and supports are present. Tub surfaces have a pronounced pale granular pattern; enamel, zinc and cast-metal parts are not always visually distinct. Cloth pieces on the rack remain simple flat shapes. The room itself is sparsely furnished.

REVIEW TOPICS

Metal/enamel separation, wash wear, wet-use details and cloth treatment.

YOUR NOTES / Keep, change, priority

T03 Bathroom porcelain, chrome and cloth

Current pedestal lavatory, water closet and curtained shower; representative of repeated household bathroom fittings.



Pedestal lavatory | current model / neutral light



Water closet | current model / neutral light



Shower interior | current model / neutral light

VISUAL CONDITION

The forms are coherent and curved, but broad white regions are nearly featureless in neutral light. Chrome is pale and low in contrast. The toilet seat grain is strong, while the curtain has repeated regular folds with little visible fabric variation.

REVIEW TOPICS

Glaze roughness, chrome contrast, seat grain and curtain fabric/wear.

YOUR NOTES / Keep, change, priority

T04 Wardrobes and kept clothing

The fitted household wardrobe family, with original moving leaves and household garment sets.



Current 3B closed case | current model / neutral light



3B native open contents | native family review

VISUAL CONDITION

Paneling and cornice profiles are present. The 3B case has bright and conspicuous oak grain; garment material and folds need to sit convincingly beside the timber. The native open view supplements the current closed studio view; the earlier 3B room view remains partly obstructed.

REVIEW TOPICS

Oak tone and scale, edge wear, garment weight and variation.


YOUR NOTES / Keep, change, priority

T05 Seating and household tables

The fitted chair, sofa and table families used throughout the apartments.



Oak dining chair | native family review



Sofa | native family review



Round table | native family review

VISUAL CONDITION

The native forms now have joined frames and shaped stock. Wood and upholstery still need a consistent level of grain, roughness and wear across families; room lighting can push the timber strongly orange. Review these as surface references, not requests to replace accepted supports.

REVIEW TOPICS

Wood color/grain, upholstery weave and compression, restrained wear.

YOUR NOTES / Keep, change, priority

T06 Household storage, books and small objects

The current bookshelf, 3B parts crate and photography softbox; representatives of storage, loose stock and portable equipment.



Bookshelf front | current model / neutral light



3B parts crate | current model / neutral light



Photography softbox | current model / neutral light

VISUAL CONDITION

These have fitted native forms. The crate grain remains conspicuous and its contents read as a plain metal strip from this angle. Books have simple pastel covers, and the softbox is a dark rectangular face with a clean thin stand. Surface variety and object-specific wear remain open.

REVIEW TOPICS

Book and paper edges, crate age and contents, softbox cloth and stand detail.

YOUR NOTES / Keep, change, priority

T07 Refrigerators and gas ranges

The newly completed household refrigerator and stove geometry, with original moving controls and stocked interiors.



Current stove | native family review



Icebox shell and shelves | native family review

VISUAL CONDITION

Cabinets now have hollow interiors, supported shelves/racks and fitted moving parts. Neutral views read clearly. In production, amber lighting turns pale enamel yellow and obscures dark cooking parts; broader finish calibration remains distinct from the completed local geometry work.

REVIEW TOPICS

Enamel color, iron roughness, subtle wear and room-light balance.

YOUR NOTES / Keep, change, priority

T08 Small appliances and medicine stock

Native toaster bodies, medicine cabinets and kept personal items; original controls and contents remain.



Toaster | native family review



Stocked medicine cabinet | native family review

VISUAL CONDITION

Small-scale construction is present, but bright nickel, plain pale packaging and glass response still need a consistent finish language. Tiny repeated items can read as generic shapes unless roughness, thickness and local contrast are balanced.

REVIEW TOPICS

Nickel polish, bottle glass, packaging edges and restrained household wear.

YOUR NOTES / Keep, change, priority

T09 Installed indoor lighting family

The completed native indoor fixture family: 199 room, passage and bar actors across 27 fitted variants.



Flush dome | native family review



Pendant shade | native family review



Wall globe | native family review

VISUAL CONDITION

The new forms have fitted stock and supports. Opal glass, shade interiors and metal finishes still need to be judged against powered room appearance. Neutral review images intentionally omit the existing glow/halo, so they show the fixture rather than its light pool.

REVIEW TOPICS

Opal translucency, metal/enamel finish and powered color balance.

YOUR NOTES / Keep, change, priority

T10 Pawnbroker cases and window stock

The fitted glazed display cases and passive watches, field glasses and telescope stock.



East display case | native family review



Watch stock | native family review

VISUAL CONDITION

Case framing, hollow display volume and supported stock are modeled. Glass, brass and timber still need a shared level of gloss and aging. Small unlettered merchandise is readable by silhouette; reflections can conceal it in the production window.


REVIEW TOPICS

Glazing clarity, metal patina, timber finish and merchandise contrast.

YOUR NOTES / Keep, change, priority

T11 Hardware and locksmith stock

Key blanks, counter machinery, hand tools, glass racks, drawers and stock trays.



Key-cutting machine | native family review



Hand-tool stock | native family review

VISUAL CONDITION

Native pieces are separated and supported. The repeated stock is geometrically legible, but dark wood, brass and painted tools need consistent microtexture and edge wear. Keep the intentionally empty tool slot and original stock identities.

REVIEW TOPICS

Metal thickness and finish, tool-handle wear, cabinet timber and stock variation.

YOUR NOTES / Keep, change, priority

T12 Cobbler machinery and shoe stock

The passive finisher, sewing apparatus, shoe stock and work furniture.



Finisher | native family review



Treadle patcher | native family review

VISUAL CONDITION

Mechanical frames, wheels and stock are fitted. The finisher and patcher remain very dark and blocky in these native views. Wheel, belt, tool-bed and housing details need art direction alongside iron, wood, leather, dust and rubber finishes. Live machine operation is a separate task.

REVIEW TOPICS

Oiled metal, leather finish, dust placement and working-surface wear.

YOUR NOTES / Keep, change, priority

T13 Druggist glass, bottles and stonework

The window carboys and marble fountain, representative of the dispensary, jars and counter apparatus.



Window carboys | native family review



Marble fountain | native family review

VISUAL CONDITION

The fitted vessels and stone carcass are modeled. The carboys have visibly faceted shoulders and opaque-looking colored liquid; bright marble can flatten the fountain panels. Small metal spouts and supports need enough contrast to remain readable beside bright stone and saturated glass.


REVIEW TOPICS

Glass thickness and color, liquid appearance, marble scale and metal contrast.

YOUR NOTES / Keep, change, priority

T14 Diner counters and plated apparatus

The fitted counter, griddle, soda pumps, urns and other passive service apparatus.



Griddle | native family review



Five soda pumps | native family review

VISUAL CONDITION

Hollow cases and slender supports have replaced the original blocks. Plated metal, stone and dark cooking iron remain visually uneven across the family; reflections can flatten the shapes. Controls and food-service wear need deliberate restraint.


REVIEW TOPICS

Nickel/chrome response, heat staining, countertop scale and edge wear.

YOUR NOTES / Keep, change, priority

T15 Photo and radio shop equipment

Darkroom apparatus, photographic equipment, radio cabinets, batteries and wire stock.



Bellows camera | native family review



Radio wire stock | native family review

VISUAL CONDITION

Current native forms include framed furniture, lenses, vessels and fine wire. Finish balance remains open between dark lacquer, timber, bright metal and glass. Some material detail is stronger than the size of the object warrants.

REVIEW TOPICS

Optical glass, lacquer, brass, copper and timber scale across related equipment.


YOUR NOTES / Keep, change, priority

T16 Laundry parcels and hanging cloth

The retail laundry parcel wall and the funeral-room hanging fabric; representatives of paper wraps, ties and large cloth surfaces.



Laundry parcel wall | native family review



Drape header and suspension | native family review

VISUAL CONDITION

Parcels, supports, pleats, hems and suspension details are present. Repeated cloth folds and parcel shapes need believable material variation without losing the ordered layout. Textile roughness and localized dirt remain open.

REVIEW TOPICS

Fabric weight, weave scale, paper wrinkles, ties and subtle variation.

YOUR NOTES / Keep, change, priority

T17 Plants and funeral foliage

The household specimen plant and larger funeral palm/wreath family.



Household specimen | current model / neutral light



Funeral palm | native family review

VISUAL CONDITION

The small plant is very sparse, with a thin straight stem and a few regular leaves; pot and soil are simple. Larger fronds add silhouette detail but still need convincing leaf thickness, translucency, color variation and natural irregularity.

REVIEW TOPICS

Species character, leaf density and shape, leaf translucency, soil and pot wear.

YOUR NOTES / Keep, change, priority

A01 Apartment light, plaster and floor grain

Representative current apartment rooms, including Mina's living room and the 3B main room.



2A main room | current production light



3B main room | current production light

VISUAL CONDITION

The warm light strongly shifts white surfaces toward yellow and timber toward orange. Floor grain and plank contrast dominate the rooms; plaster has large visible noise. The same materials look substantially different across bright and dim rooms.

REVIEW TOPICS

Target warmth, contrast, floor grain scale, plaster relief and room-to-room balance.


YOUR NOTES / Keep, change, priority

A02 Public floors, paneling and door joinery

The current vestibule and lobby: stone/terrazzo floor, timber dado, painted trim and doors.



Vestibule | current production light



Lobby | current production light

VISUAL CONDITION

Large mottled floor patterns and strong dark paneling set the visual balance. Door/casing profiles are present, but edges, paint sheen and junctions need closer finish review. Bright seams and local changes in lighting make adjacent materials feel inconsistent.

REVIEW TOPICS

Floor aggregate scale, timber tone, painted trim and junction wear.

YOUR NOTES / Keep, change, priority

A03 Bedrooms and bedding

Current bedroom furniture and bedding in 2A, shown under the production lighting.



2A bedroom | current production light

VISUAL CONDITION

Bed frame and pillows are recognizable. The cover is broad and smooth, and the pillows have simple rounded silhouettes with limited visible seams, compression or folds. Warm wall and floor colors reduce separation between materials.

REVIEW TOPICS

Bedding weight and folds, seams, mattress compression and bedroom light.

YOUR NOTES / Keep, change, priority

A04 Basement walls, floors and service context

The complete current laundry and boiler-room settings surrounding the fitted service equipment.



Shared laundry | current production light



Boiler room | current production light

VISUAL CONDITION

Large uninterrupted wall and floor areas are visually plain while a few practicals create bright pools. Equipment can look detached from the room. Surface scale, believable local use marks and coherent light levels need review.


REVIEW TOPICS

Concrete/plaster character, floor use patterns, service-room lighting and context detail.

YOUR NOTES / Keep, change, priority

A05 Exterior stone trim and entry frontage

The current facade trim and entry assembly. The isolated native view shows this component only; masonry and windows belong to other building owners.



Current facade component | saved Blender materials



Assembled facade reference / 2026-10-05 | prior production capture

VISUAL CONDITION

Bands and opening outlines are very regular. The entry has more depth than the upper trim, and the full facade needs a coherent stone, brick, painted-metal and glass response. The saved native material study is useful for shape; the labeled production reference shows the assembled frontage.


REVIEW TOPICS

Stone scale and joints, reveal depth, brick contrast, glass and entry wear.

YOUR NOTES / Keep, change, priority

A06 Roof field, drainage and ventilator housings

The current east roof membrane component and a production ventilator. Flashings, outlets, leaders and their junctions belong to the same wider roof review.



East membrane component | saved Blender materials



Current roof ventilator | current model / neutral light

VISUAL CONDITION

The isolated membrane shows a broad repeated surface with faint seams. The ventilator has a simple cap and box housing with small fitted hardware. Roof-scale weathering, material contrast, seam readability and junction details remain open; the isolated membrane does not show the entire drainage system.


REVIEW TOPICS

Membrane scale, seam character, galvanized metal and localized weathering.


YOUR NOTES / Keep, change, priority

A07 Neighboring rooftop tanks and aerals

One current tank assembly and one dish assembly from the neighboring skyline families, shown as isolated native geometry.



Current tank geometry | saved Blender materials



Current dish geometry | saved Blender materials

VISUAL CONDITION

Tank bands, slender legs and diagonal braces are present, as are the dish support and feed. The saved Blender materials are pale and simple; these plates establish current shapes, not final runtime weathering. Stave definition, metal joins and variation across the skyline need final art direction.


REVIEW TOPICS

Timber stave character, galvanized-metal weathering, dish finish and readable supports.

YOUR NOTES / Keep, change, priority

A08 Lift cab paneling and public metalwork

The current lift joinery component: lower panel fields and backing around the mirror opening. Other cab, gate, rail and indicator owners are deliberately absent from this isolated component view.



Current cab joinery component | saved Blender materials

VISUAL CONDITION

Panel divisions and layered fields are fitted but very plain in the saved native material study. The remaining full-cab review is about timber scale, paint or varnish, metal contrast and wear at touch points; this view must not be read as a cab missing its other parts.

REVIEW TOPICS

Panel finish, molding edge character, hand-wear and consistency with public joinery.

YOUR NOTES / Keep, change, priority

How to read these images

Current model / neutral light

Captured from the loaded production world on 8 October. Visible mesh and material resources were copied into an isolated review scene. Original text was retained. Lighting, background and camera are review settings; the images do not represent the room light. The additive halo was omitted from isolated light-fixture views.

Current production light

Captured on 8 October in the actual composed V2 world using the existing practical lighting and player lamp. These views reveal warm color shifts, contrast and surrounding materials. They are stationary review views, not route or gameplay acceptance.

Native family review

Reused images from the latest family review packets shown in the source manifest, generally 5-8 October. They show the fabricated native model under its review lighting. They are not concept images. Native cabinet-only views may omit separately owned household contents.

Saved Blender materials

Fresh renders of the current saved native file, with its existing materials, captured on 8 October. They are shape/component studies: runtime catalogue or optical material treatment may differ. Facade trim, membrane and lift paneling are components, not the whole surrounding installation.

Coverage and limits

These 40 sets are representative art-direction groups, not a photograph of every variant or all 200 semantic spaces. The family index accompanies the dossier. Service capacity, live-machine behavior, routes, runtime contracts and the completeness ledger remain separate work. The accepted carried service set and Dream/zoo assets are outside this redesign pass.

Return notes

Write into the PDF notes fields, use the offline HTML companion, or reply with item IDs. State what to keep, what to change, desired material character and priority. The companion can export all entered notes as a text file. No model changes are proposed as accepted by this dossier.