GDDC Fall 2025: Blue Team Defense Plan

I. IMMEDIATE LOGISTICS (First 15 Minutes)

1. Credentials (CHANGE IMMEDIATELY)

- **Router (pfSense):** admin / pfsense
- **Windows (DC & Desktop):** cdo / bb123#123#123
- **Linux (Ubuntu/goofOS):** cdo / bb123#123

2. Scoring Breakdown

- **Infrastructure (35%):** Engine checks every **150 seconds**. Watch the scoreboard!
- **Injects (35%):** 10 Total. Check MS Teams. Format: "Bottom Line Up Front".
- **CTF (20%):** CTFd Platform. Format: GDDC{}.
- **Gold Team (10%):** Interview. Be professional. "We detected X, theorized Y, and did Z."

II. LINUX BATTLE PLAN

Targets: Backup (.10), IRC (.20), Game Server (.30)

Phase 1: Lockout (First 2 Mins)

1. Change User Password

Bash
ssh cdo@172.16.[20+X].10 # X = Team Number
passwd cdo
ENTER COMPLEX PASSWORD (WRITE IT DOWN)
REPEAT FOR .20 AND .30

2. Change Root Password

Bash
sudo passwd root

3. Check for "Ghost" Users

Bash
awk -F: '$3 >= 1000' /etc/passwd
If you see unauthorized users, lock them:
sudo passwd -l [username]

Phase 2: Firewall (The "Kill Switch")

WARNING: Do not enable UFW until you have allowed SSH!

PRE-CHECK: Run sudo ss -tulpn to verify if WebUIs are on port 80 or 8080.

Backup Server (172.16.[20+X].10)

Bash
sudo ufw reset
sudo ufw default deny incoming
sudo ufw default allow outgoing
sudo ufw allow 22/tcp # SSH (KEEP THIS FIRST)
sudo ufw allow 21/tcp # FTP
sudo ufw allow 80/tcp # File Browser (Verify 80 vs 8080)
sudo ufw enable

IRC Server (172.16.[20+X].20)

Bash
sudo ufw reset
sudo ufw default deny incoming
sudo ufw default allow outgoing
sudo ufw allow 22/tcp # SSH (KEEP THIS FIRST)
sudo ufw allow 6667/tcp # IRC Standard
sudo ufw allow 80/tcp # IRC WebUI (Verify 80 vs 8080)
sudo ufw enable

Game Server (172.16.[20+X].30)

Bash

```
sudo ufw reset
sudo ufw default deny incoming
sudo ufw default allow outgoing
sudo ufw allow 22/tcp       # SSH (KEEP THIS FIRST)
sudo ufw allow 25565/tcp    # Minecraft
sudo ufw allow 3000/tcp     # Grafana
sudo ufw enable
```

Phase 3: Anti-Persistence

1. Check Running Processes

Bash

```
ps aux | grep -iE "nc|netcat|bash -i|python"
```

2. Audit Listening Ports

Bash

```
sudo ss -tulpn
# Kill unknown ports (e.g., 4444, 1337): sudo kill -9 [PID]
```

3. Sanitize SSH Keys

Bash

```
cat /home/cdo/.ssh/authorized_keys
# If suspicious key exists, wipe it:
echo "" > /home/cdo/.ssh/authorized_keys
```

4. Check Cron Jobs

Bash

```
crontab -l
sudo crontab -l
ls -la /etc/cron*
```

III. WINDOWS BATTLE PLAN

Targets: Server (.40), Workstation (.50)

Launch PowerShell as Admin immediately.

Phase 1: Lockout

1. Change Password

PowerShell
net user cdo "NewComplexPass!123"

2. Disable Guest Account

PowerShell
net user guest /active:no

3. Check for Hidden Users

PowerShell
Get-LocalUser | Select-Object Name, Enabled, LastLogon
If bad user found: net user [BadUser] /delete

Phase 2: Firewall (Isolation)

1. Enable & Isolate

PowerShell
Set-NetFirewallProfile -Profile Domain,Public,Private -Enabled True
Set-NetFirewallProfile -Profile Domain,Public,Private -DefaultInboundAction Block

2. Allow Scored Services (SERVER .40)

Needs: IIS (80), LDAP (389), SMB (445), DNS (53), SSH (22), WinRM (5985/6)

PowerShell
New-NetFirewallRule -DisplayName "Allow-WinRM" -Direction Inbound -Protocol TCP -LocalPort 5985,5986 -Action Allow
New-NetFirewallRule -DisplayName "Allow-SSH" -Direction Inbound -Protocol TCP -LocalPort 22 -Action Allow
New-NetFirewallRule -DisplayName "Allow-HTTP" -Direction Inbound -Protocol TCP -LocalPort 80 -Action Allow
New-NetFirewallRule -DisplayName "Allow-DNS-UDP" -Direction Inbound -Protocol UDP -LocalPort 53 -Action Allow
New-NetFirewallRule -DisplayName "Allow-DNS-TCP" -Direction Inbound -Protocol TCP -LocalPort 53 -Action Allow
New-NetFirewallRule -DisplayName "Allow-SMB" -Direction Inbound -Protocol TCP -LocalPort 445 -Action Allow
New-NetFirewallRule -DisplayName "Allow-LDAP" -Direction Inbound -Protocol TCP -LocalPort 389 -Action Allow

Backup Command if WinRM fails: netsh advfirewall firewall add rule name="Allow WinRM" dir=in action=allow protocol=TCP localport=5985

3. Allow Scored Services (WORKSTATION .50)

Needs: RDP (3389), SMB (445), SSH (22)

PowerShell
New-NetFirewallRule -DisplayName "Allow-SMB" -Direction Inbound -Protocol TCP -LocalPort 445 -Action Allow
New-NetFirewallRule -DisplayName "Allow-SSH" -Direction Inbound -Protocol TCP -LocalPort 22 -Action Allow
New-NetFirewallRule -DisplayName "Allow-RDP" -Direction Inbound -Protocol TCP -LocalPort 3389 -Action Allow

Phase 3: Hunt the Malware

1. Check Network Connections

PowerShell
netstat -ano | findstr ESTABLISHED
Look for weird IPs or Ports (4444, 1337)

2. Identify & Kill Process

PowerShell
Get-Process -Id [PID_FROM_ABOVE]
Stop-Process -Id [PID] -Force

Phase 4: Registry Checks

1. Check Auto-Start Keys

PowerShell
Get-ItemProperty HKLM:\Software\Microsoft\Windows\CurrentVersion\Run
Get-ItemProperty HKCU:\Software\Microsoft\Windows\CurrentVersion\Run
Look for C:\Temp, C:\Users\Public, or random .exe names

2. Check "Sticky Keys" Backdoor

PowerShell
Get-ItemProperty "HKLM:\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Image File Execution Options\sethc.exe"
If it points to cmd.exe, DELETE IT.