Back

Add Custom CSS

June 25, 2016 by typora.io

This feature requires Typora later than 0.9.12 on Windows or 0.9.9.5.1 on macOS

Open Theme Folder

Open preference panel, and click a button named "Open Theme Folder" under section "Appearance", would open Typora's theme folder in Finder/Explorer.

You would add your custom theme here. If you want to find, install or write themes see the About Themes page

But sometimes, you may only want to modify CSS like changing font or increase writing area, and apply it to all themes or current theme without writing a whole new theme file, this document will show you how-to.

Append Custom CSS to all themes or other themes

Typora will load CSS files in following order:

1. Typora's basic styles.
2. CSS for current theme.
3. `base.user.css` under theme folder.
4. `{current-theme}.user.css` under theme folder. If you choose `Github` as your theme, then `github.user.css` will also be loaded.

You could create `base.user.css` and `{current-theme}.user.css` under the theme folder if they do not exist.

If you want to change CSS styles, and apply it to all themes, you should modify `base.user.css` and append your own CSS, so whatever a theme is selected, your CSS style will still be loaded and be applied.

If you want to modify some CSS for a specific theme, for instance "Newsprint", you could create `newsprint.user.css` and append the CSS you want. The reason we do not recommend you to modify the theme file directly is following:

1. Default themes that available after Typora is installed may be updated the same time when you update Typora. Update logic for default themes is just: theme file from new version replace the existing one under theme folder, so your modifications may be gone after Typora is updated if you put them in default CSS files.
2. Themes developed by other people may also be changed in future. If they changed their CSS file, you could just replace their new file with your old one without worrying your modification will be gone if you put them in other file (`{current-theme}.user.css`).

But if you use your own CSS theme, then modifying it directly is also OK.

Note: `{current-theme}` in `{current-theme}.user.css` should be (case-sensitive) same with the filename part of current theme. For example, CSS file for "GitHub" theme is `github.css`, so the filename part is "github" not "Github".

Debug CSS

You could open Chrome/Safari DevTools to debug element styles.

- On macOS, you could open `Safari`, and open DevTools from `Develop -> your device name -> Typora -> Typora` menu item.
- On Windows/Linux, you could open DevTools from `View -> Toggle DevTools` menu item.

hosted on Github.