

Student 25 **Natesa Krishnan V** 192511311RA

5 / 5 submitted

Q1. Program based on Classes and Objects - Initializaing Data member using Objects directly

Score: 10.00 TC: 3/3 passed

CODE

```
import java.util.Scanner;
public class Main{
    public static void main(String[] args){
        Scanner sc=new Scanner(System.in);
        Student s=new Student();
        s.rollNo=sc.nextInt();
        sc.nextLine();
        s.name=sc.nextLine();
        s.marks=sc.nextDouble();
        s.displayDetails();
    }
}
class Student{
    public int rollNo;
    public String name;
    public double marks;
    public void displayDetails(){
        System.out.println("Roll No: " + rollNo);
        System.out.println("Name: "+name);
        System.out.println("Marks: "+ marks);
    }
}
```

INPUT

```
0
krish
54.50
```

OUTPUT

```
Roll No: 0
Name: krish
Marks: 54.5
```

Q2. Classes and Objects-Initialize Object Data Using Setter Methods

Score: 10.00 TC: 3/3 passed

CODE

```
import java.util.Scanner;
public class Main{
    public static void main(String[] args){
        Scanner sc=new Scanner(System.in);
        Student s=new Student();
        long r=sc.nextLong();
        sc.nextLine();
        String n=sc.nextLine();
        double m=sc.nextDouble();
        s.setRollNo(r);
        s.setName(n);
        s.setMarks(m);
        s.displayDetails();
    }
}
class Student{
    private long rollNo;
    private String name;
    private double marks;
    public void setRollNo(long rollNo){
        this.rollNo=rollNo;
    }
    public void setName(String name){
        this.name=name;
    }
    public void setMarks(double marks){
        this.marks=marks;
    }
    public void displayDetails(){
        System.out.println("Roll No: " + rollNo);
        System.out.println("Name: " + name);
        System.out.println("Marks: " + marks);
    }
}
```

INPUT

```
192511311
krishna
56.4
```

OUTPUT

```
Roll NO: 192511311
Name: krishna
Marks: 56.4
```

Q3. Student Details Using Default and Parameterized Constructors

Score: 10.00 TC: 3/3 passed

CODE

```
import java.util.Scanner;
class Main{
    public static void main(String[] args){
        Scanner sc=new Scanner(System.in);
        long r=sc.nextLong();
        sc.nextLine();
        String n=sc.nextLine();
        double m=sc.nextDouble();
        Student s1=new Student();
        Student s2=new Student(r,n,m);
        s1.displayDetails();
        s2.displayDetails();
    }
}
class Student{
    long rollNo;
    String Name;
    Double marks;
    Student(){
        rollNo=101;
        Name="Rahul";
        marks=85.5;
    }
    Student(long rollNo,String Name,double marks){
        this.rollNo=rollNo;
        this.Name=Name;
        this.marks=marks;
    }
    void displayDetails(){
        System.out.println("Roll No: "+rollNo);
        System.out.println("Name: "+Name);
        System.out.println("Marks: "+marks);
    }
}
```

INPUT

```
192511345
krish
78.6
```

OUTPUT

```
Roll No: 192511323
Name: ram
Marks: 67.9
Roll No: 192511345
Name: krish
Marks: 78.6
```

Q4. Net Salary Calculation Using Single Inheritance

Score: 10.00 TC: 3/3 passed

CODE

```
import java.util.Scanner;
public class Main{
    public static void main(String[] args){
        Scanner sc =new Scanner(System.in);
        Salary s1 =new Salary();
        int r=sc.nextInt();
        sc.nextLine();
        String n=sc.nextLine();
        double s=sc.nextDouble();
        s1.getEmployeeDetails(r,n,s);
        s1.calculateSalary();
        s1.displayDetails();
    }
}
class Employee{
    int empId;
    String empName;
    double basicSalary;
    public void getEmployeeDetails(int empId,String empName,double basicSalary){
        this.empId=empId;
        this.empName=empName;
        this.basicSalary=basicSalary;
    }
}
class Salary extends Employee{
    double hra,da,netSalary;
    public void calculateSalary(){
        hra=basicSalary*0.20;
        da=basicSalary*0.10;
        netSalary=basicSalary+hra+da;
    }
    public void displayDetails(){
        System.out.println("Employee ID: " + empId);
        System.out.println("Employee Name: " + empName);
        System.out.println("Basic Salary: " + basicSalary);
        System.out.println("HRA: " + hra);
        System.out.println("DA: " + da);
        System.out.println("Net Salary: " + netSalary);
    }
}
```

INPUT

```
1234
krish
0
```

OUTPUT

```
Employee ID: 1234
Employee Name: krish
Basic Salary: 0.0
HRA: 0.0
DA: 0.0
Net Salary: 0.0
```

Q5. Employee Gross Salary Calculation Using Multilevel Inheritance

Score: 10.00 TC: 3/3 passed

CODE

```
import java.util.Scanner;
class Main{
    public static void main(String[] args){
        Scanner sc=new Scanner(System.in);
        grossSalary g=new grossSalary();
        int a=sc.nextInt();
        sc.nextLine();
        String n=sc.nextLine();
        double b=sc.nextDouble();
        g.getEmployeeDetails(a,n);
        g.getBasicSalary(b);
        g.calculateSalary();
        g.displayDetails();

    }
}
class Employee{
    int empid;
    String empname;
    void getEmployeeDetails(int empid,String empname){
        this.empid=empid;
        this.empname=empname;
    }
}
class Salary extends Employee{
    double basicSalary;
    void getBasicSalary(double basicSalary){
        this.basicSalary=basicSalary;
    }
}
class grossSalary extends Salary{
    double hra,da,grossSalary;
    void calculateSalary(){
        hra=basicSalary*0.20;
        da=basicSalary*0.10;
        grossSalary=da+hra+basicSalary;
    }
    void displayDetails(){
        System.out.println("Employee ID: "+empid);
        System.out.println("Employee Name: "+empname);
        System.out.println("Basic Salary: "+basicSalary);
        System.out.println("HRA: "+hra);
        System.out.println("DA: "+da);
        System.out.println("Gross Salary: "+grossSalary);
    }
}
```

INPUT

```
1234
raj
45000.00
```

OUTPUT

```
Employee ID: 1234
Employee Name: raj
Basic Salary: 45000.0
HRA: 9000.0
DA: 4500.0
Net Salary: 58500.0
```