


NATHALY DAZA
LOGUIN



PRODUCT

Overview POST http://localhost:8080/ POST http://localhost:8080/ GET http://localhost:8080/te POST http://lo

HTTP http://localhost:8080/products

POST http://localhost:8080/products

Docs Params Authorization Headers (10) Body Scripts Settings

Headers 9 hidden

	Key	Value
☒	Content-Type	application/json
	Key	Value

HTTP http://localhost:8080/products



POST http://localhost:8080/products

Docs Params Authorization Headers (10) Body Scripts Settings

Type Bearer Token

The authorization header will be automatically generated when you send the request. Learn more about [Bearer Token](#) authorization.

Token



ORDEN

HTTP

http://localhost:8080/orders

POST

http://localhost:8080/orders

Docs

Params

Authorization

Headers (11)

Body

Scripts

Settings

Type

Bearer Token

Token

.....

The authorization header will be automatically generated when you send the request. Learn more about [Bearer Token](#) authorization.

Docs

Params

Authorization

Headers (11)

Body

Scripts

Settings

Headers

10 hidden

	Key	Value
☒	Content-Type	application/json
	Key	Value

HTTP

http://localhost:8080/orders

POST

http://localhost:8080/orders

Docs

Params

Authorization

Headers (11)

Body

Scripts

Settings

☐ none

☐ form-data

☐ x-www-form-urlencoded


☒ raw

☐ binary

☐ GraphQL


JSON

```
1 {
2   "items": [
3     {
4       "productId": 2,
5       "quantity": 1
6     }
7   ]
}
```



```
⌨ Procesando pago para Orden #2
  Usuario: nathaly
  Total: $1500.0
☑ Pago APROBADO para Orden #2
```

grafana



HTTP

http://localhost:8080/orders

POST

http://localhost:8080/orders

Docs

Params

Authorization

Headers (11)

Body

Scripts

Settings

Body

Cookies

Headers (11)

Test Results

{ } JSON

Preview

Visualization

```
1 {
2   "id": 3,
3   "user": {
4     "id": 1,
5     "username": "nathaly",
6     "role": "ADMIN",
7     "active": true
8   },
9   "date": "2026-05-24T22:04:00.5245694",
10  "total": 1500.0,
11  "status": "PENDING",
12  "items": [
13    {
14      "id": 3,
15      "product": {
16        "id": 2,
17        "name": "Laptop personal",
18        "price": 1500.0,
19        "stock": 3,
20        "active": true,
21        "version": 2,
22        "deleted": false,
23        "createdAt": "2026-05-24T21:22:39.10851"
24      },
25      "quantity": 1,
26      "price": 1500.0
27    }
28  ],
29  "pending": true
30 }
```

☒ Orden #3 creada en estado PENDING. Evento enviado a RabbitMQ

Hibernate: insert into audit_log (action,details,timestamp,username) values (?,?,,?)

Hibernate: update product set active=?,deleted=?,name=?,price=?,stock=?,version=? where id=? and version=?

: Started PaymentServiceApplication in 1.49 seconds (process running for 1.716)

? Procesando pago para Orden #3

Usuario: nathaly

Total: \$1500.0

? Pago APROBADO para Orden #3

Grafana Explore - Tempo

Search: Run query

TraceQL: `(resource.service.name="ecommerce-service")`

Search Options: Limit: 20 Spans Limit: 3 Table Format: Traces Streaming: Disabled Metrics Options Step: auto Type: Range Streaming: Disabled

Table - Traces

Trace ID	Start time	Service	Name	Duration
15c82749d061142811074eb3a7572	2026-05-24 21:52:12	payment-service	basic.qps	<1 ms
91ad3b802a9da611b661813b6a33d	2026-05-24 21:52:12	payment-service	queue.bind	1 ms
2d5f09fb7c08f623baab431f77832f7c	2026-05-24 21:52:12	payment-service	queue.declare	1 ms
24572d805593c730ba7e443d756ee10	2026-05-24 21:49:21	payment-service	SELECT ecommerce	1 ms
385847f23d048073fd137855ee2cf16	2026-05-24 21:49:21	payment-service	SELECT ecommerce	1 ms
b4f098000831a73f5333cfcf867	2026-05-24 21:49:21	payment-service	SELECT "public"."orders"	1 ms
215116105d5984245920d2eec95d9e7	2026-05-24 21:49:21	payment-service	SELECT ecommerce	50 ms
1fabb4c8fbaad314f7197e3f543540f	2026-05-24 21:49:21	payment-service	SELECT ecommerce	4 ms
3343309c7f21e8b8d5ad376d6bce3	2026-05-24 21:49:21	payment-service	SELECT information_schema.sequences	4 ms
29f06791f5f6e3645b56c73d86522a7	2026-05-24 21:49:20	payment-service	SELECT pg_catalog.pg_get_keywords	2 ms
3069f4926a5c1286008f69a517e9167	2026-05-24 21:47:31	ecommerce-service	queue.declare	1 ms
1011c84e602f384fb47592bcb095033f	2026-05-24 21:47:29	ecommerce-service	SELECT "public"."users"	<1 ms
366dfa3ccacfbf5f6d1abf50551d464c	2026-05-24 21:47:29	ecommerce-service	SELECT ecommerce	52 ms
25136db0ba69e6dcde4a23cd556de	2026-05-24 21:45:57	ecommerce-service	SELECT ecommerce	1 ms

Grafana Explore - Tempo

Search: Run query

TraceQL: `(resource.service.name="payment-service")`

Search Options: Limit: 20 Spans Limit: 3 Table Format: Traces Streaming: Disabled Metrics Options Step: auto Type: Range Streaming: Disabled

Table - Traces

Trace ID	Start time	Service	Name	Duration
215116105d5984245920d2eec95d9e7	2026-05-24 21:49:21	payment-service	SELECT ecommerce	50 ms
1fabb4c8fbaad314f7197e3f543540f	2026-05-24 21:49:21	payment-service	SELECT ecommerce	4 ms
3343309c7f21e8b8d5ad376d6bce3	2026-05-24 21:49:21	payment-service	SELECT information_schema.sequences	4 ms
29f06791f5f6e3645b56c73d86522a7	2026-05-24 21:49:20	payment-service	SELECT pg_catalog.pg_get_keywords	2 ms
3069f4926a5c1286008f69a517e9167	2026-05-24 21:47:31	ecommerce-service	queue.declare	1 ms
1011c84e602f384fb47592bcb095033f	2026-05-24 21:47:29	ecommerce-service	SELECT "public"."users"	<1 ms
366dfa3ccacfbf5f6d1abf50551d464c	2026-05-24 21:47:29	ecommerce-service	SELECT ecommerce	52 ms
25136db0ba69e6dcde4a23cd556de	2026-05-24 21:45:57	ecommerce-service	SELECT ecommerce	1 ms

rabbit

localhost:15672

YouTube Traductor de Google Redes Universidad programación cursos Trabajo Mercado Libre Colo... Flex | Configuración Softaculous - Softac... Mi página



Nombre de usuario:

Contraseña:

Overview					Messages			Message rates			+/-
Virtual host	Name	Type	Features	State	Ready	Unacked	Total	incoming	deliver / get	ack	
/	ecommerce.payment.result.queue	classic	D	running	0	0	0	0.00/s	0.00/s	0.00/s	
/	payment.queue	classic	D	running	0	0	0	0.00/s	0.00/s	0.00/s	

► Add a new queue

[HTTP API](#)
[Documentation](#)
[Tutorials](#)
[New releases](#)
[Commercial edition](#)
[Commercial support](#)
[Discussions](#)
[Discord](#)
[Plugins](#)
[GitHub](#)

[Overview](#)
[Connections](#)
[Channels](#)
[Exchanges](#)
[Queues and Streams](#)
[Admin](#)

Connections

▼ All connections (2)

Pagination

Page of 1 - Filter: ☐ Regex ?

Overview			Details			Network		+/-
Name	User name	State	SSL / TLS	Protocol	Channels	From client	To client	
172.19.0.1:35258 rabbitConnectionFactory#5b7c295e:0	guest	running	c	AMQP 0-9-1	2	0 B/s	0 B/s	
172.19.0.1:41132 rabbitConnectionFactory#9679750:0	guest	running	c	AMQP 0-9-1	2	2 B/s	2 B/s	

[HTTP API](#)
[Documentation](#)
[Tutorials](#)
[New releases](#)
[Commercial edition](#)
[Commercial support](#)
[Discussions](#)
[Discord](#)
[Plugins](#)
[GitHub](#)

comcurrencia

[HTTP](#)
<http://localhost:8080/test/concurrency>

GET
▼
<http://localhost:8080/test/concurrency?productId=1&username=nathaly>

Docs
Params
Authorization
Headers (7)
Body
Scripts
Settings

Query Params

☒	Key	Value
☒	productId	1
☒	username	nathaly
	Key	Value

http://localhost:8080/test/concurrency

GET

http://localhost:8080/test/concurrency?productId=1&username=nathaly

Docs

Params

Authorization

Headers (8)

Body

Scripts

Settings

Type

Bearer Token

Token

.....

The authorization header will be automatically generated when you send the request. Learn more about [Bearer Token](#) authorization.

Body

Cookies

Headers (11)

Test Results

🔊

Raw

Preview

Visualization

1

Prueba enviada. Revisa la consola.

bername: select p1_0.id,p1_0.active,p1_0.created_at,p1_0.deleted,p1_0.name,p1_0.price,p1_0.stock,p1_0.version from product p1_0 where p1_0.id=?
bername: select p1_0.id,p1_0.active,p1_0.created_at,p1_0.deleted,p1_0.name,p1_0.price,p1_0.stock,p1_0.version from product p1_0 where p1_0.id=?
rgr esperado: Row was updated or deleted by another transaction (or unsaved-value mapping was incorrect): [com.project.ecommerce.model.Product#1]
rgr esperado: Row was updated or deleted by another transaction (or unsaved-value mapping was incorrect): [com.project.ecommerce.model.Product#1]
rgr esperado: Row was updated or deleted by another transaction (or unsaved-value mapping was incorrect): [com.project.ecommerce.model.Product#1]
rgr esperado: Row was updated or deleted by another transaction (or unsaved-value mapping was incorrect): [com.project.ecommerce.model.Product#1]