



Project Intro

Let's discover **Docusaurus** in less than 5 minutes.

Games

Get started by **creating a new site**.

Or **try Docusaurus immediately** with docusaurus.new.

What you'll need

- [Node.js](#) version 18.0 or above:
 - When installing Node.js, you are recommended to check all checkboxes related to dependencies.

Generate a new site

Generate a new Docusaurus site using the **classic template**.

The classic template will automatically be added to your project after you run the command:

```
npm init docusaurus@latest my-website classic
```

You can type this command into Command Prompt, Powershell, Terminal, or any other integrated terminal of your code editor.

The command also installs all necessary dependencies you need to run Docusaurus.

Start your site

Run the development server:

```
cd my-website  
npm run start
```

The `cd` command changes the directory you're working with. In order to work with your newly created Docusaurus site, you'll need to navigate the terminal there.

The `npm run start` command builds your website locally and serves it through a development server, ready for you to view at <http://localhost:3000/>.

Open `docs/intro.md` (this page) and edit some lines: the site **reloads automatically** and displays your changes.

Graphics Lib



Manage Docs Versions

DocuSaurus can manage multiple versions of your docs.

Manage Docs Versions

Docusaurus can manage multiple versions of your docs.

Create a docs version

Release a version 1.0 of your project:

```
npm run docusaurus docs:version 1.0
```

The `docs` folder is copied into `versioned_docs/version-1.0` and `versions.json` is created.

Your docs now have 2 versions:

- `1.0` at `http://localhost:3000/docs/` for the version 1.0 docs
- `current` at `http://localhost:3000/docs/next/` for the **upcoming, unreleased docs**

Add a Version Dropdown

To navigate seamlessly across versions, add a version dropdown.

Modify the `docusaurus.config.js` file:

```
docusaurus.config.js
```

```
export default {
```

The docs version dropdown appears in your navbar:



Update an existing version

It is possible to edit versioned docs in their respective folder:

- `versioned_docs/version-1.0/hello.md` updates `http://localhost:3000/docs/hello`
- `docs/hello.md` updates `http://localhost:3000/docs/next/hello`

Game Lib



Manage Docs Versions

Docusaurus can manage multiple versions of your docs.

Manage Docs Versions

Docusaurus can manage multiple versions of your docs.

Create a docs version

Release a version 1.0 of your project:

```
npm run docusaurus docs:version 1.0
```

The `docs` folder is copied into `versioned_docs/version-1.0` and `versions.json` is created.

Your docs now have 2 versions:

- `1.0` at `http://localhost:3000/docs/` for the version 1.0 docs
- `current` at `http://localhost:3000/docs/next/` for the **upcoming, unreleased docs**

Add a Version Dropdown

To navigate seamlessly across versions, add a version dropdown.

Modify the `docusaurus.config.js` file:

```
docusaurus.config.js
```

```
export default {
```

The docs version dropdown appears in your navbar:



Update an existing version

It is possible to edit versioned docs in their respective folder:

- `versioned_docs/version-1.0/hello.md` updates `http://localhost:3000/docs/hello`
- `docs/hello.md` updates `http://localhost:3000/docs/next/hello`

The Core



Manage Docs Versions

Docusaurus can manage multiple versions of your docs.

Manage Docs Versions

Docusaurus can manage multiple versions of your docs.

Create a docs version

Release a version 1.0 of your project:

```
npm run docusaurus docs:version 1.0
```

The `docs` folder is copied into `versioned_docs/version-1.0` and `versions.json` is created.

Your docs now have 2 versions:

- `1.0` at `http://localhost:3000/docs/` for the version 1.0 docs
- `current` at `http://localhost:3000/docs/next/` for the **upcoming, unreleased docs**

Add a Version Dropdown

To navigate seamlessly across versions, add a version dropdown.

Modify the `docusaurus.config.js` file:

```
docusaurus.config.js
```

```
export default {
```

The docs version dropdown appears in your navbar:

Update an existing version

It is possible to edit versioned docs in their respective folder:

- `versioned_docs/version-1.0/hello.md` updates `http://localhost:3000/docs/hello`
- `docs/hello.md` updates `http://localhost:3000/docs/next/hello`