Org Mode Syntax Cheat Sheet

Top Level Heading

Second Level Heading

Third Level Heading

Paragraphs are separated by at least one empty line.

bold *italic* **underlined** ~~strikethrough~~ `monospaced`

Link description

https://nickhigham.wordpress.com/ A link without a description.

A DOI (digital object identifier) link: Matching Exponential-Based and Resolvent-Based Centrality Measures

A horizontal line, fill-width across the page:

- First item in a list.
- Second item.
    - Sub-item
        1. Numbered item.
        2. Another item.
- [ ] Item yet to be done.
- [X] Item that has been done.

LaTeX macros can be included: $x_2 = \alpha + \beta^2 - \gamma$.

1. TODO A todo item.

2. DONE A todo item that has been done.

    > This text will be indented on both the left margin and the right margin.

    ```
    Text to be displayed verbatim (as-is), without markup
    (*bold* does not change font), e.g., for source code.
    ```

```
Line breaks are respected.
```

Some MATLAB source code:

```
>> rand(1,3)
ans =
   5.5856e-01   7.5663e-01   9.9548e-01
```

Some arbitrary text to be typeset verbatim in monospace font:

```
Apples, oranges,
cucumbers, tomatoes
```

Country	Abstracts	Downloads	Ratio
United States	7	497	71.0
Unknown	4	83	20.8
United Kingdom	3	41	13.7
Germany	3	29	9.7
Netherlands	2	21	10.5
Japan	1	18	18.0

Include an image: file:nickhighamwordpress.jpg