Org Mode Syntax Cheat Sheet

Nick Higham

November 2, 2017

1 Top Level Heading

1.1 Second Level Heading

1.1.1 Third Level Heading

Paragraphs are separated by at least one empty line.

bold italic underlined strikethrough monospaced

Link description

https://nickhigham.wordpress.com/ A link without a description.

A DOI (digital object identifier) link: Matching Exponential-Based and Resolvent-Based Centrality Measures

A horizontal line, fill-width across the page:

- First item in a list.
- Second item.
 - Sub-item
 - 1. Numbered item.
 - 2. Another item.
- \square Item yet to be done.
- \bullet \boxtimes Item that has been done.

IATEX macros can be included: $x_2 = \alpha + \beta^2 - \gamma$.

- 1. **TODO** A todo item.
- 2. **DONE** A todo item that has been done.

This text will be indented on both the left margin and the right margin.

Text to be displayed verbatim (as-is), without markup (*bold* does not change font), e.g., for source code. Line breaks are respected.

Some MATLAB source code:

>> rand(1,3) ans = 5.5856e-01 7.5663e-01 9.9548e-01

Some arbitrary text to be typeset verbatim in monospace font:

Apples, oranges, cucumbers, tomatoes

Country	Abstracts	Downloads	Ratio
United States	7	497	71.0
Unknown	4	83	20.8
United Kingdom	3	41	13.7
Germany	3	29	9.7
Netherlands	2	21	10.5
Japan	1	18	18.0

Include an image:

