```
load("NBAData.mat");
NBAstats(1,:) = [];
netRtg = NBAstats.NetRtg
reboundPct = NBAstats.REB_
turnoverRatio = NBAstats.TOV_
```

```
netRtg =

    8.4000
    8.4000
    8.3000
    5.2000
    1.5000
    6.4000
    4.1000
    5.4000
    3.1000
    2.2000
    2.9000
    0.6000
   -0.1000
    1.4000
    4.9000
    2.1000
    1.1000
   -0.4000
   -0.5000
   -6.1000
   -5.3000
   -5.2000
   -4.4000
   -6.0000
   -9.7000
   -8.2000
  -10.0000
   -7.8000
  -11.8000


reboundPct =

   52.1000
   52.4000
   52.5000
   51.1000
   49.9000
   52.2000
   50.2000
   54.5000
   49.9000
   49.5000
   49.6000
```

```
    50.5000
    49.1000
    49.8000
    53.9000
    49.9000
    49.0000
    51.7000
    49.0000
    48.2000
    49.6000
    49.2000
    49.1000
    47.8000
    48.7000
    49.2000
    47.8000
    47.5000
    47.1000


turnoverRatio =

    13.3000
    15.1000
    12.9000
    12.8000
    14.6000
    13.9000
    13.8000
    15.7000
    14.5000
    13.8000
    13.7000
    14.0000
    13.4000
    14.7000
    15.7000
    13.1000
    14.7000
    16.9000
    15.6000
    15.4000
    14.8000
    14.1000
    13.9000
    14.8000
    14.3000
    14.9000
    16.1000
    14.2000
    15.2000


NBAStats2(isnan(NBAStats2.GP), :) = [];
```

```
ppg = NBAStats2.PTS
fgPct = NBAStats2.FG_
ftPct = NBAStats2.FT_
stlblck = NBAStats2.BLK + NBAStats2.STL
```

```
ppg =

  119.0000
  119.8000
  117.8000
  114.9000
  122.1000
  116.3000
  116.5000
  119.5000
  115.2000
  118.0000
  118.5000
  114.6000
  115.7000
  115.9000
  112.6000
  116.0000
  120.9000
  113.8000
  115.5000
  114.6000
  110.6000
  116.3000
  114.1000
  115.5000
  114.7000
  111.0000
  117.6000
  105.9000
  112.4000
  112.9000


fgPct =

   48.4000
   48.3000
   48.5000
   46.7000
   49.6000
   50.2000
   47.8000
   48.2000
   47.9000
   48.1000
   47.4000
   48.2000
```

```
   46.4000
   46.2000
   45.5000
   46.0000
   46.8000
   48.4000
   45.3000
   46.1000
   47.7000
   46.9000
   46.6000
   46.6000
   45.6000
   46.7000
   46.7000
   44.3000
   45.8000
   46.3000


ftPct =

   81.7000
   78.7000
   76.3000
   80.7000
   80.8000
   76.3000
   79.2000
   77.6000
   76.3000
   75.2000
   77.4000
   76.9000
   80.1000
   80.9000
   78.1000
   81.8000
   79.2000
   82.3000
   76.5000
   80.7000
   73.0000
   77.6000
   75.5000
   78.4000
   79.3000
   77.2000
   78.6000
   78.0000
   77.6000
   76.6000
```

```
stlblck =

   15.2000
   13.0000
   16.8000
   12.1000
   10.8000
   12.8000
   12.0000
   13.5000
   14.3000
   14.5000
   14.1000
   13.6000
   13.2000
   14.8000
   13.7000
   11.5000
   12.9000
   13.9000
   13.8000
   13.9000
   11.4000
   12.6000
   12.7000
   14.1000
   13.6000
   12.5000
   12.7000
   12.3000
   12.0000
   13.5000
```

Combine Relevant Data into one matrix

```
stats = [ppg fgPct ftPct stlblck netRtg reboundPct turnoverRatio]
```

```
Error using horzcat
Dimensions of arrays being concatenated are not consistent.

Error in NBAAnalysis (line 15)
stats = [ppg fgPct ftPct stlblck netRtg reboundPct turnoverRatio]
         ^^^
```

Find means and standard deviations

```
zppg = (ppg - mean(ppg)) ./ std(ppg, 1);
zfgPct = (fgPct - mean(fgPct)) ./ std(fgPct, 1);
zftPct = (ftPct - mean(ftPct)) ./ std(ftPct, 1);
zstlblck = (stlblck - mean(stlblck)) ./ std(stlblck, 1);
znetRtg = (netRtg - mean(netRtg)) ./ std(netRtg, 1);
zreboundPct = (reboundPct - mean(reboundPct)) ./ std(reboundPct, 1);
zturnoverRatio = (turnoverRatio - mean(turnoverRatio)) ./ std(turnoverRatio,
```

```
1);
zscores = [zppg zfgPct zftPct zstlblck znetRtg zreboundPct zturnoverRatio];
```

Find Euclidean Distance

```
n = size(zscores, 1);
D = zeros(n, n);

for i = 1:n
    for j = 1:n
        diff = zscores(i,:) - zscores(j,:);
        D(i,j) = sqrt(sum(diff.^2));
    end
end

writematrix(D, "distanceMatrix.txt")
```

Published with MATLAB® R2025b