

SHOWCASE

FHICT TEMPLATE SHOWCASE

TomVer99



This document is available in:









2024-08-01

VERSION HISTORY

Version	Date	Author	Changes
1.0	2023-11-04	TomVer99	Initial version

TABLE OF CONTENTS

1 Examples	1
1.1 Headings Example	1
1.1.1 level 3	
1.2 Text example	1
1.3 Figures example	
1.3.1 Image	
1.3.2 Code	2
1.4 Citations	2
1.5 Tables	2
1.5 Tables 1.6 Using Terms	2
1.7 Links	3
2 Cover Page	3
Glossary	
References	
ndex	

1 EXAMPLES

1.1 HEADINGS EXAMPLE

1.1.1 LEVEL 3

1.1.1.1 LEVEL 4

1.1.1.1.1 LEVEL 5

1.1.1.1.1 level 6

Level 6 and higher are not supported in the custom syntax. They will still work, but will have the default styling.

1.2 TEXT EXAMPLE

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magnam aliquam quaerat voluptatem. Ut enim aeque doleamus animo, cum corpore dolemus, fieri tamen permagna accessio potest, si aliquod aeternum et infinitum impendere malum nobis opinemur. Quod idem licet transferre in voluptatem, ut postea variari voluptas distinguique possit, augeri amplificarique non possit. At etiam Athenis, ut e patre audiebam facete et urbane Stoicos irridente, statua est in quo a nobis philosophia defensa et collaudata est, cum id, quod maxime placeat, facere possimus, omnis voluptas assumenda est, omnis dolor repellendus. Temporibus autem quibusdam et.

1.3 FIGURES EXAMPLE

1.3.1 **IMAGE**

This is a figure with an image. This will be shown in the list of figures if enabled.



Figure 1: Figure example

1 EXAMPLES SHOWCASE

1.3.2 CODE

This is a figure with code. This will be shown in the list of listings if enabled.

```
int main() {
  return 0;
}
```

Listing 1: Code example C++

```
fn main() {
  println!("Hello, world!");
}
```

Listing 2: Code example Rust

1.4 CITATIONS

This is a citation [1].

1.5 TABLES

Header 1	Header 2	Header 3	Header 4
Cell 1	Cell 2	Cell 3	Cell 4
Cell 1	Cell 2		Cell 4

The table above is made with the following code:

```
#ftable(
    columns: (auto, auto, auto, 1fr),
    [Header 1],[Header 2],[Header 3],[Header 4],
    [Cell 1],[Cell 2],[Cell 3],[Cell 4],
    [Cell 1],[Cell 2],[],[Cell 4],
)
```

Listing 3: Table example

1.6 USING TERMS

Using terms for the first time will show the term with a 'long' variant if it is set. If it is not set, the 'short' variant will be shown. If the term is used again, only the 'short' variant will be shown.

<code>@wip</code> will be shown as Work In Progress (W.I.P.). But the second time you use it, it will be shown as W.I.P..

1 EXAMPLES SHOWCASE

1.7 LINKS

```
#hlink("www.google.com", content: "Google")

#hlink("www.google.com")
Typst
```

Google

www.google.com

2 COVER PAGE

The cover page in this document has a 'secondary organisation' added to it.

GLOSSARY

W.I.P. - Work In Progress. 2

REFERENCES

[1] TomVer99, "FHICT typst template." [Online]. Available: https://github.com/TomVer99/FHICT-typst-template

INDEX

C

Citations Code embed Cover Page	5
F Figures	2
H Headings	2
lmage embed	2
L Links	6
T Tables Terms Text	Ę Ę