

IRIS - User Guide 3: Using Layers to Overlay Statistics on the Map


Powered by [guidde](#)



The objective of this guide is to use layers to overlay statistics on the map in IRIS.


01 Selecting Data to Overlay Onto the Map

IRIS allows users to overlay various layers to visualise statistics at different levels. Select the layer of interest by clicking on the Layers button on the right-hand side.




02 Overlaying EPC Statistics

The first option is to overlay EPC statistics at the region, county, district, or ward level. Click an option to overlay it onto the map.



03 Inspecting Areas on the Map

You can then select an area to inspect further details about it's EPC ratings.




04 Overlaying Other Layers on the Map

The ability to interact with the layer and inspect particular areas on the map is available for all other layers. The other layers available can be found in the Layers button menu.


Projections of wind driven rain can be viewed for future global warming levels of either 2 or 4 degrees of warming.

The annual count of icing days, the annual count of hot summer days, household deprivation statistics, and mean averages for annual and daily hours of sunlight can also be overlayed on the map from the layers button.



05 Viewing Statistics by Area

Once overlayed on the map, all of these layers allow for interaction. By clicking on any area within a layer, you can view it's key statistics.



For further information about IRIS and the National Digital Twin Programme, visit the National Digital Twin Programme website at www.ndtp.co.uk.

Powered by [guidde](#)