

**Table 1. Native plant species observed per sector in Nyandungu Urban Wetland Eco-Park, Rwanda. Species names in bold are those recommended to plant in the Eco-Park when more planting is scheduled.**

| Family        | Scientific Name†                             | IUCN RL | Sectors |   |   |   |   | Tot |
|---------------|----------------------------------------------|---------|---------|---|---|---|---|-----|
|               |                                              |         | 1       | 2 | 3 | 4 | 5 |     |
| Acanthaceae   | <i>Acanthus polystachyus</i>                 | NE      | 1       | 1 | 0 | 0 | 0 | 2   |
| Acanthaceae   | <i>Brillantaisia cicatricosa</i> *           | NE      | 1       | 1 | 1 | 1 | 0 | 4   |
| Acanthaceae   | <i>Hygrophila auriculata</i>                 | LC      | 1       | 0 | 0 | 0 | 0 | 1   |
| Acanthaceae   | <i>Hypoestes triflora</i> *                  | NE      | 0       | 0 | 0 | 1 | 0 | 1   |
| Amaranthaceae | <i>Achyranthes aspera</i>                    | NE      | 0       | 0 | 0 | 1 | 0 | 1   |
| Amaranthaceae | <i>Psilotrichum patulum</i>                  | NE      | 0       | 0 | 0 | 1 | 1 | 2   |
| Anacardiaceae | <b><i>Rhus longipes</i></b>                  | LC      | 0       | 0 | 1 | 0 | 1 | 2   |
| Anacardiaceae | <i>Searsia pyroides</i> var. <i>pyroides</i> | NE      | 0       | 0 | 1 | 0 | 1 | 2   |
| Apiaceae      | <i>Hydrocotyle mannii</i>                    | LC      | 1       | 1 | 0 | 1 | 1 | 4   |
| Apiaceae      | <i>Hydrocotyle sibthorpioides</i>            | LC      | 1       | 1 | 0 | 0 | 0 | 2   |
| Apocynaceae   | <b><i>Carissa spinarum</i></b>               | LC      | 0       | 0 | 1 | 1 | 1 | 3   |
| Apocynaceae   | <i>Cynanchum insipidum</i>                   | NE      | 0       | 0 | 0 | 1 | 1 | 2   |
| Araliaceae    | <b><i>Polyscias fulva</i></b> *              | LC      | 0       | 0 | 0 | 0 | 1 | 1   |
| Arecaceae     | <i>Phoenix reclinata</i> *                   | LC      | 1       | 0 | 0 | 1 | 0 | 2   |
| Asparagaceae  | <i>Asparagus africanus</i>                   | NE      | 0       | 1 | 1 | 0 | 0 | 2   |
| Asparagaceae  | <i>Dracaena fragrans</i>                     | LC      | 1       | 1 | 1 | 1 | 1 | 5   |
| Asparagaceae  | <i>Dracaena steudneri</i> *                  | LC      | 1       | 1 | 1 | 1 | 1 | 5   |
| Aspleniaceae  | <i>Asplenium</i> sp.                         | NE      | 1       | 1 | 1 | 1 | 1 | 5   |
| Asteraceae    | <i>Acmella caulirhiza</i>                    | LC      | 0       | 0 | 0 | 0 | 1 | 1   |
| Asteraceae    | <i>Bothriocline longipes</i>                 | NE      | 0       | 0 | 0 | 1 | 0 | 1   |
| Asteraceae    | <i>Crassocephalum montuosum</i>              | NE      | 1       | 1 | 1 | 1 | 1 | 5   |
| Asteraceae    | <i>Crassocephalum paludum</i>                | NE      | 0       | 1 | 0 | 1 | 0 | 2   |
| Asteraceae    | <i>Crassocephalum rubens</i>                 | NE      | 1       | 1 | 0 | 0 | 0 | 2   |
| Asteraceae    | <i>Crassocephalum vitellinum</i>             | NE      | 1       | 0 | 0 | 0 | 0 | 1   |
| Asteraceae    | <i>Guizotia scabra</i> *                     | NE      | 0       | 1 | 0 | 1 | 1 | 3   |
| Asteraceae    | <i>Gymnanthemum amygdalinum</i> *            | NE      | 1       | 0 | 1 | 1 | 1 | 4   |
| Asteraceae    | <i>Gymnanthemum auriculiferum</i>            | LC      | 1       | 0 | 1 | 0 | 1 | 3   |
| Asteraceae    | <i>Gymnanthemum urticifolium</i>             | NE      | 0       | 1 | 1 | 0 | 1 | 3   |
| Asteraceae    | <i>Hoffmannanthus abbotianus</i>             | NE      | 1       | 0 | 1 | 0 | 1 | 3   |
| Asteraceae    | <i>Lactuca</i> sp.                           | NE      | 0       | 0 | 0 | 1 | 1 | 2   |
| Asteraceae    | <i>Laggera alata</i> *                       | NE      | 0       | 0 | 1 | 0 | 0 | 1   |
| Asteraceae    | <i>Laggera elatior</i>                       | NE      | 1       | 0 | 1 | 0 | 0 | 2   |
| Asteraceae    | <i>Melanthera scandens</i>                   | NE      | 1       | 0 | 0 | 0 | 0 | 1   |
| Asteraceae    | <i>Microglossa densiflora</i>                | NE      | 0       | 0 | 0 | 0 | 1 | 1   |
| Asteraceae    | <i>Solanecio mannii</i> *                    | LC      | 0       | 0 | 1 | 0 | 0 | 1   |
| Asteraceae    | <i>Sphaeranthus suaveolens</i>               | LC      | 0       | 1 | 1 | 1 | 1 | 4   |
| Bignoniaceae  | <b><i>Kigelia africana</i></b> *             | LC      | 0       | 0 | 1 | 0 | 0 | 1   |
| Bignoniaceae  | <i>Markhamia lutea</i> *                     | LC      | 1       | 1 | 1 | 1 | 1 | 5   |

|                |                                            |    |   |   |   |   |   |   |
|----------------|--------------------------------------------|----|---|---|---|---|---|---|
| Cannabaceae    | <i>Celtis africana</i> *                   | NE | 1 | 1 | 1 | 1 | 1 | 5 |
| Cannabaceae    | <i>Trema orientale</i>                     | LC | 0 | 0 | 0 | 1 | 0 | 1 |
| Capparaceae    | <i>Capparis erythrocarpos</i> *            | NE | 0 | 0 | 1 | 1 | 1 | 3 |
| Capparaceae    | <i>Capparis tomentosa</i>                  | NE | 0 | 0 | 1 | 1 | 1 | 3 |
| Colchicaceae   | <i>Gloriosa superba</i>                    | LC | 1 | 0 | 0 | 0 | 0 | 1 |
| Combretaceae   | <i>Combretum molle</i>                     | LC | 0 | 0 | 0 | 0 | 1 | 1 |
| Commelinaceae  | <i>Commelina africana</i>                  | LC | 1 | 1 | 1 | 1 | 1 | 5 |
| Commelinaceae  | <i>Commelina diffusa</i>                   | LC | 1 | 1 | 1 | 1 | 1 | 5 |
| Convolvulaceae | <i>Astripomoea malvacea</i>                | NE | 0 | 0 | 1 | 0 | 0 | 1 |
| Convolvulaceae | <i>Ipomoea cairica</i>                     | LC | 0 | 0 | 0 | 1 | 0 | 1 |
| Convolvulaceae | <i>Ipomoea tenuirostris</i>                | NE | 1 | 1 | 1 | 1 | 1 | 5 |
| Convolvulaceae | <i>Ipomoea wightii</i>                     | LC | 1 | 1 | 0 | 0 | 1 | 3 |
| Crassulaceae   | <i>Kalanchoe crenata</i>                   | NE | 1 | 1 | 1 | 1 | 1 | 5 |
| Cucurbitaceae  | <i>Cucumis aculeatus</i>                   | NE | 0 | 1 | 1 | 0 | 0 | 2 |
| Cucurbitaceae  | <i>Momordica foetida</i>                   | NE | 0 | 0 | 0 | 1 | 1 | 2 |
| Cyperaceae     | <b><i>Cyperus papyrus</i></b> *            | LC | 1 | 1 | 1 | 1 | 1 | 5 |
| Euphorbiaceae  | <i>Croton macrostachyus</i> *              | LC | 0 | 0 | 0 | 1 | 1 | 2 |
| Euphorbiaceae  | <i>Croton megalocarpus</i> *               | LC | 1 | 1 | 1 | 1 | 1 | 5 |
| Euphorbiaceae  | <i>Euphorbia umbellata</i> *               | NE | 0 | 0 | 1 | 0 | 1 | 2 |
| Euphorbiaceae  | <i>Erythrococca fischeri</i>               | NE | 0 | 0 | 0 | 1 | 1 | 2 |
| Euphorbiaceae  | <b><i>Macaranga kilimandscharica</i></b> * | NE | 1 | 1 | 0 | 1 | 1 | 4 |
| Euphorbiaceae  | <b><i>Neoboutonia macrocalyx</i></b> *     | LC | 1 | 1 | 1 | 1 | 1 | 5 |
| Fabaceae       | <i>Albizia adianthifolia</i> *             | LC | 0 | 1 | 0 | 1 | 0 | 2 |
| Fabaceae       | <i>Albizia amara</i>                       | LC | 0 | 0 | 1 | 0 | 0 | 1 |
| Fabaceae       | <b><i>Albizia gummifera</i></b> *          | LC | 0 | 0 | 1 | 1 | 1 | 3 |
| Fabaceae       | <i>Albizia versicolor</i> *                | LC | 1 | 1 | 0 | 1 | 0 | 3 |
| Fabaceae       | <b><i>Crotalaria dewildemaniana</i></b>    | NE | 0 | 0 | 1 | 0 | 0 | 1 |
| Fabaceae       | <b><i>Crotalaria recta</i></b>             | NE | 0 | 0 | 1 | 1 | 0 | 2 |
| Fabaceae       | <i>Eriosema scioanum</i>                   | LC | 1 | 1 | 1 | 1 | 1 | 5 |
| Fabaceae       | <i>Erythrina abyssinica</i> *              | LC | 1 | 1 | 1 | 1 | 1 | 5 |
| Fabaceae       | <i>Hylodesmum repandum</i>                 | NE | 0 | 0 | 1 | 1 | 1 | 3 |
| Fabaceae       | <i>Indigofera arrecta</i>                  | LC | 1 | 1 | 1 | 1 | 1 | 5 |
| Fabaceae       | <i>Indigofera atriceps</i>                 | NE | 0 | 0 | 1 | 0 | 0 | 1 |
| Fabaceae       | <i>Kotschya africana</i>                   | LC | 1 | 1 | 0 | 0 | 0 | 2 |
| Fabaceae       | <b><i>Lablab purpureus</i></b>             | NE | 1 | 1 | 1 | 1 | 1 | 5 |
| Fabaceae       | <b><i>Newtonia buchananii</i></b>          | LC | 0 | 0 | 0 | 1 | 0 | 1 |
| Fabaceae       | <i>Pterolobium stellatum</i>               | LC | 0 | 0 | 0 | 1 | 1 | 2 |
| Fabaceae       | <i>Pseudarthria hookeri</i>                | NE | 0 | 0 | 1 | 1 | 1 | 3 |
| Fabaceae       | <i>Senegalia polyacantha</i>               | NE | 1 | 1 | 1 | 1 | 1 | 5 |
| Fabaceae       | <i>Senna didymobotrya</i>                  | LC | 0 | 0 | 1 | 1 | 0 | 2 |
| Fabaceae       | <i>Tephrosia vogelii</i> *                 | LC | 0 | 0 | 1 | 0 | 0 | 1 |
| Fabaceae       | <i>Vigna schimperii</i>                    | LC | 1 | 1 | 0 | 0 | 1 | 3 |
| Gentianaceae   | <i>Anthocleista grandiflora</i> *          | NE | 1 | 0 | 1 | 1 | 1 | 4 |

|                |                                            |    |   |   |   |   |   |   |
|----------------|--------------------------------------------|----|---|---|---|---|---|---|
| Gentianaceae   | <i>Anthocleista schweinfurthii</i>         | LC | 0 | 0 | 0 | 1 | 1 | 2 |
| Hypericaceae   | <b><i>Harungana madagascariensis</i> *</b> | LC | 0 | 0 | 0 | 1 | 0 | 1 |
| Lamiaceae      | <i>Clerodendrum bukobense</i>              | VU | 0 | 0 | 0 | 1 | 1 | 2 |
| Lamiaceae      | <i>Clerodendrum johnstonii</i>             | LC | 0 | 0 | 0 | 1 | 0 | 1 |
| Lamiaceae      | <i>Leonotis ocymifolia</i>                 | NE | 1 | 1 | 1 | 1 | 1 | 5 |
| Lamiaceae      | <i>Ocimum gratissimum</i> *                | NE | 0 | 0 | 0 | 1 | 0 | 1 |
| Lamiaceae      | <i>Coleus barbatus</i> *                   | LC | 1 | 1 | 1 | 1 | 1 | 5 |
| Malvaceae      | <b><i>Dombeya rotundifolia</i></b>         | LC | 1 | 1 | 1 | 1 | 1 | 5 |
| Malvaceae      | <b><i>Dombeya torrida</i> *</b>            | NE | 0 | 0 | 0 | 1 | 1 | 2 |
| Malvaceae      | <i>Grewia similis</i>                      | NE | 1 | 1 | 1 | 1 | 1 | 5 |
| Malvaceae      | <b><i>Hibiscus diversifolius</i> *</b>     | NE | 0 | 0 | 0 | 1 | 0 | 1 |
| Malvaceae      | <b><i>Hibiscus fuscus</i> *</b>            | LC | 0 | 0 | 0 | 1 | 0 | 1 |
| Malvaceae      | <b><i>Hibiscus reekmansii</i></b>          | LC | 0 | 0 | 0 | 1 | 0 | 1 |
| Malvaceae      | <i>Pavonia burchellii</i>                  | NE | 1 | 1 | 1 | 1 | 1 | 5 |
| Malvaceae      | <i>Pavonia urens</i> *                     | NE | 1 | 1 | 1 | 1 | 1 | 5 |
| Malvaceae      | <i>Pterygota mildbraedii</i> *             | NE | 0 | 0 | 0 | 0 | 1 | 1 |
| Malvaceae      | <b><i>Triumfetta rhomboidea</i></b>        | NE | 0 | 0 | 1 | 0 | 0 | 1 |
| Malvaceae      | <i>Sida rhombifolia</i>                    | NE | 0 | 1 | 0 | 0 | 0 | 1 |
| Malvaceae      | <b><i>Triumfetta cordifolia</i></b>        | NE | 0 | 1 | 1 | 0 | 0 | 2 |
| Meliaceae      | <b><i>Carapa grandiflora</i></b>           | LC | 1 | 1 | 1 | 1 | 1 | 5 |
| Meliaceae      | <b><i>Entandrophragma excelsum</i> *</b>   | LC | 1 | 1 | 1 | 1 | 1 | 5 |
| Menispermaceae | <i>Hyalosepalum caffrum</i>                | NE | 1 | 1 | 1 | 1 | 1 | 5 |
| Monimiaceae    | <b><i>Xymalos monospora</i> *</b>          | LC | 0 | 1 | 1 | 0 | 1 | 3 |
| Moraceae       | <i>Ficus asperifolia</i>                   | LC | 0 | 0 | 0 | 1 | 0 | 1 |
| Moraceae       | <i>Ficus laurifolia</i>                    | NE | 1 | 1 | 1 | 1 | 1 | 5 |
| Moraceae       | <b><i>Ficus sur</i> *</b>                  | LC | 1 | 1 | 1 | 1 | 1 | 5 |
| Moraceae       | <b><i>Ficus thonningii</i> *</b>           | LC | 1 | 1 | 1 | 1 | 1 | 5 |
| Moraceae       | <i>Ficus vallis-choudae</i> *              | NE | 1 | 1 | 1 | 1 | 1 | 5 |
| Moraceae       | <i>Trilepisium madagascariense</i> *       | NE | 1 | 0 | 0 | 1 | 1 | 3 |
| Myrsinaceae    | <b><i>Maesa lanceolata</i> *</b>           | LC | 1 | 1 | 1 | 1 | 1 | 5 |
| Myrtaceae      | <i>Syzygium cordatum</i>                   | LC | 0 | 0 | 1 | 1 | 1 | 3 |
| Myrtaceae      | <b><i>Syzygium guineense</i> *</b>         | LC | 1 | 0 | 1 | 1 | 0 | 3 |
| Myrtaceae      | <b><i>Syzygium parvifolium</i> *</b>       | NE | 1 | 0 | 1 | 1 | 0 | 3 |
| Nymphaeaceae   | <i>Nymphaea nouchali</i>                   | LC | 0 | 0 | 0 | 0 | 1 | 1 |
| Oleaceae       | <b><i>Jasminum schimperi</i></b>           | NE | 0 | 0 | 0 | 1 | 0 | 1 |
| Oleaceae       | <b><i>Olea europaea</i> *</b>              | DD | 0 | 0 | 0 | 1 | 0 | 1 |
| Orobanchaceae  | <i>Cycnium tubulosum</i>                   | LC | 0 | 0 | 0 | 0 | 1 | 1 |
| Oxalidaceae    | <i>Biophytum helenae</i>                   | NE | 1 | 1 | 0 | 0 | 0 | 2 |
| Peraceae       | <b><i>Clutia abyssinica</i> *</b>          | LC | 0 | 0 | 0 | 0 | 1 | 1 |
| Phyllanthaceae | <b><i>Bridelia micrantha</i> *</b>         | LC | 1 | 1 | 1 | 1 | 1 | 5 |
| Phyllanthaceae | <i>Flueggea virosa</i> *                   | LC | 1 | 1 | 1 | 1 | 1 | 5 |
| Phyllanthaceae | <i>Phyllanthus fischeri</i>                | NE | 1 | 1 | 1 | 1 | 1 | 5 |
| Phytolaccaceae | <i>Phytolacca dodecandra</i> *             | NE | 1 | 1 | 1 | 1 | 1 | 5 |

|                            |                                                    |    |           |           |           |            |           |            |
|----------------------------|----------------------------------------------------|----|-----------|-----------|-----------|------------|-----------|------------|
| Plantaginaceae             | <i>Plantago palmata</i> *                          | NE | 1         | 1         | 1         | 1          | 1         | 5          |
| Poaceae                    | <i>Cenchrus purpureus</i>                          | NE | 0         | 1         | 0         | 0          | 0         | 1          |
| Poaceae                    | <i>Eragrostis cylindriflora</i>                    | NE | 1         | 0         | 0         | 0          | 0         | 1          |
| Poaceae                    | <i>Oldeania alpina</i>                             | NE | 0         | 1         | 0         | 0          | 0         | 1          |
| Polygonaceae               | <i>Oxygonum sinuatum</i>                           | NE | 1         | 1         | 1         | 1          | 1         | 5          |
| Polygonaceae               | <i>Rumex nepalensis</i> var. <i>nepalensis</i>     | NE | 1         | 1         | 1         | 1          | 1         | 5          |
| Polygonaceae               | <i>Rumex usambarensis</i>                          | NE | 0         | 0         | 0         | 0          | 1         | 1          |
| Rhamnaceae                 | <i>Maesopsis eminii</i> *                          | LC | 1         | 1         | 1         | 1          | 1         | 5          |
| Rhamnaceae                 | <i>Ziziphus mucronata</i> *                        | LC | 1         | 1         | 0         | 0          | 1         | 3          |
| Rosaceae                   | <i>Hagenia abyssinica</i> *                        | LC | 1         | 1         | 1         | 1          | 1         | 5          |
| Rosaceae                   | <i>Prunus africana</i>                             | VU | 1         | 1         | 1         | 1          | 1         | 5          |
| Rubiaceae                  | <i>Mitragyna rubrostipulata</i> *                  | NE | 0         | 0         | 1         | 0          | 0         | 1          |
| Rubiaceae                  | <i>Keetia gueinzii</i>                             | LC | 0         | 0         | 1         | 1          | 0         | 2          |
| Rubiaceae                  | <i>Rubia cordifolia</i>                            | NE | 0         | 0         | 0         | 1          | 0         | 1          |
| Rubiaceae                  | <i>Tarenna pavettoides</i>                         | LC | 1         | 1         | 1         | 1          | 1         | 5          |
| Rutaceae                   | <i>Zanthoxylum chalybeum</i> *                     | LC | 1         | 1         | 0         | 0          | 1         | 3          |
| Rutaceae                   | <i>Harrisonia abyssinica</i>                       | LC | 0         | 0         | 0         | 1          | 1         | 2          |
| Sapindaceae                | <i>Allophylus pseudopaniculatus</i>                | NE | 0         | 0         | 1         | 1          | 1         | 3          |
| Sapindaceae                | <i>Blighia unijugata</i> *                         | LC | 1         | 1         | 1         | 1          | 1         | 5          |
| Sapindaceae                | <i>Cardiospermum halicacabum</i> *                 | LC | 0         | 0         | 0         | 1          | 0         | 1          |
| Sapindaceae                | <i>Dodonaea viscosa</i> subsp. <i>angustifolia</i> | NE | 1         | 0         | 0         | 1          | 1         | 3          |
| Sapindaceae                | <i>Paullinia pinnata</i>                           | NE | 1         | 1         | 1         | 1          | 1         | 5          |
| Sapotaceae                 | <i>Chrysophyllum gorungosanum</i>                  | NE | 1         | 0         | 0         | 1          | 1         | 3          |
| Solanaceae                 | <i>Solanum aculeastrum</i> *                       | LC | 1         | 1         | 1         | 1          | 1         | 5          |
| Urticaceae                 | <i>Urtica massaica</i>                             | NE | 1         | 0         | 1         | 0          | 0         | 2          |
| Urticaceae                 | <i>Scepcarpus hypselodendron</i> *                 | NE | 0         | 0         | 0         | 0          | 1         | 1          |
| Verbenaceae                | <i>Lantana viburnoides</i>                         | NE | 1         | 1         | 1         | 1          | 1         | 5          |
| Vitaceae                   | <i>Cissus quadrangularis</i>                       | NE | 0         | 0         | 0         | 1          | 0         | 1          |
| Vitaceae                   | <i>Rhoicissus tridentata</i> *                     | LC | 1         | 1         | 0         | 0          | 0         | 2          |
| Zingiberaceae              | <i>Aframomum angustifolium</i>                     | LC | 0         | 0         | 0         | 1          | 0         | 1          |
| <b>Species occurrences</b> |                                                    |    | <b>78</b> | <b>73</b> | <b>86</b> | <b>104</b> | <b>96</b> | <b>437</b> |

† species nomenclature follows APG IV (2016) and the Plants of the World database as authoritative resources.

\* denotes species identified from previous survey.

IUCN status: Extinct (EX), Extinct in the Wild (EW), Critically Endangered (CR), Endangered (EN), Vulnerable (VU), Near Threatened (NT), Least Concern (LC), Data Deficient (DD), Not Evaluated (NE). Categories are used to classify species based on their conservation status, with "Extinct" being the most critical category, and "Least Concern" indicating a lower level of threat. "Data Deficient" is used when there is insufficient information to assess a species, and "Not Evaluated" is applied to species that have not yet been assessed using the IUCN Red List criteria.

**Table 2. Non-native plant species observed per sector in Nyandungu Urban Wetland Eco-Park, Rwanda. Species suspected to be invasive are marked with an ‘x’.**

| Family          | Scientific Name                                      | Red List | Invasive | Sectors |   |   |   |   | Tot |
|-----------------|------------------------------------------------------|----------|----------|---------|---|---|---|---|-----|
|                 |                                                      |          |          | 1       | 2 | 3 | 4 | 5 |     |
| Acanthaceae     | <i>Asystasia gangetica</i>                           | NE       | x        | 1       | 1 | 1 | 1 | 1 | 5   |
| Acanthaceae     | <i>Barleria submollis</i>                            | NE       |          | 0       | 0 | 1 | 1 | 1 | 3   |
| Acanthaceae     | <i>Haplanthus laxiflorus</i> var. <i>laxiflorus</i>  | NE       |          | 0       | 0 | 0 | 0 | 1 | 1   |
| Acanthaceae     | <i>Meiosperma bracteatum</i>                         | NE       |          | 0       | 0 | 0 | 0 | 1 | 1   |
| Acanthaceae     | <i>Thunbergia paulitschkeana</i>                     | NE       |          | 0       | 0 | 0 | 1 | 0 | 1   |
| Amaranthaceae   | <i>Chenopodium berlandieri</i> var. <i>boscianum</i> | NE       |          | 0       | 0 | 0 | 1 | 0 | 1   |
| Amaryllidaceae  | <i>Crinum</i> × <i>augustum</i>                      | NE       |          | 0       | 0 | 0 | 0 | 1 | 1   |
| Anacardiaceae   | <i>Mangifera indica</i>                              | DD       |          | 1       | 1 | 1 | 1 | 1 | 5   |
| Anacardiaceae   | <i>Searsia natalensis</i>                            | LC       |          | 0       | 0 | 1 | 1 | 0 | 2   |
| Apocynaceae     | <i>Gomphocarpus fruticosus</i> *                     | NE       |          | 0       | 0 | 0 | 1 | 0 | 1   |
| Aponogetonaceae | <i>Aponogeton subconjugatus</i>                      | LC       |          | 0       | 0 | 1 | 0 | 0 | 1   |
| Araceae         | <i>Colocasia esculenta</i> *                         | LC       |          | 1       | 1 | 1 | 1 | 1 | 5   |
| Araceae         | <i>Xanthosoma sagittifolium</i>                      | NE       |          | 0       | 0 | 0 | 1 | 1 | 2   |
| Araucariaceae   | <i>Araucaria angustifolia</i>                        | CR       |          | 1       | 0 | 0 | 1 | 0 | 2   |
| Arecaceae       | <i>Elaeis guineensis</i> *                           | LC       | x        | 1       | 0 | 0 | 1 | 1 | 3   |
| Arecaceae       | <i>Latania lontaroides</i>                           | EN       |          | 0       | 0 | 0 | 1 | 0 | 1   |
| Asparagaceae    | <i>Agave sisalana</i>                                | NE       | x        | 0       | 0 | 1 | 1 | 0 | 2   |
| Asphodelaceae   | <i>Aloe lateritia</i> *                              | LC       |          | 0       | 0 | 0 | 1 | 0 | 1   |
| Asteraceae      | <i>Ageratum conyzoides</i>                           | LC       | x        | 1       | 1 | 1 | 1 | 1 | 5   |
| Asteraceae      | <i>Bidens pilosa</i>                                 | NE       | x        | 1       | 1 | 1 | 1 | 1 | 5   |
| Asteraceae      | <i>Crassocephalum picridifolium</i>                  | LC       |          | 1       | 1 | 0 | 0 | 0 | 2   |
| Asteraceae      | <i>Galinsoga parviflora</i>                          | NE       |          | 0       | 0 | 0 | 1 | 0 | 1   |
| Asteraceae      | <i>Sonchus asper</i>                                 | NE       | x        | 1       | 1 | 1 | 1 | 1 | 5   |
| Asteraceae      | <i>Tagetes minuta</i>                                | NE       | x        | 1       | 1 | 1 | 1 | 1 | 5   |
| Asteraceae      | <i>Tithonia diversifolia</i>                         | NE       | x        | 0       | 0 | 0 | 1 | 0 | 1   |
| Asteraceae      | <i>Tridax procumbens</i>                             | NE       | x        | 1       | 1 | 1 | 1 | 1 | 5   |
| Bignoniaceae    | <i>Jacaranda mimosifolia</i>                         | VU       | x        | 0       | 0 | 0 | 0 | 1 | 1   |
| Bignoniaceae    | <i>Spathodea campanulata</i> *                       | LC       |          | 0       | 1 | 0 | 0 | 0 | 1   |
| Bignoniaceae    | <i>Tecoma stans</i>                                  | LC       | x        | 0       | 0 | 1 | 1 | 1 | 3   |
| Cannaceae       | <i>Canna indica</i>                                  | NE       | x        | 1       | 1 | 0 | 1 | 0 | 3   |
| Caricaceae      | <i>Carica papaya</i>                                 | DD       |          | 1       | 1 | 0 | 0 | 0 | 2   |
| Casuarinaceae   | <i>Casuarina equisetifolia</i>                       | LC       | x        | 1       | 1 | 1 | 1 | 1 | 5   |
| Celastraceae    | <i>Gymnosporia heterophylla</i>                      | LC       |          | 0       | 1 | 1 | 1 | 1 | 4   |
| Combretaceae    | <i>Terminalia mantaly</i>                            | LC       |          | 1       | 0 | 1 | 1 | 1 | 4   |
| Convolvulaceae  | <i>Ipomoea littoralis</i>                            | LC       |          | 1       | 1 | 0 | 0 | 0 | 2   |
| Convolvulaceae  | <i>Dichondra repens</i>                              | NE       |          | 0       | 0 | 1 | 1 | 0 | 2   |

|                |                                            |    |   |   |   |   |   |   |   |
|----------------|--------------------------------------------|----|---|---|---|---|---|---|---|
| Convolvulaceae | <i>Ipomoea purpurea</i>                    | NE | x | 0 | 0 | 1 | 0 | 0 | 1 |
| Convolvulaceae | <i>Ipomoea spathulata</i>                  | NE |   | 1 | 1 | 1 | 1 | 1 | 5 |
| Crassulaceae   | <i>Kalanchoe pinnata</i>                   | NE | x | 1 | 1 | 1 | 1 | 1 | 5 |
| Cucurbitaceae  | <i>Cucurbita maxima</i>                    | NE |   | 0 | 1 | 0 | 0 | 0 | 1 |
| Cucurbitaceae  | <i>Luffa aegyptiaca</i>                    | NE | x | 1 | 1 | 1 | 1 | 1 | 5 |
| Cucurbitaceae  | <i>Momordica friesiorum</i>                | NE | x | 1 | 0 | 1 | 1 | 1 | 4 |
| Euphorbiaceae  | <i>Ricinus communis</i>                    | NE | x | 1 | 1 | 1 | 1 | 1 | 5 |
| Euphorbiaceae  | <i>Euphorbia murielii</i> *                | LC |   | 0 | 1 | 1 | 1 | 0 | 3 |
| Euphorbiaceae  | <i>Euphorbia hirta</i> *                   | NE | x | 0 | 0 | 1 | 0 | 0 | 1 |
| Euphorbiaceae  | <i>Euphorbia prostrata</i>                 | CR | x | 1 | 1 | 1 | 1 | 1 | 5 |
| Euphorbiaceae  | <i>Euphorbia tirucalli</i> *               | LC |   | 1 | 1 | 1 | 1 | 1 | 5 |
| Fabaceae       | <i>Albizia forbesii</i> *                  | LC |   | 0 | 0 | 1 | 1 | 1 | 3 |
| Fabaceae       | <i>Chamaecrista rotundifolia</i>           | NE |   | 0 | 0 | 0 | 0 | 1 | 1 |
| Fabaceae       | <i>Desmodium uncinatum</i>                 | NE | x | 1 | 1 | 0 | 0 | 0 | 2 |
| Fabaceae       | <i>Indigofera homblei</i>                  | LC |   | 1 | 1 | 1 | 1 | 1 | 5 |
| Fabaceae       | <i>Indigofera spinosa</i>                  | NE |   | 0 | 0 | 0 | 1 | 0 | 1 |
| Fabaceae       | <i>Lysiloma latisiliquum</i>               | NE |   | 0 | 0 | 1 | 0 | 0 | 1 |
| Fabaceae       | <i>Macroptilium atropurpureum</i>          | NE |   | 1 | 1 | 1 | 1 | 1 | 5 |
| Fabaceae       | <i>Millettia laurentii</i>                 | EN |   | 0 | 0 | 0 | 1 | 1 | 2 |
| Fabaceae       | <i>Mimosa pudica</i>                       | NE | x | 1 | 0 | 0 | 0 | 0 | 1 |
| Fabaceae       | <i>Senna racemosa</i> var. <i>racemosa</i> | NE |   | 0 | 0 | 0 | 1 | 0 | 1 |
| Fabaceae       | <i>Senna occidentalis</i> *                | LC |   | 0 | 0 | 1 | 1 | 1 | 3 |
| Fabaceae       | <i>Senna spectabilis</i>                   | LC |   | 1 | 1 | 0 | 0 | 0 | 2 |
| Lamiaceae      | <i>Coleus defoliatus</i>                   | LC |   | 0 | 0 | 0 | 0 | 1 | 1 |
| Lamiaceae      | <i>Tetradenia riparia</i> *                | LC |   | 1 | 1 | 1 | 1 | 1 | 5 |
| Lauraceae      | <i>Cinnamomum camphora</i>                 | LC |   | 1 | 1 | 1 | 1 | 1 | 5 |
| Lauraceae      | <i>Persea americana</i>                    | LC |   | 1 | 1 | 0 | 0 | 0 | 2 |
| Malvaceae      | <i>Hibiscus acetosella</i>                 | NE |   | 1 | 1 | 1 | 1 | 1 | 5 |
| Malvaceae      | <i>Hibiscus flavifolius</i>                | NE |   | 0 | 0 | 1 | 1 | 0 | 2 |
| Malvaceae      | <i>Waltheria indica</i>                    | LC | x | 1 | 1 | 0 | 0 | 1 | 3 |
| Moraceae       | <i>Artocarpus heterophyllus</i>            | NE |   | 0 | 0 | 1 | 0 | 0 | 1 |
| Moraceae       | <i>Ficus benjamina</i>                     | LC |   | 0 | 0 | 1 | 0 | 0 | 1 |
| Moraceae       | <i>Morus alba</i>                          | LC |   | 1 | 0 | 0 | 0 | 1 | 2 |
| Musaceae       | <i>Musa</i> sp.                            | NA |   | 1 | 1 | 0 | 1 | 0 | 3 |
| Myrtaceae      | <i>Psidium guajava</i>                     | LC |   | 1 | 1 | 1 | 0 | 1 | 4 |
| Nyctaginaceae  | <i>Bougainvillea spectabilis</i> *         | NE |   | 1 | 0 | 0 | 0 | 1 | 2 |
| Oleaceae       | <i>Jasminum meyeri-johannis</i>            | NE |   | 1 | 1 | 1 | 1 | 1 | 5 |
| Onagraceae     | <b><i>Ludwigia octovalvis</i></b>          | LC |   | 1 | 0 | 0 | 1 | 1 | 3 |
| Passifloraceae | <i>Passiflora edulis</i>                   | NE |   | 1 | 1 | 1 | 1 | 1 | 5 |
| Pedaliaceae    | <i>Sesamum calycinum</i>                   | NE |   | 1 | 0 | 1 | 0 | 0 | 2 |
| Poaceae        | <i>Bambusa textilis</i> *                  | NE |   | 0 | 0 | 1 | 1 | 0 | 2 |

|               |                                |    |   |           |           |           |           |           |            |
|---------------|--------------------------------|----|---|-----------|-----------|-----------|-----------|-----------|------------|
| Poaceae       | <i>Bambusa tuldooides</i>      | NE |   | 0         | 0         | 1         | 1         | 0         | 2          |
| Poaceae       | <i>Bambusa balcooa</i>         | NE |   | 1         | 1         | 1         | 1         | 1         | 5          |
| Poaceae       | <i>Paspalum notatum</i>        | NE | x | 1         | 1         | 1         | 1         | 1         | 5          |
| Poaceae       | <i>Phragmites australis</i>    | LC |   | 1         | 1         | 1         | 1         | 1         | 5          |
| Poaceae       | <i>Saccharum officinarum</i>   | NE |   | 1         | 1         | 1         | 1         | 0         | 4          |
| Podocarpaceae | <i>Afrocarpus falcatus</i>     | LC |   | 1         | 1         | 0         | 0         | 0         | 2          |
| Podocarpaceae | <i>Podocarpus latifolius</i>   | LC |   | 0         | 0         | 1         | 0         | 0         | 1          |
| Polygonaceae  | <i>Persicaria pulchra</i>      | LC |   | 1         | 1         | 1         | 1         | 1         | 5          |
| Polygonaceae  | <i>Persicaria amphibia</i>     | LC |   | 0         | 1         | 0         | 0         | 0         | 1          |
| Proteaceae    | <i>Grevillea robusta</i>       | LC |   | 1         | 1         | 1         | 1         | 1         | 5          |
| Ranunculaceae | <i>Ranunculus hyperboreus</i>  | LC |   | 1         | 1         | 0         | 1         | 1         | 4          |
| Rhamnaceae    | <i>Hovenia dulcis</i>          | LC |   | 1         | 0         | 0         | 1         | 1         | 3          |
| Rubiaceae     | <i>Coffea arabica</i>          | EN |   | 1         | 1         | 0         | 0         | 0         | 2          |
| Rubiaceae     | <i>Mitragyna stipulosa</i>     | NT |   | 1         | 1         | 1         | 1         | 1         | 5          |
| Rosaceae      | <i>Prunus salasii</i>          | EN |   | 0         | 0         | 0         | 1         | 0         | 1          |
| Sapindaceae   | <i>Sapindus saponaria</i>      | LC |   | 0         | 0         | 0         | 1         | 0         | 1          |
| Solanaceae    | <i>Brugmansia suaveolens</i>   | EW |   | 0         | 0         | 1         | 0         | 0         | 1          |
| Solanaceae    | <i>Nicandra physalodes</i>     | LC |   | 1         | 1         | 1         | 1         | 1         | 5          |
| Solanaceae    | <i>Nicotiana tabacum</i>       | NE |   | 1         | 1         | 1         | 1         | 1         | 5          |
| Solanaceae    | <i>Solanum mauense</i>         | LC |   | 0         | 0         | 0         | 1         | 0         | 1          |
| Solanaceae    | <i>Solanum mauritianum</i>     | NE |   | 1         | 1         | 0         | 0         | 0         | 2          |
| Solanaceae    | <i>Solanum nigrum</i>          | NE | x | 0         | 0         | 0         | 0         | 1         | 1          |
| Solanaceae    | <i>Solanum nigriviolaceum</i>  | LC |   | 1         | 1         | 1         | 1         | 1         | 5          |
| Verbenaceae   | <i>Lantana camara</i>          | NE |   | 1         | 1         | 1         | 1         | 1         | 5          |
| Verbenaceae   | <i>Lantana trifolia</i>        | NE |   | 1         | 1         | 1         | 1         | 1         | 5          |
| Tropaeolaceae | <i>Tropaeolum majus</i>        | NE |   | 1         | 0         | 0         | 0         | 0         | 1          |
| Vitaceae      | <i>Cyphostemma maranguense</i> | NE |   | 1         | 0         | 0         | 0         | 1         | 2          |
|               | <b>Species occurrences</b>     |    |   | <b>60</b> | <b>53</b> | <b>58</b> | <b>69</b> | <b>58</b> | <b>298</b> |

† species nomenclature follows APG IV (2016) and the Plants of the World database as authoritative resources.

\* denotes species identified from previous survey.

IUCN status: Extinct (EX), Extinct in the Wild (EW), Critically Endangered (CR), Endangered (EN), Vulnerable (VU), Near Threatened (NT), Least Concern (LC), Data Deficient (DD), Not Evaluated (NE). Categories are used to classify species based on their conservation status, with "Extinct" being the most critical category, and "Least Concern" indicating a lower level of threat. "Data Deficient" is used when there is insufficient information to assess a species, and "Not Evaluated" is applied to species that have not yet been assessed using the IUCN Red List criteria.