

### 1. GET ทั้งหมด

```
PS D:\Principles3_1\Lab05_Spring_Been_Scope\coffeeshop> curl.exe http://localhost:8080/coffees  
[{"id":1,"name":"Espresso","price":45.0},{ "id":2,"name":"Latte","price":55.0}]
```

### 2. GET ตาม id

```
PS D:\Principles3_1\Lab05_Spring_Been_Scope\coffeeshop> curl.exe http://localhost:8080/coffees/1  
{ "id":1,"name":"Espresso","price":45.0}
```

### 3. POST เพิ่มเมนูใหม่

```
PS D:\Principles3_1\Lab05_Spring_Been_Scope\coffeeshop> curl.exe -X POST http://localhost:8080/coffees `
>> -H "Content-Type: application/json" `
>> -d '{"name":"Cappuccino","price":60.0}'
{"id":3,"name":"Cappuccino","price":60.0}
```

### 4. PUT แก้ไข

```
PS D:\Principles3_1\Lab05_Spring_Been_Scope\coffeeshop> curl.exe -X PUT http://localhost:8080/coffees/2 `
>> -H "Content-Type: application/json" `
>> -d '{"name":"Latte","price":50.0}'
{"id":2,"name":"Latte","price":50.0}
```

### 5. DELETE ลบ

```
PS D:\Principles3_1\Lab05_Spring_Been_Scope\coffeeshop> curl.exe -X DELETE http://localhost:8080/coffees/3  

PS D:\Principles3_1\Lab05_Spring_Been_Scope\coffeeshop> curl.exe http://localhost:8080/coffees  
[{"id":1,"name":"Espresso","price":45.0},{ "id":2,"name":"Latte","price":50.0}]
```

### 6. ค้นหาตามชื่อ

```
PS D:\Principles3_1\Lab05_Spring_Been_Scope\coffeeshop> curl.exe "http://localhost:8080/coffees/search?name=latte"  
[{"id":2,"name":"Latte","price":50.0}]
```