

PRIMARY GOAL

LOSE VISCERAL FAT

Belly-fat & metabolic reset

1,820

kcal / day

BMR 1618 kcal
Maintenance (TDEE) 2224 kcal
BMI 24.2 — At-risk (Asian)
Male, 30 y · 170 cm · 70 kg

DAILY TARGETS

NUTRIENT	TARGET	NOTES
Protein	140 g (31% energy)	2 g per kg body weight
Carbohydrates	155 g (34% energy)	Low-GI, whole-food first
Fat	71 g (35% energy)	MUFA-forward, minimal trans fat
Fibre	35 g	~14 g per 1,000 kcal
Water	2.5 L	Sip through the day
Added sugar	under 23 g	WHO cap <10% energy
Sodium	under 2300 mg	~1 tsp salt, all sources

YOUR NUTRITIONIST'S NOTES

- Strictly gluten-free: avoid wheat, barley, rye & malt (watch soy sauce, biscuits, maida).
- Keep meal GI under 55: pair carbs with protein/fat, choose millets, dals & cooled rice.
- Reach 35 g fibre: ½-plate vegetables, 2 fruits, one handful nuts/seeds daily.
- Distribute 140 g protein across 3–4 meals (~25–35 g each) for best synthesis.
- Visceral-fat protocol: 150+ min Zone-2 cardio weekly + 2 HIIT or resistance sessions.
- Track waist, not just weight: aim < 90 cm (men) / < 80 cm (women) for South-Asian risk thresholds.
- Eliminate sugary drinks & fruit juice — liquid fructose drives liver & visceral fat.
- Hydrate with ~2.5 L water daily; start each morning with 1–2 glasses.
- Sleep 7–9 h. Short sleep raises ghrelin, cravings and visceral-fat storage.
- Keep salt < 5 g/day (~ 2300 mg sodium) and added sugar under 23 g/day (WHO).

Generated by NourishIQ. Educational guidance built on ICMR-NIN 2024, WHO and ADA references — not a substitute for medical advice from your doctor or dietitian. Nutrition values are indicative averages from IFCT-2017 / USDA food tables.