



Generation And Simulation Of Manufacturable 2D Soft Bodies

Naudé Conradie
Supervisor: Dr MP Venter

Department of Mechanical and Mechatronic Engineering, Stellenbosch
University

8 May 2020

Presentation Overview

- Project scope

Presentation Overview

- Project scope
- Objectives

Presentation Overview

- Project scope
- Objectives
- Methodology

Presentation Overview

- Project scope
- Objectives
- Methodology
- Results

Project Scope

- Automate the generation and simulation of 2D soft bodies

- Automate the generation and simulation of 2D soft bodies
 - Generate 2D bodies built from smaller building blocks with specific deformations

- Automate the generation and simulation of 2D soft bodies
 - Generate 2D bodies built from smaller building blocks with specific deformations
 - Non-linear FEM with hyper-elastic material models

- Automate the generation and simulation of 2D soft bodies
 - Generate 2D bodies built from smaller building blocks with specific deformations
 - Non-linear FEM with hyper-elastic material models
 - Evaluate the bodies and building blocks according to predefined goals

Objectives

- Automation for future use and development

Objectives

- Automation for future use and development
- Generation of soft bodies built from generated smaller units

Objectives

- Automation for future use and development
- Generation of soft bodies built from generated smaller units
- Selection of best models according to selected metrics

Objectives

- Automation for future use and development
- Generation of soft bodies built from generated smaller units
- Selection of best models according to selected metrics
- Accurate modelling of real-world materials

Objectives

- Automation for future use and development
- Generation of soft bodies built from generated smaller units
- Selection of best models according to selected metrics
- Accurate modelling of real-world materials
- Computationally efficient manner

Objectives

- Automation for future use and development
- Generation of soft bodies built from generated smaller units
- Selection of best models according to selected metrics
- Accurate modelling of real-world materials
- Computationally efficient manner
- Limitations

Objectives

- Automation for future use and development
- Generation of soft bodies built from generated smaller units
- Selection of best models according to selected metrics
- Accurate modelling of real-world materials
- Computationally efficient manner
- Limitations
 - Two dimensions for simplicity

Objectives

- Automation for future use and development
- Generation of soft bodies built from generated smaller units
- Selection of best models according to selected metrics
- Accurate modelling of real-world materials
- Computationally efficient manner
- Limitations
 - Two dimensions for simplicity
 - Pre-existing material models

- LS-Dyna

- LS-Dyna
 - License expired


- LS-Dyna
 - License expired
- Siemens NX 12
- MSC Marc Mentat

- LS-Dyna
 - License expired
- Siemens NX 12
 - Unnecessary
- MSC Marc Mentat

- LS-Dyna
 - License expired
- Siemens NX 12
 - Unnecessary
- MSC Marc Mentat
 - Python


Current Objectives

- 10x10 empty grid of 2D elements




Current Objectives

- 10x10 empty grid of 2D elements
- Applying external pressure




10x10_Empty_Grid.jpg




10x10_Empty_Grid_Und

Current Objectives

- 10x10 empty grid of 2D elements
- Applying external pressure
- Linear vs hyperelastic material





10x10_Empty_Grid.jpg



10x10_Empty_Grid_Und



Current Objectives

- 10x10 empty grid of 2D elements
- Applying external pressure
- Linear vs hyperelastic material
 - Material status completely describable with given total strain




Current Objectives

- 10x10 empty grid of 2D elements
- Applying external pressure
- Linear vs hyperelastic material
 - Material status completely describable with given total strain
 - Mold-star 15



Current Objectives (cont.)


- Compare commercial software (NX 12, LSDyna, Marc Mentat)



10x10_Empty_Square_2D_Deformation.p

Current Objectives (cont.)

- Compare commercial software (NX 12, LSDyna, Marc Mentat)



10x10_Empty_Square_2D_Deformation.p

- Implementation with code from N Kim and open source software

Current Objectives (cont.)

- Compare modeled behaviour to actual behaviour

Current Objectives (cont.)

- Compare modeled behaviour to actual behaviour
 - Produce square
 - Place between two transparent plates
 - Apply pressure
 - Observe and compare

Current Objectives (cont.)

- Compare modeled behaviour to actual behaviour
 - Produce square
 - Place between two transparent plates
 - Apply pressure
 - Observe and compare
- Determine which approach

Current Objectives (cont.)

- Compare modeled behaviour to actual behaviour
 - Produce square
 - Place between two transparent plates
 - Apply pressure
 - Observe and compare
- Determine which approach
 - Commercial vs. open-source vs. own code

Current Objectives (cont.)

- Compare modeled behaviour to actual behaviour
 - Produce square
 - Place between two transparent plates
 - Apply pressure
 - Observe and compare
- Determine which approach
 - Commercial vs. open-source vs. own code
 - All have pros and cons


Further Objectives

- Define unit cell behaviour

Unit_Cell_Deformation.jpg

Further Objectives


- Define unit cell behaviour

Unit_Cell_Deformation.jpg

- Define recursive rules

Further Objectives


- Define unit cell behaviour

 Unit_Cell_Deformation.jpg

- Define recursive rules
- Set up genetic algorithm

Further Objectives

- Define unit cell behaviour

 Unit_Cell_Deformation.jpg

- Define recursive rules
- Set up genetic algorithm
- Combine all components

Questions?