

#### Project Title

Naudé Conradie Supervisor: Dr MP Venter

Department of Mechanical and Mechatronic Engineering, Stellenbosch University

22 November 2019

• Project scope

- Project scope
- $\bullet$  Background

- Project scope
- Background
- Results

- Project scope
- Background
- Results
- Objectives

• Automate design of shape-changing soft robots

- Automate design of shape-changing soft robots
  - Change internal pressure

- Automate design of shape-changing soft robots
  - Change internal pressure
- Non-linear FEM

- Automate design of shape-changing soft robots
  - Change internal pressure
- Non-linear FEM
  - Restricted to two dimensions

• Computationally efficient

- Computationally efficient
  - Use recursive grammatical encodings

- Computationally efficient
  - Use recursive grammatical encodings
  - L-systems for cellular level

- Computationally efficient
  - Use recursive grammatical encodings
  - L-systems for cellular level
  - CPPNs for organism level

- Computationally efficient
  - Use recursive grammatical encodings
  - L-systems for cellular level
  - CPPNs for organism level
- Evolve a population to obtain best model

• Soft robotic bodies are computationally expensive

- Soft robotic bodies are computationally expensive
- Lindenmayer systems (L-systems)

- Soft robotic bodies are computationally expensive
- Lindenmayer systems (L-systems)
  - Recursive grammatical encodings

- Soft robotic bodies are computationally expensive
- Lindenmayer systems (L-systems)
  - Recursive grammatical encodings
  - Built from set of rules, axioms, variables and constants

- Soft robotic bodies are computationally expensive
- Lindenmayer systems (L-systems)
  - Recursive grammatical encodings
  - Built from set of rules, axioms, variables and constants
- Compositional Pattern-Producing Network -NeuroEvolution of Augmenting Technologies (CPPN-NEAT)

- Soft robotic bodies are computationally expensive
- Lindenmayer systems (L-systems)
  - Recursive grammatical encodings
  - Built from set of rules, axioms, variables and constants
- Compositional Pattern-Producing Network -NeuroEvolution of Augmenting Technologies (CPPN-NEAT)
  - Neural networks

- Soft robotic bodies are computationally expensive
- Lindenmayer systems (L-systems)
  - Recursive grammatical encodings
  - Built from set of rules, axioms, variables and constants
- Compositional Pattern-Producing Network -NeuroEvolution of Augmenting Technologies (CPPN-NEAT)
  - Neural networks
  - Evolved with topology augmentation


- LSDyna
  - Commercial software
  - Support

- Commercial software
- Support
- High level of control
- Robust

- Commercial software
- Support
- High level of control
- Robust

- Commercial software
- Support
- High level of control
- Robust

- Commercial software
- Support
- High level of control
- Robust



• Unit cell

- Unit cell
  - Square

- Unit cell
  - Square
  - Predefined behaviours

- Unit cell
  - Square
  - Predefined behaviours
  - Modelled with Mold Star 15

- Unit cell
  - Square
  - Predefined behaviours
  - Modelled with Mold Star 15









- Unit cell
  - Square
  - Predefined behaviours
  - Modelled with Mold Star 15




• Complete soft body

- Unit cell
  - Square
  - Predefined behaviours
  - Modelled with Mold Star 15



- Complete soft body
  - Constructed from unit cells

- Unit cell
  - Square
  - Predefined behaviours
  - Modelled with Mold Star 15



- Complete soft body
  - Constructed from unit cells
  - Recursive grammatical encodings

# Recursive Encodings

• L-systems

- L-systems
  - Refer to unit cells

- L-systems
  - Refer to unit cells
  - Construct soft body

- L-systems
  - Refer to unit cells
  - Construct soft body
  - Genotype

- L-systems
  - Refer to unit cells
  - Construct soft body
  - Genotype
- CPPN-NEAT

- L-systems
  - Refer to unit cells
  - Construct soft body
  - Genotype
- CPPN-NEAT
  - Refer to whole body

#### • L-systems

- Refer to unit cells
- Construct soft body
- Genotype

#### • CPPN-NEAT

- Refer to whole body
- Phenotype

• Manufacture physical model

- Manufacture physical model
  - Print at some thickness

- Manufacture physical model
  - Print at some thickness
  - Place between glass plates

- Manufacture physical model
  - Print at some thickness
  - Place between glass plates
  - Apply internal pressure

• Improve computing time required

- Improve computing time required
- Prove practicality of recursive encodings

- Improve computing time required
- Prove practicality of recursive encodings
- Replicable

- Improve computing time required
- Prove practicality of recursive encodings
- Replicable
- Adaptable

- Improve computing time required
- Prove practicality of recursive encodings
- Replicable
- Adaptable
  - -3D

- Improve computing time required
- Prove practicality of recursive encodings
- Replicable
- Adaptable
  - -3D
  - Different objective functions

# Questions?