

AUTH-001 - Register with valid credentials

Priority	Severity	Behavior	Type	Layer	Is Flaky
High	Critical	Positive	Functional	E2E	No
Is Muted	Automation	Status	Milestone		
No	Manual	Draft	-		

Preconditions

- User is on the registration page.
- User has not registered previously with the same email.
- Internet connection is stable.

Postconditions

- Register success.
- Redirected to onboarding or dashboard page.

Steps to reproduce

#	Step	Action	Expected Result
1	Open registration page		Registration page is displayed successfully
2	Enter valid email	testuser.qa@gmail.com	Email field accepts valid input
3	Enter valid password	QaTest123!	Password field accepts valid input
4	Click register button		Registration request is submitted successfully
5	Observe system response		User is redirected to onboarding or dashboard page

AUTH-002 - Logout succesfully

Priority	Severity	Behavior	Type	Layer	Is Flaky
High	Major	Positive	Functional	E2E	No
Is Muted	Automation	Status	Milestone		
No	Manual	Draft	-		

Tags

Logout

Preconditions

- User is logged into the application
- User is currently on protected page

Postconditions

- Logout successfully
- Protected are inaccessible

Steps to reproduce

#	Step	Action	Expected Result
1	Locate logout button in menu		Menu option
2	Click account		Logout option is visible
3	Click logout button		Logout request is submitted successfully
4	Verify redirection after logout		User is redirected to landing or login page
5	Attempt to access protected route	/home	User is redirected back to login page

AUTH-003 - Login with valid email and password

Priority	Severity	Behavior	Type	Layer	Is Flaky
High	Critical	Positive	Functional	E2E	No
Is Muted	Automation	Status	Milestone		
No	Manual	Draft	-		

Tags

Login

Preconditions

- User account already exists
- User is on login page
- Internet connection is stable

Postconditions

- Login successfully
- User session is authenticated
- User gains access to protected routes

Steps to reproduce

#	Step	Action	Expected Result
1	Open login page		Login page is displayed successfully
2	Enter valid email	testuser.qa@gmail.com	Email field accepts valid input
3	Enter valid password	QaTest123!	Password field accepts valid input
4	Click login button		Login request is submitted successfully
5	Login succes		User is redirected to dashboard page

AUTH-004 — Login using Google account

Priority	Severity	Behavior	Type	Layer	Is Flaky
High	Critical	Positive	Functional	E2E	Yes
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Tags

Login

Preconditions

- User has valid Google account
- Internet connection is stable
- Google authentication service is available

Postconditions

- User session is authenticated
- User gains access to protected routes

Steps to reproduce

#	Step	Action	Expected Result
1	Open login page		Login page is displayed successfully
2	Click Google login button		Google authentication popup or page is displayed
3	Select valid Google account	test.qa@gmail.com	Selected Google account is accepted
4	Complete Google authentication process		Authentication request is submitted successfully
5	Verify redirection after successful authentication		User is redirected to dashboard or onboarding page

AUTH-005 — Register with existing email

Priority	Severity	Behavior	Type	Layer	Is Flaky
High	Major	Negative	Functional	E2E	No
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Preconditions

- Email already exists in system
- User is on registration page

Postconditions

- Duplicate account is not created
- User remains unauthenticated

Steps to reproduce

#	Step	Action	Expected Result
1	Open registration page		Registration page is displayed successfully
2	Enter existing email into email field	testuser.qa@gmail.com	Email field accepts valid input
3	Enter valid password into password field	QaTest123!	Password field accepts valid input
4	Click register button		
5	Verify registration error message		Error message, indicating email already exists is displayed

AUTH-006 - Login with incorrect password

Priority	Severity	Behavior	Type	Layer	Is Flaky
High	Critical	Negative	Functional	E2E	No
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Tags

Login

Preconditions

- User account already exists
- User is on login page

Postconditions

- Authentication process fails
- User remains unauthenticated
- User remains in login

Steps to reproduce

#	Step	Action	Expected Result
1	Open login page		Login page is displayed successfully
2	Enter registered email into email field	testuser.qa@gmail.com	Email field accepts valid input
3	Enter incorrect password into password field	WrongPassword123	Password field accepts input
4	Click login button		Authentication request is submitted successfully
5	Verify authentication error message		Incorrect password error message is displayed
6	Verify authentication status		User remains on login page

AUTH-007 - Login with unregistered email

Priority	Severity	Behavior	Type	Layer	Is Flaky
High	Major	Negative	Functional	E2E	No
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Tags

Register

Preconditions

- User is on login page
- Email is not registered in system

Postconditions

- Authentication process fails
- User remains unauthenticated
- User remains in login

Steps to reproduce

#	Step	Action	Expected Result
1	Open login page		Login page is displayed successfully
2	Enter unregistered email into email field	unknown.qa@gmail.com	Email field accepts valid input
3	Enter valid password into password field	QaTest123!	Password field accepts valid input
4	Click login button		Authentication request is submitted
5	Verify authentication error message		Account not found and error message is displayed

AUTH-008 - Submit empty login form

Priority	Severity	Behavior	Type	Layer	Is Flaky
Medium	Major	Negative	Functional	E2E	No
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Tags

Login

Preconditions

- User is on login page

Postconditions

- Login request is blocked
- Validation message is displayed

Steps to reproduce

#	Step	Action	Expected Result
1	Open login page		Login page is displayed
2	Leave email field empty		
3	Leave password field empty		
4	Click login button		Form validation process is triggered
5	Verify validation error message		Required field validation message is displayed

AUTH-009 - Submit invalid email format

Priority	Severity	Behavior	Type	Layer	Is Flaky
Medium	Minor	Negative	Functional	E2E	No
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Tags

Login

Preconditions

- Users is on login page

Postconditions

- Login request is blocked
- Validation error message is displayed

Steps to reproduce

#	Step	Action	Expected Result
1	Open login page		
2	Enter invalid email format into email field	invalid-email-format	Email field accepts input
3	Enter valid password into password field	QaTest123!	Password field accepts valid input
4	Click login button		Form validation process is triggered
5	Verify validation error message		Invalid email format error message is displayed

AUTH-011 - Access protected route without authentication

Priority	Severity	Behavior	Type	Layer	Is Flaky
High	Critical	Destructive	Security	E2E	No
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Preconditions

- Users is not authenticated

Postconditions

- Protected route remains inaccessible
- User is redirected to login page

Steps to reproduce

#	Step	Action	Expected Result
1	Open browser		
2	Enter protected route URL manually	/home	Protected route request is triggered
3	Verify redirection for unauthorized access		User is redirected to login page
4	Verify protected content visibility		Protected content is inaccessible

AUTH-010 - Refresh page during login process

Priority	Severity	Behavior	Type	Layer	Is Flaky
Medium	Major	Destructive	Regression	E2E	Yes
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Tags

Login

Preconditions

- Users is on login page
- Internet connection is stable

Postconditions

- Application remains stable
- No broken authentication state occurs

Steps to reproduce

#	Step	Action	Expected Result
1	Enter valid email into field	testuser.qa@gmail.com	
2	Enter valid password into field	QaTest123!	
3	Click login button		Authentication request is submitted succesfully
4	Refresh browser immediately during login process		Application reloads
5	Verify application stability after refresh		Application does not crash or broken authentication state

AUTH-012 - Open multiple login sessions in different tabs

Priority	Severity	Behavior	Type	Layer	Is Flaky
Medium	Major	Destructive	Regression	E2E	Yes
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Preconditions

- Users account exist
- Browser supports multiple tabs

Postconditions

- Session state remains consistent across tabs

Steps to reproduce

#	Step	Action	Expected Result
1	Open first browser tab		First tab loads successfully
2	Login with valid credentials	[testuser.qa@gmail.com]() / QaTest123!	User is authenticated successfully
3	Open second browser tab		Second tab opens successfully
4	Access protected page from second tab	/home	User remains authenticated
5	Verify session consistency between tabs		Authentication state remains consistent across tabs

AUTH-013 - Session expiration handling

Priority	Severity	Behavior	Type	Layer	Is Flaky
Medium	Critical	Destructive	Security	E2E	Yes
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Preconditions

- Users is logged in
- Session expiration mechanism exists

Postconditions

- Expired session becomes invalid
- Protected routes become inaccessible

Steps to reproduce

#	Step	Action	Expected Result
1	Login with valid credential	[testuser.qa@gmail.com]() / QaTest123!	User is authenticated successfully
2	Wait until session or token expires		Session expiration condition occurs
3	Attempt to access protected route	/home	Expired session is detected by application
4	User is redirected to login page		
5	Verify protected content accessibility		Protected content becomes inaccessible

ONB-001 - Complete onboarding with valid data

Priority	Severity	Behavior	Type	Layer	Is Flaky
High	Critical	Positive	Functional	E2E	No
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Tags

Onboarding

Preconditions

- User successfully registered
- User has not completed onboarding

Postconditions

- User profile is created successfully

Steps to reproduce

#	Step	Action	Expected Result
1	Open onboarding form		Onboarding form displayed
2	Fill birthdate	01/01/2003	Birthdate accepted
3	Fill gender	Male	
4	Fill weight	70	
5	Fill height	170	
6	Click Save		Onboarding saved

ONB-002 - Save valid female profile

Priority	Severity	Behavior	Type	Layer	Is Flaky
Medium	Major	Positive	Functional	E2E	No
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Preconditions

- User on onboarding page

Postconditions

- Female profile saved

Steps to reproduce

#	Step	Action	Expected Result
1	Fill valid onboarding data	Female, 60kg, 165cm	Data accepted
2	Save onboarding		Profile saved succesfully

ONB-003 - Submit onboarding with empty required fields

Priority	Severity	Behavior	Type	Layer	Is Flaky
High	Major	Negative	Usability	E2E	No
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Tags

Onboarding

Preconditions

- User on onboarding page

Postconditions

- Data not saved

Steps to reproduce

#	Step	Action	Expected Result
1	Leave required fields empty		Empty fields remain blank
2	Click Save		Saved failed, Validation message displayed

KALORINAI-30 / User Onboarding / Negative Case

ONB-004 - Submit invalid data

Priority	Severity	Behavior	Type	Layer	Is Flaky
High	Critical	Not set	Functional	E2E	No
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Preconditions

- User on onboarding page

Postconditions

- Data not saved

Steps to reproduce

#	Step	Action	Expected Result
1	Open onboarding form		Onboarding form displayed

#	Step	Action	Expected Result
2	Fill invalid birthdate	30/05/2030	Validation error
3	Fill gender		
4	Fill activity		
5	Fill weight(kg)	9999kg	Validation error
6	Fill height(cm)	9999cm	Validation error
7	Click Save		Validation error until data filled right

KALORINAI-31 / User Onboarding / Negative Case

ONB-005 - Male user selects female special conditions

Priority	Severity	Behavior	Type	Layer	Is Flaky
Medium	Major	Negative	Usability	E2E	No
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Tags

Onboarding

Postconditions

- Data not saved
- Invalid selection rejected

Steps to reproduce

#	Step	Action	Expected Result
1	Open onboarding page		
2	Select gender	Male	
3	Select pregnant/breastfeeding option		Action failed

#	Step	Action	Expected Result
4	Save onboarding		Pregnant option disabled or validation shown

KALORINAI-32 / User Onboarding / Edge Case

ONB-006 - Enter decimal weight & height

Priority	Severity	Behavior	Type	Layer	Is Flaky
Low	Minor	Negative	Functional	E2E	No
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Tags

Onboarding

Steps to reproduce

#	Step	Action	Expected Result
1	Open onboarding page		
2	Enter decimal weight	70.5 kg	
3	Enter height	170.5 cm	Data saved correctly
4	Save onboarding		Data saved correctly

ONB-007 - Refresh page during onboarding

Priority	Severity	Behavior	Type	Layer	Is Flaky
Medium	Major	Destructive	Regression	E2E	Yes
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Tags

Onboarding

Preconditions

- User filling onboarding form

Postconditions

- Onboarding form filled
- Application remains stable

Steps to reproduce

#	Step	Action	Expected Result
1	Open onboarding page		
2	Fill onboarding form		
3	Refresh browser		Page reload success
4	Verify onboarding state		User on Onboarding page

PROT-001 - Authenticated user can access Home

Priority	Severity	Behavior	Type	Layer	Is Flaky
High	Critical	Positive	Functional	E2E	No
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Tags

Home Page

Preconditions

- User is authenticated (logged in)
- User is on application Home page

Postconditions

- Home page content is accessible

Steps to reproduce

#	Step	Action	Expected Result
		[testuser.qa@gmail.com]()	
1	Login using valid credentials	QaTest123!	User is authenticated successfully
2	User auto navigate to home page	/home	Home page loads successfully
3	Verify Home page content usability		Home page component correctly

PROT-002 - Authenticated user can access Meals

Priority	Severity	Behavior	Type	Layer	Is Flaky
High	Critical	Positive	Functional	E2E	No
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Preconditions

- User is authenticated (logged in)
- User can access menu

Postconditions

- Meals page content is accessible

Steps to reproduce

#	Step	Action	Expected Result
1	Login using valid credentials	[testuser.qa@gmail.com]() QaTest123!	User is authenticated successfully
2	Navigate to Meals menu	/meals	Meals page loads successfully
3	Verify Meals page content visibility		Meals page components are displayed correctly

PROT-003 - Authenticated user can access Track page

Priority	Severity	Behavior	Type	Layer	Is Flaky
High	Critical	Positive	Functional	E2E	No
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Preconditions

- User is authenticated (logged in)
- User can access menu after login

Postconditions

- Track page content is accessible

Steps to reproduce

#	Step	Action	Expected Result
1	Login using valid credentials	[testuser.qa@gmail.com]() QaTest123!	User is authenticated successfully
2	Navigate to Track menu	/track	Track page loads successfully
3	Verify Track page content		

PROT-004 - Authenticated user can access Insights page

Priority	Severity	Behavior	Type	Layer	Is Flaky
High	Critical	Positive	Functional	E2E	No
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Postconditions

- Insights page content is accessible

Steps to reproduce

#	Step	Action	Expected Result
1	Login using valid credentials	[testuser.qa@gmail.com]() QaTest123!	User is authenticated successfully
2	Navigate to Insights menu	/insights	Insights page loads successfully
3	Verify Insights page content visibility		

PROT-005 - Authenticated user can access Profile page

Priority	Severity	Behavior	Type	Layer	Is Flaky
High	Critical	Positive	Functional	E2E	No
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Postconditions

- Profile (account) page content is accessible

Steps to reproduce

#	Step	Action	Expected Result
1	Login using valid credentials	[testuser.qa@gmail.com]() QaTest123!	User is authenticated successfully
2	Navigate to Profile menu	/profile	Profile page loads successfully
3	Verify Profile page content visibility		Profile information is displayed correctly

KALORINAI-19 / Protected Routes / Negative Case

PROT-006 - Guest user cannot access Home page

Priority	Severity	Behavior	Type	Layer	Is Flaky
High	Critical	Negative	Functional	E2E	No
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Preconditions

- User is not authenticated

Postconditions

- Unauthorize access is prevented

Steps to reproduce

#	Step	Action	Expected Result
1	Open browser	https://kalorin-ai.vercel.app/	Browser launches successfully
2	Enter protected Home URL manually	/home	Access request is triggered

#	Step	Action	Expected Result
3	Verify unauthorized access handling		User is redirected to login page or analyze

KALORINAI-20 / Protected Routes / Negative Case

PROT-007 - Guest user cannot access Meals page

Priority	Severity	Behavior	Type	Layer	Is Flaky
High	Critical	Negative	Security	E2E	No
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Preconditions

- User is not authenticated

Steps to reproduce

#	Step	Action	Expected Result
1	Open browser		
2	Enter protected Meals URL manually	https://kalorin-ai.vercel.app/meals	Access request is triggered
3	Verify unauthorized access handling		

KALORINAI-21 / Protected Routes / Negative Case

PROT-008 - Guest user cannot access Track page

Priority	Severity	Behavior	Type	Layer	Is Flaky
High	Critical	Negative	Security	E2E	No
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Steps to reproduce

#	Step	Action	Expected Result
1	Open browser		
2	Enter protected Track URL manually	https://kalorin-ai.vercel.app/track	Access request is triggered
3	Verify unauthorized access handling		User is redirected to login page

KALORINAI-22 / Protected Routes / Negative Case

PROT-009 - Guest user cannot access Insights page

Priority	Severity	Behavior	Type	Layer	Is Flaky
High	Critical	Negative	Security	E2E	No
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Steps to reproduce

#	Step	Action	Expected Result
1	Open browser		
2	Enter protected Insights URL manually	https://kalorin-ai.vercel.app/insights	Access request is triggered
3	Verify unauthorized access handling		User is redirected to login page

KALORINAI-23 / Protected Routes / Negative Case

PROT-010 - Guest user cannot access Profile page

Priority	Severity	Behavior	Type	Layer	Is Flaky
High	Critical	Negative	Security	E2E	No
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Steps to reproduce

#	Step	Action	Expected Result
1	Open browser		
2	Enter protected Profile URL manually	https://kalorin-ai.vercel.app/profile	Access request is triggered
3	Verify unauthorized access handling		User is redirected to analyze page

KALORINAI-24 / Protected Routes / Edge Case

PROT-011 - Refresh protected page after login

Priority	Severity	Behavior	Type	Layer	Is Flaky
Medium	Major	Destructive	Regression	E2E	Yes
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Preconditions

- User is authenticated

Postconditions

- Session remains active after refresh

Steps to reproduce

#	Step	Action	Expected Result
1	Login using valid credentials	[testuser.qa@gmail.com]() QaTest123!	User is authenticated successfully
2	Navigate to protected route	/home	Protected page loads successfully

#	Step	Action	Expected Result
3	Refresh browser page		
4	Verify session persistence after refresh		User remains authenticated

KALORINAI-25 / Protected Routes / Edge Case

PROT-012 Access protected route using expired session

Priority	Severity	Behavior	Type	Layer	Is Flaky
Medium	Critical	Destructive	Security	E2E	Yes
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Preconditions

- User session exists
- Session expiration mechanism is active

Postconditions

- Expired session is invalidated

Steps to reproduce

#	Step	Action	Expected Result
1	Login using valid credentials	[testuser.qa@gmail.com]()	User is authenticated successfully
		QaTest123!	
2	Wait until session expires		
3	Attempt to access protected route	/home	Expired session is detected
4	Verify unauthorized access handling		

PROT-013 - Navigate back after logout

Priority	Severity	Behavior	Type	Layer	Is Flaky
Medium	Major	Destructive	Regression	E2E	No
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Preconditions

- User was previously authenticated
- User has logged out successfully

Postconditions

- Protected pages remain inaccessible

Steps to reproduce

#	Step	Action	Expected Result
1	Login using valid credentials	[testuser.qa@gmail.com]() QaTest123!	User is authenticated successfully
2	Logout from application		User session is terminated
3	Click browser back button		Previous protected page request is triggered
4	Verify protected page accessibility		User is redirected to login page or access is denied

HOME-001 - Access Home Page Succesfully

Priority	Severity	Behavior	Type	Layer	Is Flaky
High	Critical	Positive	Functional	E2E	No
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Tags

Home Page

Preconditions

- User logged in
- Onboarding completed

Postconditions

- Home page displayed successfully

Steps to reproduce

#	Step	Action	Expected Result
1	Open Home page		Home page loads successfully
2	Observe page content		All home components displayed correctly

HOME-002 - Display User Welcome Information

Priority	Severity	Behavior	Type	Layer	Is Flaky
Medium	Major	Positive	Functional	E2E	No
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Preconditions

- User logged in

Postconditions

- User information displayed

Steps to reproduce

#	Step	Action	Expected Result
1	Open Home page		Home page displayed
2	Observe welcome section		User name displayed correctly

KALORINAI-36 / Home / Positive Case

HOME-003 - Display Homepage Contents

Priority	Severity	Behavior	Type	Layer	Is Flaky
High	Critical	Positive	Functional	E2E	No
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Tags

Home Page

Postconditions

- User information displayed
- Display Daily Nutrition Summary
- Display BMI Information
- Display Calorie Target Information

Steps to reproduce

#	Step	Action	Expected Result
1	Open Home page		Home page displayed
2	Observe contents displayed		

KALORINAI-37 / Home / Edge Case

HOME-004 - Display Empty State for New User

Priority	Severity	Behavior	Type	Layer	Is Flaky
Medium	Minor	Positive	Functional	E2E	No
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Tags

Home Page

Preconditions

- New account
- No meal history

Postconditions

- Empty state displayed

Steps to reproduce

#	Step	Action	Expected Result
1	Login using new account		
2	Open Home page		Empty state displayed properly

ANALYZE-001 - Access Analyze Page Successfully

Priority	Severity	Behavior	Type	Layer	Is Flaky
High	Critical	Positive	Functional	E2E	No
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Tags

Analyze Page

Preconditions

- User or guest accesses application

Postconditions

- Analyze page displayed

Steps to reproduce

#	Step	Action	Expected Result
1	Open Analyze page	/analyze	Analyze page loads successfully
2	Observe page content		All analyze components displayed correctly

ANALYZE-002 - Search Food Using Valid Keyword

Priority	Severity	Behavior	Type	Layer	Is Flaky
High	Major	Positive	Functional	E2E	No
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Preconditions

- Analyze page opened

Postconditions

- Food results displayed

Steps to reproduce

#	Step	Action	Expected Result
1	Click Search bar		Search tab displayed
2	Enter search keyword	chicken	Keyword entered
3	Click Enter		Matching food results displayed

KALORINAI-40 / Analyze / Positive Case

ANALYZE-003 - Search Food Using Partial Keyword

Priority	Severity	Behavior	Type	Layer	Is Flaky
Medium	Major	Positive	Functional	E2E	No
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Tags

Analyze Page

Preconditions

- Analyze page opened

Postconditions

- Relevant results displayed

Steps to reproduce

#	Step	Action	Expected Result
1	Click Search bar		
2	Enter keyword	chic	Partial keyword enter
3	Click Search		Relevant foods displayed

KALORINAI-41 / Analyze / Positive Case

ANALYZE-004 - Display Food Detail Information

Priority	Severity	Behavior	Type	Layer	Is Flaky
Medium	Major	Positive	Other	E2E	No
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Tags

Analyze Page, Search

Preconditions

- Food search result available

Postconditions

- Food detail displayed

Steps to reproduce

#	Step	Action	Expected Result
1	Click Search bar		
2	Search food	chicken	Results displayed
3	Open food detail		Food detail information displayed

KALORINAI-46 / Analyze / Positive Case

ANALYZE-009 - Upload Valid Food Image

Priority	Severity	Behavior	Type	Layer	Is Flaky
High	Critical	Positive	Functional	E2E	Yes
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Tags

Analyze Page

Postconditions

- Scan result displayed

Steps to reproduce

#	Step	Action	Expected Result
1	Upload food image		Image uploaded
2	Start scan		AI analysis completed successfully

KALORINAI-47 / Analyze / Positive Case

ANALYZE-010 - Upload Food Image With Multiple Foods

Priority	Severity	Behavior	Type	Layer	Is Flaky
Medium	Major	Positive	Functional	E2E	Yes
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Tags

Analyze Page

Postconditions

- Scan result displayed
- Analysis result displayed

Steps to reproduce

#	Step	Action	Expected Result
1	Upload image containing multiple foods		
2	Start scan		AI result displayed successfully

KALORINAI-55 / Analyze / Positive Case

ANALYZE-018 - Guest User Access Analyze Page

Priority	Severity	Behavior	Type	Layer	Is Flaky
High	Critical	Positive	Functional	E2E	No
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Tags
Analyze Page

Preconditions

- User not logged in
- Analyze page opened

Postconditions

- Analyze page accessible

Steps to reproduce

#	Step	Action	Expected Result
1	Open Analyze page		
2	Use search feature		Feature accessible to guest

KALORINAI-56 / Analyze / Positive Case

ANALYZE-019 - Guest User Upload Food Image

Priority	Severity	Behavior	Type	Layer	Is Flaky
High	Critical	Positive	Functional	E2E	Yes
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Tags

Analyze Page

Postconditions

- Analyze page accessible

Steps to reproduce

#	Step	Action	Expected Result
1	Open Analyze page		
2	Upload food image		Upload successful
3	Start scan		AI result displayed

KALORINAI-42 / Analyze / Negative Case

ANALYZE-005 - Search Non-Existing Food

Priority	Severity	Behavior	Type	Layer	Is Flaky
Medium	Minor	Negative	Usability	E2E	No
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Tags

Analyze Page, Search

Preconditions

- Analyze page opened

Postconditions

- Empty state displayed

Steps to reproduce

#	Step	Action	Expected Result
1	Click search bar		
2	Enter keyword	asdasdasdasd	
3	Click Search		No result / empty state displayed

KALORINAI-43 / Analyze / Negative Case

ANALYZE-006 - Search With Empty Keyword

Priority	Severity	Behavior	Type	Layer	Is Flaky
Medium	Minor	Negative	Usability	E2E	No
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Tags

Analyze Page, Search

Postconditions

- Validation shown

Steps to reproduce

#	Step	Action	Expected Result
1	Click search bar		

#	Step	Action	Expected Result
2	Leave search field empty		Empty field
3	Click Search		

KALORINAI-48 / Analyze / Negative Case

ANALYZE-011 - Upload Non-Food Image

Priority	Severity	Behavior	Type	Layer	Is Flaky
Medium	Major	Negative	Usability	E2E	Yes
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Tags

Analyze Page

Postconditions

- Error or unsupported result displayed

Steps to reproduce

#	Step	Action	Expected Result
1	Upload non-food image		
2	Start scan		Proper handling displayed

KALORINAI-49 / Analyze / Negative Case

ANALYZE-012 - Upload Unsupported File Format

Priority	Severity	Behavior	Type	Layer	Is Flaky
Medium	Major	Negative	Usability	E2E	No
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Tags

Analyze Page

Postconditions

- File rejected

Steps to reproduce

#	Step	Action	Expected Result
1	Upload file		File selected
2	Start scan		Validation error displayed

KALORINAI-50 / Analyze / Negative Case

ANALYZE-013 - Upload Corrupted Image

Priority	Severity	Behavior	Type	Layer	Is Flaky
Medium	Major	Negative	Functional	E2E	Yes
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Tags

Analyze Page

Steps to reproduce

#	Step	Action	Expected Result
1	Upload corrupted image		
2	Start scan		Error message displayed

KALORINAI-51 / Analyze / Negative Case

ANALYZE-014 - Upload Very Large Image

Priority	Severity	Behavior	Type	Layer	Is Flaky
Medium	Major	Destructive	Functional	E2E	Yes
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Tags

Analyze Page

Postconditions

- File rejected
- System remains stable

Steps to reproduce

#	Step	Action	Expected Result
1	Upload large image	15MB+ image	
2	Start scan		System handles request properly

KALORINAI-44 / Analyze / Edge Case

ANALYZE-007 - Search Using Special Characters

Priority	Severity	Behavior	Type	Layer	Is Flaky
Low	Minor	Negative	Exploratory	E2E	No
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Tags

Analyze Page, Search

Postconditions

- System handles input safely

Steps to reproduce

#	Step	Action	Expected Result
1	Click search bar		
2	Enter keyword	@#\$\$%^&*	
3	Click Search		System handles request gracefully

KALORINAI-45 / Analyze / Edge Case

ANALYZE-008 - Rapid Search Requests

Priority	Severity	Behavior	Type	Layer	Is Flaky
Medium	Major	Destructive	Regression	E2E	Yes
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Tags

Analyze Page, Search

Postconditions

- Search remains stable

Steps to reproduce

#	Step	Action	Expected Result
1	Click search bar		
2	Perform multiple searches quickly	chicken, rice, egg	
3	Observe result		No crash or duplicated result

KALORINAI-52 / Analyze / Edge Case

ANALYZE-015 - Internet Disconnected During Food Search

Priority	Severity	Behavior	Type	Layer	Is Flaky
Medium	Major	Negative	Usability	E2E	Yes
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Tags

Analyze Page

Postconditions

- File rejected
- Proper error shown

Steps to reproduce

#	Step	Action	Expected Result
1	Enter keyword	chicken	
2	Disconnect internet		Network unavailable
3	Click Search		Error message displayed

KALORINAI-53 / Analyze / Edge Case

ANALYZE-016 - Internet Disconnected During AI Scan

Priority	Severity	Behavior	Type	Layer	Is Flaky
Medium	Major	Negative	Usability	E2E	Yes
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Tags

Analyze Page

Postconditions

- Scan fails gracefully

Steps to reproduce

#	Step	Action	Expected Result
1	Upload valid image		
2	Disconnect internet		
3	Start scan		

KALORINAI-54 / Analyze / Edge Case

ANALYZE-017 - Refresh Page During AI Scanning

Priority	Severity	Behavior	Type	Layer	Is Flaky
Medium	Major	Destructive	Regression	E2E	Yes
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Tags

Analyze Page

Preconditions

- Analyze page opened
- Scan process running

Postconditions

- Application remains stable

Steps to reproduce

#	Step	Action	Expected Result
1	Upload image		
2	Start scan		Scanning started
3	Refresh browser		Application reloads successfully

KALORINAI-57 / Meals / Positive Case

MEALS-001 - Access Meals Page Successfully

Priority	Severity	Behavior	Type	Layer	Is Flaky
High	Critical	Positive	Functional	E2E	No
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Tags

Meals

Preconditions

- User logged in
- Onboarding completed

Postconditions

- Meals page displayed

Steps to reproduce

#	Step	Action	Expected Result
1	Open Meals page	/meals	Meals page loads successfully
2	Observe page content		Recommendation section displayed

KALORINAI-58 / Meals / Positive Case

MEALS-002 - Display Personalized Recommendations

Priority	Severity	Behavior	Type	Layer	Is Flaky
High	Critical	Positive	Other	E2E	No
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Tags

Meals

Preconditions

- User profile completed

Postconditions

- Recommendation list displayed

Steps to reproduce

#	Step	Action	Expected Result
1	Open Meals page		Page loads
2	Observe recommendation list		Personalized recommendations displayed

MEALS-003 - Open Recommendation Detail

Priority	Severity	Behavior	Type	Layer	Is Flaky
Medium	Major	Positive	Functional	E2E	No
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Tags

Meals

Preconditions

- Recommendation list available

Postconditions

- Food detail displayed

Steps to reproduce

#	Step	Action	Expected Result
1	Open Meals page		Recommendations displayed
2	Click recommendation item	Any food	Food detail displayed successfully

MEALS-004 — Display AI Food Explanation

Priority	Severity	Behavior	Type	Layer	Is Flaky
Medium	Major	Positive	Functional	E2E	Yes
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Postconditions

- AI explanation displayed

Steps to reproduce

#	Step	Action	Expected Result
1	Open recommendation detail		
2	Observe AI explanation section		Explanation displayed correctly

KALORINAI-61 / Meals / Positive Case

MEALS-005 - Generate Recommendation Based On Profile

Priority	Severity	Behavior	Type	Layer	Is Flaky
High	Critical	Positive	Functional	E2E	Yes
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Tags

Meals

Postconditions

- Recommendation generated

Steps to reproduce

#	Step	Action	Expected Result
1	Open Meals page		
2	Observe recommendations		Recommendation matches user profile data

MEALS-006 - Recommendation Service Returns Empty Result

Priority	Severity	Behavior	Type	Layer	Is Flaky
Medium	Major	Negative	Usability	E2E	Yes
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Preconditions

- Recommendation service available

Postconditions

- Empty state displayed

Steps to reproduce

#	Step	Action	Expected Result
1	Open Meals page		Recommendation requested
2	Observe page		

MEALS-007 - AI Recommendation Request Failure

Priority	Severity	Behavior	Type	Layer	Is Flaky
Medium	Major	Negative	Smoke	E2E	Yes
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Preconditions

- Meals page opened

Postconditions

- Error displayed

Steps to reproduce

#	Step	Action	Expected Result
1	Trigger recommendation request		
2	Simulate API failure		Proper error message displayed

KALORINAI-64 / Meals / Edge Case

MEALS-008 - Refresh Page During Recommendation Loading

Priority	Severity	Behavior	Type	Layer	Is Flaky
Medium	Major	Destructive	Regression	E2E	Yes
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Preconditions

- Recommendation loading process running

Postconditions

- Application remains stable

Steps to reproduce

#	Step	Action	Expected Result
1	Open Meals page		
2	Refresh browser		
3	Observe page		

MEALS-009 - Internet Disconnected During Recommendation Request

Priority	Severity	Behavior	Type	Layer	Is Flaky
Medium	Major	Destructive	Regression	E2E	Yes
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Tags

Meals

Preconditions

- Meals page opened

Postconditions

- Error displayed properly

Steps to reproduce

#	Step	Action	Expected Result
1	Open Meals page		
2	Disconnect internet		Network unavailable
3	Observe page		Proper network error displayed

MEALS-010 - Recommendation Consistency Validation

Priority	Severity	Behavior	Type	Layer	Is Flaky
Medium	Major	Positive	Regression	E2E	Yes
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Tags

Meals

Preconditions

- User profile completed

Postconditions

- Recommendation remains relevant

Steps to reproduce

#	Step	Action	Expected Result
1	Open Meals page multiple times		Recommendation generated
2	Compare results		Recommendations remain relevant to profile

TRACK-001 - Access Track Page Successfully

Priority	Severity	Behavior	Type	Layer	Is Flaky
High	Critical	Positive	Functional	E2E	No
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Tags

Track

Preconditions

- User logged in
- Onboarding completed

Postconditions

- Track page displayed

Steps to reproduce

#	Step	Action	Expected Result
1	Open Track page		
2	Observe page content		All tracking components displayed

TRACK-002 - Add Meal Successfully

Priority	Severity	Behavior	Type	Layer	Is Flaky
High	Critical	Positive	Functional	E2E	No
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Tags

Track

Preconditions

- User on Track page

Postconditions

- Meal saved

Steps to reproduce

#	Step	Action	Expected Result
1	Click Add Meal		
2	Select food	Chicken Teriyaki	
3	Save meal		Meal saved successfully

KALORINAI-69 / Track / Positive Case

TRACK-003 - Add Meal Using Scan & Log Meal

Priority	Severity	Behavior	Type	Layer	Is Flaky
Not set	Critical	Positive	Functional	E2E	Yes
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Tags

Track

Postconditions

- Meal logged successfully

Steps to reproduce

#	Step	Action	Expected Result
1	Click Scan & Log Meal		
2	Upload food image		
3	Save result		Meal added to tracking history

KALORINAI-70 / Track / Positive Case

TRACK-004 - Display Daily Nutrition Progress

Priority	Severity	Behavior	Type	Layer	Is Flaky
High	Major	Positive	Functional	E2E	No
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Tags

Track

Postconditions

- Progress displayed

Steps to reproduce

#	Step	Action	Expected Result
1	Open Track page		
2	Observe progress section		Nutrition progress displayed correctly

KALORINAI-71 / Track / Positive Case

TRACK-005 - Display Meal History

Priority	Severity	Behavior	Type	Layer	Is Flaky
High	Major	Positive	Functional	E2E	No
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Tags

Track

Preconditions

- User has meal logs

Postconditions

- History displayed

Steps to reproduce

#	Step	Action	Expected Result
1	Open Track page		
2	Observe meal history		

TRACK-006 - Track Multiple Meals In One Day

Priority	Severity	Behavior	Type	Layer	Is Flaky
Medium	Major	Positive	Functional	E2E	No
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Tags

Track

Preconditions

- User on Track page

Postconditions

- Multiple meals recorded

Steps to reproduce

#	Step	Action	Expected Result
1	Add breakfast	Egg	Meal saved
2	Add lunch	Chicken	Meal saved
3	Add dinner	Rice	Meal saved
4	Observe history		All meals displayed

TRACK-007 - Display Correct Nutrition Summary

Priority	Severity	Behavior	Type	Layer	Is Flaky
Medium	Major	Positive	Functional	E2E	No
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Tags

Track

Preconditions

- User has meal logs

Postconditions

- Nutrition summary displayed

Steps to reproduce

#	Step	Action	Expected Result
1	Open Track page		
2	Observe summary section		Nutrition summary calculated correctly

KALORINAI-78 / Track / Positive Case

TRACK-012 - Verify Daily Progress Updates After New Meal

Priority	Severity	Behavior	Type	Layer	Is Flaky
High	Critical	Positive	Functional	E2E	No
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Tags

Track

Preconditions

- User has existing progress

Postconditions

- Progress updated

Steps to reproduce

#	Step	Action	Expected Result
1	Record current progress		
2	Add meal		
3	Observe progress		Progress increases accordingly

KALORINAI-79 / Track / Positive Case

TRACK-013 - Verify Meal Appears In History After Saving

Priority	Severity	Behavior	Type	Layer	Is Flaky
High	Critical	Positive	Functional	E2E	No
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Preconditions

- User on Track page

Postconditions

- Meal appears in history

Steps to reproduce

#	Step	Action	Expected Result
1	Add meal		
2	Open history section		Newly added meal displayed

KALORINAI-74 / Track / Negative Case

TRACK-008 - Add Meal With Incomplete Data

Priority	Severity	Behavior	Type	Layer	Is Flaky
Medium	Major	Negative	Functional	E2E	No
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Tags

Track

Preconditions

- Add meal form opened

Postconditions

- Meal not saved

Steps to reproduce

#	Step	Action	Expected Result
1	Leave required field empty		
2	Save meal		Validation message displayed

KALORINAI-75 / Track / Negative Case

TRACK-009 - Display Empty Meal History

Priority	Severity	Behavior	Type	Layer	Is Flaky
Medium	Normal	Negative	Functional	E2E	No
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Tags

Track

Preconditions

- New user account

Postconditions

- Empty state displayed

Steps to reproduce

#	Step	Action	Expected Result
1	Open Track page		Page loads
2	Observe history		Empty state displayed correctly

TRACK-010 - Add Duplicate Meal Entries

Priority	Severity	Behavior	Type	Layer	Is Flaky
Medium	Minor	Negative	Functional	E2E	No
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Tags

Track

Preconditions

- User on Track page

Postconditions

- System handles duplicates correctly

Steps to reproduce

#	Step	Action	Expected Result
1	Add meal	Chicken	
2	Add same meal again	Chicken	System handles duplicate correctly

TRACK-011 - Rapid Multiple Meal Submission

Priority	Severity	Behavior	Type	Layer	Is Flaky
Medium	Major	Destructive	Regression	E2E	No
Is Muted	Automation	Status	Milestone		
No	Manual	Actual	-		

Tags

Track

Postconditions

- System handles duplicates correctly
- No duplicate system errors

Steps to reproduce

#	Step	Action	Expected Result
1	Click Save repeatedly	Multiple clicks	Application remains stable