

PRAKTIKUM BASIS DATA
MODUL 9
(09_Scripting_Procedure_dan_Function)



Oleh:
(Naufal Kafabih Khalwani) (103122400036)

PROGRAM STUDI S1 REKAYASA PERANGKAT LUNAK
DIREKTORAT KAMPUS PURWOKERTO
UNIVERSITAS TELKOM

2026

Jurnal

jmmodul12 D SUMMARIZE tap_in_out_log;

column_name varchar	column_type varchar	...	count int64	null_percentage decimal(9,2)
id_transaksi	UUID	...	30	0.00
nomor_kartu	VARCHAR	...	30	0.00
id_halte_asal	VARCHAR	...	30	0.00
id_halte_tujuan	VARCHAR	...	30	0.00
waktu_tap_in	TIMESTAMP	...	30	0.00
waktu_tap_out	TIMESTAMP	...	30	0.00
tarif_debet	DECIMAL(10,2)	...	30	0.00
sisa_saldo_kartu	DECIMAL(12,2)	...	30	0.00
tipe_pembayaran	VARCHAR	...	30	0.00
jenis_perjalanan	VARCHAR	...	30	0.00
catatan_sistem	VARCHAR	...	30	0.00

11 rows

12 columns (4 shown)

jmmodul12 D SELECT * FROM 'halte_busway.csv' LIMIT 5;

id_halte varchar	nama_halte varchar	...	kecamatan varchar	kota_administrasi varchar
H01	Blok M	...	Kebayoran Baru	Jakarta Selatan
H02	Bundaran HI	...	Menteng	Jakarta Pusat
H03	Harmoni	...	Gambir	Jakarta Pusat
H04	Monas	...	Gambir	Jakarta Pusat
H05	Kampung Melayu	...	Jatinegara	Jakarta Timur

5 rows

12 columns (4 shown)

jmmodul12 D SELECT *
FROM 'halte_busway.csv'
WHERE kota_administrasi = 'Jakarta Pusat';

id_halte varchar	nama_halte varchar	...	kecamatan varchar	kota_administrasi varchar
H02	Bundaran HI	...	Menteng	Jakarta Pusat
H03	Harmoni	...	Gambir	Jakarta Pusat
H04	Monas	...	Gambir	Jakarta Pusat
H07	Tosari	...	Menteng	Jakarta Pusat
H11	Pasar Baru	...	Sawah Besar	Jakarta Pusat
H16	Benhil	...	Tanah Abang	Jakarta Pusat
H17	Senen	...	Senen	Jakarta Pusat
H24	Slipi Petamburan	...	Tanah Abang	Jakarta Pusat
H29	Sawah Besar	...	Sawah Besar	Jakarta Pusat

9 rows

12 columns (4 shown)

```
jmmodu12 D SELECT * EXCLUDE (lokasi_lat, lokasi_lon)
FROM halte_busway
LIMIT 5;
```

id_halte varchar	nama_halte varchar	...	kecamatan varchar	kota_administrasi varchar
H01	Blok M	...	Kebayoran Baru	Jakarta Selatan
H02	Bundaran HI	...	Menteng	Jakarta Pusat
H03	Harmoni	...	Gambir	Jakarta Pusat
H04	Monas	...	Gambir	Jakarta Pusat
H05	Kampung Melayu	...	Jatinegara	Jakarta Timur

5 rows

10 columns (4 shown)

3 rows
jmmodul12 D .timer on

jmmodul12 D SELECT

```
        h_asal.nama_halte,  
        h_tujuan.nama_halte,  
        COUNT(*) AS jumlah  
FROM tap_in_out_log t  
JOIN halte_busway h_asal  
    ON t.id_halte_asal = h_asal.id_halte  
JOIN halte_busway h_tujuan  
    ON t.id_halte_tujuan = h_tujuan.id_halte  
GROUP BY 1,2  
ORDER BY jumlah DESC;
```

nama_halte varchar	nama_halte varchar	jumlah int64
Pinang Ranti	Cawang UKI	1
Kota	Tanjung Priok	1
Pluit	Pasar Baru	1
Blok M	Harmoni	1
Pasar Baru	Pluit	1
Bundaran HI	Kota	1
Kota	Ancol	1
Harmoni	Pulo Gadung	1
Ragunan	Blok M	1
Slipi Petamburan	Gatot Subroto LIPI	1
Grogol 1	Kampung Melayu	1
Tosari	Kuningan Timur	1
Kuningan Timur	Grogol 1	1
Senen	Harmoni	1
Manggarai	Blok M	1
Ciledug	Dukuh Atas 1	1
Tanjung Priok	Ciledug	1
Kuningan Timur	Bundaran HI	1
Cawang UKI	Pinang Ranti	1
Kampung Melayu	Tosari	1
Matraman 1	Senen	1
Lebak Bulus	Dukuh Atas 1	1
Bundaran HI	Ancol	1
Gatot Subroto LIPI	Pancoran Barat	1
Monas	Lebak Bulus	1
Blok M	Tosari	1
Pancoran Barat	Slipi Petamburan	1
Pulo Gadung	Pasar Baru	1
Ancol	Bundaran HI	1
Petamburan	Grogol 1	1

30 rows

3 columns

Run Time (s): real 0.022 user 0.015625 sys 0.125000