


Exercise 14: Forking

In this exercise, you will fork a project to your own repository. The exercise will give you a chance to practice many of the things that you learned previously.


Fork a Repository

Follow these steps to fork a documentation-related project on GitHub:

1. In a browser, open <http://github.com>. Log in if necessary.
2. In the top left search bar, type in “documentation”. Press the return key to search.



3. Click on any of the projects that are returned from the search.
4. Click on the **Fork** button in the upper right corner.



5. If you have more than one account, it may ask you to choose an account.
6. Wait for a copy to be made in your own GitHub account.

Congratulations! You have forked a project.

Clone your Forked Repository

Now you'll clone the repository you forked and make a change. Follow these steps:

1. Click the **Clone or Download** button.
2. If it says **Clone with HTTPS**, you are fine. If it says **Clone with SSH**, then click on **Use HTTPS**.
3. Click the Clipboard icon to the right of the URL.
4. Open up your terminal console and change directory into your home directory using `cd ~`
5. Type `git clone` with a space at the end. Then do a paste to add the URL. It should look something like:

```
git clone https://github.com/sdkbridge/documentation.git
```

6. Using the File Explorer or Finder, explore the directory you just downloaded from GitHub. To find it, go to your home directory and look for a folder that matches the name that's just before the `.git` in the URL. In the URL above, `git clone` creates a directory called **documentation**.
7. Find a Markdown file to modify. It will end in `.md`. Try opening various folders until you find one. If you can't find one, there should at least be a file called **README.md** at the top level.
8. Open your Markdown file in your editor. Make a small change. Save it.
9. Return to your terminal console. Change directory into your repository. (That is, do a `cd documentation`, or whatever the name the directory is that the `git clone` command just created.) Add the change, commit it, and push it.
10. Return to GitHub and verify that the change has been pushed.

Create a Pull Request (Almost)

Now let's say you wanted to merge your change back into the original project. You would request that the owner of the project accept your change through a pull request. Don't actually make the pull request – that would be a nuisance for the person who has to look at the pull requests.

1. In GitHub, return to the top level of the repository. You can click on link at the top that has your username followed by a slash, and then the repository name.
2. Click on the New pull request button.
3. Verify that it shows the changes that you made.



If you were making an actual pull request at this point, you would click the Create Pull Request button, and it would lead you through the process of creating the pull request. Please don't actually do this!

Clean Up

You don't need this project anymore, so let's clean up.

1. From File Explorer or Finder, remove the repository directory.
2. Return to GitHub and go to the top level of your repository.
3. Click on the Settings button at the top menu bar.
4. Scroll down to the last section, which is called **Danger Zone**.
5. Click on **Delete this repository**.



Delete this repository

Once you delete a repository, there is no going back. Please be certain.

Delete this repository

6. GitHub will now lead you through a series of steps to ensure that you really want to delete the repository. Deleting a repository cannot be undone.

