


K. Navadeep Reddy


192311305


Experiment 27






Weka Explorer
Preprocess
Classify
Cluster
Associate
Select attributes
Visualize
Associator
Choose
Apriori -N 100 -T 0 -C 0.6 -D 0.05 -U 0.3333 -M 0.3333 -S -1.0 -c -1
Start
Stop
Result list (right-click for ...
08:34:14 - Apriori
08:45:36 - Apriori
Associator output
Best rules found:
1. Buns=yes 2 ==> HotDogs=yes 2 <conf:(1)> lift:(1.5) lev:(0.11) [0] conv:(0.67)
2. Chips=no 2 ==> HotDogs=yes 2 <conf:(1)> lift:(1.5) lev:(0.11) [0] conv:(0.67)
3. HotDogs=no 2 ==> Buns=no 2 <conf:(1)> lift:(1.5) lev:(0.11) [0] conv:(0.67)
4. HotDogs=no 2 ==> Chips=yes 2 <conf:(1)> lift:(1.5) lev:(0.11) [0] conv:(0.67)
5. Chips=no 2 ==> Buns=yes 2 <conf:(1)> lift:(3) lev:(0.22) [1] conv:(1.33)
6. Buns=yes 2 ==> Chips=no 2 <conf:(1)> lift:(3) lev:(0.22) [1] conv:(1.33)
7. Buns=yes 2 ==> Coke=no 2 <conf:(1)> lift:(2) lev:(0.17) [1] conv:(1)
8. Ketchup=yes 2 ==> Coke=no 2 <conf:(1)> lift:(2) lev:(0.17) [1] conv:(1)
9. Chips=no 2 ==> Coke=no 2 <conf:(1)> lift:(2) lev:(0.17) [1] conv:(1)
10. Buns=yes Chips=no 2 ==> HotDogs=yes 2 <conf:(1)> lift:(1.5) lev:(0.11) [0] conv:(0.67)
11. HotDogs=yes Chips=no 2 ==> Buns=yes 2 <conf:(1)> lift:(3) lev:(0.22) [1] conv:(1.33)
12. HotDogs=yes Buns=yes 2 ==> Chips=no 2 <conf:(1)> lift:(3) lev:(0.22) [1] conv:(1.33)
13. Chips=no 2 ==> HotDogs=yes Buns=yes 2 <conf:(1)> lift:(3) lev:(0.22) [1] conv:(1.33)
14. Buns=yes 2 ==> HotDogs=yes Chips=no 2 <conf:(1)> lift:(3) lev:(0.22) [1] conv:(1.33)
15. Buns=yes Coke=no 2 ==> HotDogs=yes 2 <conf:(1)> lift:(1.5) lev:(0.11) [0] conv:(0.67)
16. HotDogs=yes Coke=no 2 ==> Buns=yes 2 <conf:(1)> lift:(3) lev:(0.22) [1] conv:(1.33)
17. HotDogs=yes Buns=yes 2 ==> Coke=no 2 <conf:(1)> lift:(2) lev:(0.17) [1] conv:(1)
18. Buns=yes 2 ==> HotDogs=yes Coke=no 2 <conf:(1)> lift:(3) lev:(0.22) [1] conv:(1.33)
19. HotDogs=yes Buns=no 2 ==> Ketchup=no 2 <conf:(1)> lift:(1.5) lev:(0.11) [0] conv:(0.67)
20. HotDogs=yes Chips=yes 2 ==> Buns=no 2 <conf:(1)> lift:(1.5) lev:(0.11) [0] conv:(0.67)
21. HotDogs=yes Buns=no 2 ==> Chips=yes 2 <conf:(1)> lift:(1.5) lev:(0.11) [0] conv:(0.67)
22. HotDogs=yes Coke=yes 2 ==> Buns=no 2 <conf:(1)> lift:(1.5) lev:(0.11) [0] conv:(0.67)
23. HotDogs=yes Buns=no 2 ==> Coke=yes 2 <conf:(1)> lift:(2) lev:(0.17) [1] conv:(1)
24. HotDogs=yes Chips=yes 2 ==> Ketchup=no 2 <conf:(1)> lift:(1.5) lev:(0.11) [0] conv:(0.67)
25. HotDogs=yes Coke=yes 2 ==> Ketchup=no 2 <conf:(1)> lift:(1.5) lev:(0.11) [0] conv:(0.67)
26. HotDogs=yes Coke=yes 2 ==> Chips=yes 2 <conf:(1)> lift:(1.5) lev:(0.11) [0] conv:(0.67)
27. HotDogs=yes Chips=yes 2 ==> Coke=yes 2 <conf:(1)> lift:(2) lev:(0.17) [1] conv:(1)
28. Chips=no Coke=no 2 ==> HotDogs=yes 2 <conf:(1)> lift:(1.5) lev:(0.11) [0] conv:(0.67)
29. HotDogs=yes Coke=no 2 ==> Chips=no 2 <conf:(1)> lift:(3) lev:(0.22) [1] conv:(1.33)
30. HotDogs=yes Chips=no 2 ==> Coke=no 2 <conf:(1)> lift:(2) lev:(0.17) [1] conv:(1)
31. Chips=no 2 ==> HotDogs=yes Coke=no 2 <conf:(1)> lift:(3) lev:(0.22) [1] conv:(1.33)
32. HotDogs=no Chips=yes 2 ==> Buns=no 2 <conf:(1)> lift:(1.5) lev:(0.11) [0] conv:(0.67)
33. HotDogs=no Buns=no 2 ==> Chips=yes 2 <conf:(1)> lift:(1.5) lev:(0.11) [0] conv:(0.67)
34. HotDogs=no 2 ==> Buns=no Chips=yes 2 <conf:(1)> lift:(1.5) lev:(0.11) [0] conv:(0.67)
35. Chips=no Coke=no 2 ==> Buns=yes 2 <conf:(1)> lift:(3) lev:(0.22) [1] conv:(1.33)
Status
OK
Log
x 0


Weka Explorer
Preprocess
Classify
Cluster
Associate
Select attributes
Visualize
Associator
Choose
Apriori -N 100 -T 0 -C 0.6 -D 0.05 -U 0.3333 -M 0.3333 -S -1.0 -c -1
Start
Stop
Result list (right-click for ...
08:34:14 - Apriori
08:45:36 - Apriori
Associator output
66. HotDogs=yes Chips=yes 2 ==> Buns=no Coke=yes 2 <conf:(1)> lift:(2) lev:(0.17) [1] conv:(1)
67. HotDogs=yes Buns=no 2 ==> Chips=yes Coke=yes 2 <conf:(1)> lift:(2) lev:(0.17) [1] conv:(1)
68. HotDogs=yes Chips=yes Coke=yes 2 ==> Ketchup=no 2 <conf:(1)> lift:(1.5) lev:(0.11) [0] conv:(0.67)
69. HotDogs=yes Ketchup=no Coke=yes 2 ==> Chips=yes 2 <conf:(1)> lift:(1.5) lev:(0.11) [0] conv:(0.67)
70. HotDogs=yes Ketchup=no Chips=yes 2 ==> Coke=yes 2 <conf:(1)> lift:(2) lev:(0.17) [1] conv:(1)
71. HotDogs=yes Coke=yes 2 ==> Ketchup=no Chips=yes 2 <conf:(1)> lift:(2) lev:(0.17) [1] conv:(1)
72. HotDogs=yes Chips=yes 2 ==> Ketchup=no Coke=yes 2 <conf:(1)> lift:(2) lev:(0.17) [1] conv:(1)
73. HotDogs=yes Ketchup=no Chips=yes Coke=yes 2 ==> Buns=no 2 <conf:(1)> lift:(1.5) lev:(0.11) [0] conv:(0.67)
74. HotDogs=yes Buns=no Chips=yes Coke=yes 2 ==> Ketchup=no 2 <conf:(1)> lift:(1.5) lev:(0.11) [0] conv:(0.67)
75. HotDogs=yes Buns=no Ketchup=no Coke=yes 2 ==> Chips=yes 2 <conf:(1)> lift:(1.5) lev:(0.11) [0] conv:(0.67)
76. HotDogs=yes Buns=no Ketchup=no Chips=yes 2 ==> Coke=yes 2 <conf:(1)> lift:(2) lev:(0.17) [1] conv:(1)
77. HotDogs=yes Chips=yes Coke=yes 2 ==> Buns=no Ketchup=no 2 <conf:(1)> lift:(2) lev:(0.17) [1] conv:(1)
78. HotDogs=yes Ketchup=no Coke=yes 2 ==> Buns=no Chips=yes 2 <conf:(1)> lift:(1.5) lev:(0.11) [0] conv:(0.67)
79. HotDogs=yes Ketchup=no Chips=yes 2 ==> Buns=no Coke=yes 2 <conf:(1)> lift:(2) lev:(0.17) [1] conv:(1)
80. HotDogs=yes Buns=no Coke=yes 2 ==> Ketchup=no Chips=yes 2 <conf:(1)> lift:(2) lev:(0.17) [1] conv:(1)
81. HotDogs=yes Buns=no Chips=yes 2 ==> Ketchup=no Coke=yes 2 <conf:(1)> lift:(2) lev:(0.17) [1] conv:(1)
82. HotDogs=yes Buns=no Ketchup=no 2 ==> Chips=yes Coke=yes 2 <conf:(1)> lift:(2) lev:(0.17) [1] conv:(1)
83. HotDogs=yes Coke=yes 2 ==> Buns=no Ketchup=no Chips=yes 2 <conf:(1)> lift:(2) lev:(0.17) [1] conv:(1)
84. HotDogs=yes Chips=yes 2 ==> Buns=no Ketchup=no Coke=yes 2 <conf:(1)> lift:(2) lev:(0.17) [1] conv:(1)
85. HotDogs=yes Buns=no 2 ==> Ketchup=no Chips=yes Coke=yes 2 <conf:(1)> lift:(2) lev:(0.17) [1] conv:(1)
86. Coke=yes 3 ==> HotDogs=yes 2 <conf:(0.67)> lift:(1) lev:(0) [0] conv:(0.5)
87. Coke=no 3 ==> HotDogs=yes 2 <conf:(0.67)> lift:(1) lev:(0) [0] conv:(0.5)
88. Coke=no 3 ==> Buns=yes 2 <conf:(0.67)> lift:(2) lev:(0.17) [1] conv:(1)
89. Coke=no 3 ==> Ketchup=yes 2 <conf:(0.67)> lift:(2) lev:(0.17) [1] conv:(1)
90. Coke=no 3 ==> Chips=no 2 <conf:(0.67)> lift:(2) lev:(0.17) [1] conv:(1)
91. Coke=no 3 ==> HotDogs=yes Buns=yes 2 <conf:(0.67)> lift:(2) lev:(0.17) [1] conv:(1)
92. Buns=no Ketchup=no 3 ==> HotDogs=yes 2 <conf:(0.67)> lift:(1) lev:(0) [0] conv:(0.5)
93. HotDogs=yes Ketchup=no 3 ==> Buns=no 2 <conf:(0.67)> lift:(1) lev:(0) [0] conv:(0.5)
94. Buns=no Coke=yes 3 ==> HotDogs=yes 2 <conf:(0.67)> lift:(1) lev:(0) [0] conv:(0.5)
95. Coke=yes 3 ==> HotDogs=yes Buns=no 2 <conf:(0.67)> lift:(2) lev:(0.17) [1] conv:(1)
96. Ketchup=no Chips=yes 3 ==> HotDogs=yes 2 <conf:(0.67)> lift:(1) lev:(0) [0] conv:(0.5)
97. HotDogs=yes Ketchup=no 3 ==> Chips=yes 2 <conf:(0.67)> lift:(1) lev:(0) [0] conv:(0.5)
98. Ketchup=no Coke=yes 3 ==> HotDogs=yes 2 <conf:(0.67)> lift:(1) lev:(0) [0] conv:(0.5)
99. HotDogs=yes Ketchup=no 3 ==> Coke=yes 2 <conf:(0.67)> lift:(1.33) lev:(0.08) [0] conv:(0.75)
100. Coke=yes 3 ==> HotDogs=yes Ketchup=no 2 <conf:(0.67)> lift:(1.33) lev:(0.08) [0] conv:(0.75)
Status
OK
Log
x 0


Weka Explorer
Preprocess
Classify
Cluster
Associate
Select attributes
Visualize
Associator
Choose
FPGrowth -P 1 -I -1 -N 100 -T 0 -C 0.6 -D 0.05 -U 0.3333 -M 0.3333
Start
Stop
Result list (right-click for ...
08:34:14 - Apriori
08:45:36 - Apriori
08:46:51 - FPGrowth
Associator output
=== Run information ===
Scheme: weka.associations.FPGrowth -P 1 -I -1 -N 100 -T 0 -C 0.6 -D 0.05 -U 0.3333 -M 0.3333
Relation: market_basket
Instances: 6
Attributes: 5
HotDogs
Buns
Ketchup
Chips
Coke
=== Associator model (full training set) ===
FPGrowth found 6 rules (displaying top 6)
1. [Buns=yes]: 2 ==> [HotDogs=yes]: 2 <conf:(1)> lift:(1.5) lev:(0.11) conv:(0.67)
2. [HotDogs=yes, Chips=yes]: 2 ==> [Coke=yes]: 2 <conf:(1)> lift:(2) lev:(0.17) conv:(1)
3. [HotDogs=yes, Coke=yes]: 2 ==> [Chips=yes]: 2 <conf:(1)> lift:(1.5) lev:(0.11) conv:(0.67)
4. [Coke=yes]: 3 ==> [HotDogs=yes]: 2 <conf:(0.67)> lift:(1) lev:(0) conv:(0.5)
5. [Coke=yes]: 3 ==> [HotDogs=yes, Chips=yes]: 2 <conf:(0.67)> lift:(2) lev:(0.17) conv:(1)
6. [Chips=yes, Coke=yes]: 3 ==> [HotDogs=yes]: 2 <conf:(0.67)> lift:(1) lev:(0) conv:(0.5)
Status
OK
Log
x 0