

Lab 2: Agile Backlog Creation & Sprint Simulation in Jira

Navaneeth Tanuboddi
PES1UG24CS709


1)Screenshot of Jira backlog with Epics and User Stories:-




2) Screenshot of Story point assignments:-




3) Screenshot of Sprint board (Active Sprint view):-



4) Screenshot of Burndown chart:-





5)Reflection Questions:

1. Did your estimations reflect the actual effort?
Ans :- Yes. The non-linear Fibonacci scale $(1,2,3,5,8)$ accurately reflected the technical complexity and uncertainty of each task. Complex tasks involving cross-cloud APIs (such as Story 1.2: Automated Cost Data Sync and Story 3.2: VM Right-Sizing Recommendations) were estimated at 8 points due to differing data formats across AWS (CUR), Azure (Cost Export), and GCP (BigQuery). Conversely, straightforward tasks like CSV/PDF exports were estimated at 2 points. This prevented underestimating architectural integrations.

2. Was your backlog well-prioritized?
Ans:- Yes. The backlog followed strict architectural dependencies and business value. Epic 1 (Data Ingestion & Account Onboarding**)** was prioritized as High in Sprint 1 because the platform cannot provide cost visibility or optimization insights without raw billing data. Core dashboards and high-ROI idle asset identification (**Epic 2 & Epic 3**) were scheduled next, while lower-impact custom reporting features were given lower priority.

3. How did your simulated sprint align with your plan?
Ans:- The simulated sprint aligned directly with the Sprint Goal. In Sprint 1, all planned story points were successfully moved across To Do → In Progress → Done, completing the end-to-end data ingestion milestone. Structuring the work into defined sprints ensured a working increment was delivered without scope creep.

4. What insights did the burndown chart give about your team's capacity?
Ans:- The Burndown Chart showed how remaining work reduced as stories were completed across the sprint. The steady downward trend toward zero remaining story points demonstrated that the team's planned capacity (approx. 20–25 story points per 1-week sprint) was realistic and sustainable, providing a reliable velocity metric for planning future sprints.