

React + FastAPI Folder Structure Guide

This guide explains the **standard folder structure** you must follow for your internship project. The repository will contain both the frontend (**React**) and backend (**FastAPI**) in the same branch, organized as `client` and `server` folders.`

Top-Level Repository Structure

```
project-root/
├──
│   ├── client/ # React frontend
│   ├── server/ # FastAPI backend
│   ├──
│   ├── README.md
│   └── .gitignore
```

■ client/ — React Frontend

This folder contains your entire React app. Follow this structure carefully to keep the code modular and easy to navigate.


```
client/
├──
│   ├── public/
│   │   ├── index.html
│   │   ├── favicon.ico
│   │   └── logo.svg
│   ├──
│   ├── src/
│   │   ├── assets/
│   │   │   ├── global.css
│   │   │   └── logo.svg
│   │   ├──
│   │   ├── components/
│   │   │   ├── Form/
│   │   │   │   ├── Checkbox.js
│   │   │   │   ├── FormInput.js
│   │   │   │   ├── FormSelect.js
│   │   │   │   └── RadioButton.js
│   │   │   ├──
│   │   │   ├── Buttons/
│   │   │   │   ├── ButtonGroup.js
│   │   │   │   └── Dropdown.js
│   │   │   ├──
│   │   │   └── Modals/
```

- ■ ■ ■ Modal.js
- ■
- ■ ■ ■ context/
- ■ ■ ■ AnalyticsContext.js ■ ■
- ■ ■ tests/
- ■
- ■ ■ ■ data/
- ■ ■ ■ configValues.json
- ■ ■ ■ constants.js
- ■ ■ ■ defaultTools.json
- ■
- ■ ■ ■ features/
- ■ ■ ■ authentication/
- ■ ■ ■ components/
- ■ ■ ■ ■ LoginForm.js ■ ■ ■ ■ ■
- SignupForm.js ■ ■ ■ ■ ■ hooks/
- ■ ■ ■ ■ useSignup.js ■ ■ ■ ■ ■
- useVerifyPassword.js ■ ■ ■ ■ ■ services/
- ■ ■ ■ ■ getUsers.js ■ ■ ■ ■ ■
- login.js
- ■ ■ ■ ■ signup.js
- ■
- ■ ■ ■ hooks/
- ■ ■ ■ useFetch.js
- ■ ■ ■ useLocalStorage.js ■ ■
- ■ ■ ■ layout/
- ■ ■ ■ Navbar.js
- ■ ■ ■ PageContainer.js
- ■ ■ ■ Sidebar.js
- ■
- ■ ■ ■ pages/
- ■ ■ ■ Home.js
- ■ ■ ■ Login.js
- ■ ■ ■ Settings.js
- ■ ■ ■ Signup.js
- ■
- ■ ■ ■ utils/
- ■ ■ ■ formatCurrency.js
- ■ ■ ■ formatDate.js
- ■ ■ ■ tests/
- ■
- ■ ■ ■ App.js
- ■ ■ ■ index.js
- ■ ■ ■ reportWebVitals.js
-
- ■ ■ package.json
- ■ ■ package-lock.json
- ■ ■ README.md

■ server/ — FastAPI Backend

The backend follows the **Clean Architecture** pattern. Each module (auth, users, todos) has its own controller, service, and models. Use this layout to maintain scalability and clean separation of logic.

server/



■ Run Commands

```
# Frontend (client)
cd client
npm install
npm start

# Backend (server)
cd server
pip install -r requirements.txt
uvicorn src.main:app --reload
```