INTRODUCTION

1. INTRODUCTION

With the advancement of technology in a rapid face, traditional manual labour-oriented business methods are quickly going out of practice. The rise a technology has affected every possible way of business and integrated itself in such a way that performing business without the help of technology has become near impossible and end up being a loss project. The biggest impact technology has is in the business sector. One prominent example of these changes is how retail business is now being managed by automated inventory system and the use of internet for online sales. While it was a costly man hour consuming work it us now possible to manage an entire business with few click in the keyboard requiring minimum people. It has significantly made business process faster by helping keeping records, transactions, stock management, customer and supplier information, sales report, employee information in central way with accountability. The chance of fraudulent has been significantly reduced with the help of technology.

Boutique Management System is a software application design to add or manage customer information, keep their personal records, orders and delivery dates, etc. The purpose of Boutique Management system is to implement the computerization of the clothes inventory and sales etc. BMS (Boutique Management System) that designed to manage your boutique is very user-friendly software. With this software, you can generate report based on your preference (daily, weekly, monthly, or yearly). This project allows fashion designers to manage their customer details. The details include contact information and measurements. This project would enable fashion designers to easily automate the management of customer measurements. It would make it easy for

customers to select designs according to their type and budget. It asks admin to add in details about the customer. The details will be immediately view able once added to the program. Software applications are used in every part of our daily life but there are few areas like show rooms, cloth stores still there is need to use management software for handling billing details, customer' s information, and stock details. In order to full fill this gap we designed boutique management software application for cloth stores.

This application will reduce manual work and maintain all details in database. Report generation for every month, week and year is possible with this software.

1.1 OBJECTIVES

- A user friendly interface which can be operated by anyone with a minimum knowledge of computer system.
- It should maintain a well-organized database for storing the resources that are provided by the admin and the user
- Eliminates the entering of invalid data
- The system should cover almost all the functional areas.
- To increase sales.
- Developing business relations with customers.
- Establish a unique clothing boutique

.

1.2 TOOLS/ENVIRONMENT USED

WINDOWS 10

Windows 10 is a major release of the Windows NT operating system developed by Microsoft. It is the successor to Windows 8.1, which was released nearly two years earlier, and itself was released to manufacturing on July 15, 2015, and broadly released for the general public on July 29, 2015. Windows 10 was made available for download via MSDN and TechNet, as a free upgrade for retail copies of Windows 8 and Windows 8.1 users via the Windows Store, and to Windows 7 users via Windows Update. Windows 10 receives new builds on an ongoing basis, which are available at no additional cost to users, in addition to additional test builds of Windows 10, which ar3e available to Windows Insiders. Devices in enterprise environments can receive these updates at a slower pace, or use long-term support milestones that only receive critical updates, such as security patches, over their ten-year lifespan of extended support.

Microsoft initially aimed to have Windows 10 installed on over one billion devices within three years of its release; that goal was ultimately reached almost five years after release on March 16, 2020. By January 2018, Windows 10 surpassed Windows 7 as the most popular version of Windows worldwide. As of December 2021, it is estimated that 82% of Windows PCs, 61% of all PCs (the rest being older Windows versions and other operating systems such as macOS and Linux), and 27% of all devices (including mobile, tablet and console) are running Windows 10. On June 24,

2021, Microsoft announced Windows 10's successor, Windows 11, which was released on October 5, 2021.

Python - Django Framework

Python is a high-level, object-oriented programming language that is widely used for web development, scientific computing, data analysis, and artificial intelligence applications. One of the most popular web frameworks for Python is Django, which is an open-source, Model-View-Controller (MVC) architecture web framework that allows for the rapid development of web applications.

Django has several characteristics that make it a popular choice for web development, including:

- DRY (Don't Repeat Yourself) principle: Django follows the DRY principle, which means that developers only need to write code once for a particular task, rather than repeating it in multiple places. This reduces the amount of code needed to develop a web application and makes it easier to maintain.
- Batteries included: Django includes many built-in features and libraries that make it easier to develop complex web applications. This includes features like authentication, admin interface, and automatic database schema generation.
- ORM (Object Relational Mapping): Django uses an ORM to interact with the database, which means that developers can work with database objects as if they were Python objects. This makes it easier to write code that interacts with the database and reduces the likelihood of SQL injection attacks.
- MVC architecture: Django follows the Model-View-Controller (MVC) architecture, which separates the application logic into three separate

components: the model (data), the view (presentation), and the controller (logic). This separation of concerns makes it easier to maintain and test web applications.

- URL routing: Django includes a powerful URL routing system that allows developers to map URLs to specific views in the application. This makes it easy to create complex URLs and to handle URL-based logic.

MYSQL

MySQL was created by a Swedish company, MySQL AB, founded by David Axmark, Allan Larsson and Michael "Monty" Widenius. Original development of MySQL by Widenius and Axmark began in 1994. The first version of MySQL appeared on 23 May 1995. It was initially created for personal usage from MySQL based on the low-level language ISAM, which the creators considered too slow and inflexible. They created a new SQL interface, while keeping the same API as MySQL. By keeping the API consistent with the MySQL system, many developers were able to use MySQL instead of the (proprietarily licensed) MySQL antecedent.

MySQL can be built and installed manually from source code, but it is more commonly installed from a binary package unless special customizations are required. On most Linux distributions, the package management system can download and install MySQL with minimal effort, though further configuration is often required to adjust security and optimization settings.

Though MySQL began as a low-end alternative to more powerful proprietary databases, it has gradually evolved to support higher-scale needs as well. It is still most commonly used in small to medium scale single-server deployments, either as a component in a LAMP-based web application or as a standalone database server.

Much of MySQL's appeal originates in its relative simplicity and ease of use, which is enabled by an ecosystem of open-source tools such as phpMyAdmin. In the medium range, MySQL can be scaled by deploying it on more powerful hardware, such as a multi-processor server with gigabytes of memory.

There are, however, limits to how far performance can scale on a single server ('scaling up'), so on larger scales, multi-server MySQL ('scaling out') deployments are required to provide improved performance and reliability. A typical high-end configuration can include a powerful master database which handles data write operations and is replicated to multiple slaves that handle all read operations. The master server continually pushes bin-log events to connected slaves so in the event of failure a slave can be promoted to become the new master, minimizing downtime. Further improvements in performance can be achieved by caching the results from database queries in memory using Memcached, or breaking down a database into smaller chunks called shards which can be spread across a number of distributed server clusters.

SYSTEM ANALYSIS

2. SYSTEM ANALYSIS

System analysis is a process of gathering and interpreting facts, diagnosing problems and the information about the web application to recommend improvements on the system. It is a problem-solving activity that requires intensive communication between the system users and system developers. System analysis or study is an important phase of any system development process. The system is studied to the minutest detail and analysed. The system analyst plays the role of the interrogator and dwells deep into the working of the present system. The system is viewed as a whole and the input to the system are identified. The outputs from the organizations are traced to the various processes.

System analysis is concerned with becoming aware of the problem, identifying the relevant and decisional variables, analysing and synthesizing the various factors and determining an optimal or at least a satisfactory solution or program of action. A detailed study of the process must be made by various techniques like interviews, questionnaires etc. The data collected by these sources must be scrutinized to arrive to a conclusion. The conclusion is an understanding of how the system functions. This system is called the existing system. Now the existing system is subjected to close study and problem areas are identified. The designer now functions as a problem solver and tries to sort out the difficulties that the enterprise faces. The solutions are given as proposals. The proposal is then weighed with the existing system analytically and the best one is selected. The proposal is presented to the user

for an endorsement by the user. The proposal is reviewed on user request and suitable changes are made. This is loop that ends as soon as the user is satisfied with proposal.

PROBLEM ANALYSIS

The first steps in the initial investigation are directed towards clarifying the problems of the existing system. The existing system uses manual method for the whole process such as selling the product and payment and also all the details of the user and product are entering manual. This requires a lot of hard work and time consumption to complete the task. This may include human errors. In the existing system, it is difficult to retrieve some particular information. In spite of all the efforts undertaken, the destruction of data may happen often. Hence, the computerization of the system in finding the product to sell and buy easily

2.1 PRILIMINARY INVESTIGATION

Preliminary study is the process of gathering and interpreting facts, using the information for further studies on the system. Preliminary study is problem solving activity that requires intensive communication between the system users and system developers. It does various feasibility studies. In these studies, a rough figure of the system activities can be obtained, from which the decision about the strategies to be followed for effective system study and analysis can be taken.

The purpose of Boutique Management system is to implement the computerization of the clothes inventory and sales etc. This software makes all the functions easier. At present most of the data manipulation is done manually and this has many limitations like lot of manpower required and many resources too. Manual manipulation is time consuming.

All the operations and activities related to the “Online Boutique Store ” can be carried out efficiently. The project maintains well organized database for storing the resources that they are provided by the user. This helps us to eliminate the entering of invalid data. Most problems of manual system can be solved by this system. This project also helps to understand various functionalities of the modules in the project as well as it gives a pictorial design of how the website will look like with its functionalities working together various to achieve the requirements.

2.1.1. EXISTING SYSTEM

The existing system for boutique management typically involves manual processes for managing customer information, inventory, and sales. This includes keeping physical records of customer details, such as contact information and measurements, as well as manually tracking inventory levels and sales transactions. These manual methods can be time-consuming, error-prone, and inefficient, especially as the volume of customers and transactions increases.

2.1.2 PROPOSED SYSTEM

The pproposed system Boutique Management system is to implement the computerization of the clothes inventory and sales etc. BMS (Boutique Management System) that designed to manage your boutique is very user-friendly software. With this software, you can generate report based on your preference (daily, weekly, monthly, or yearly). This project allows fashion designers to manage their customer details. The details include contact information and measurements. This project would enable fashion designers to easily automate the management of customer measurements. It would make it easy for customers to select designs according to their type and budget.

2.2 FEASIBILITY STUDY

Feasibility study is made to see if the project on completion will serve the purpose of the organization for the amount of work, time and effort spent on it. Feasibility study lets the developer foresee the future of the project and its usefulness. Finding out whether a new system is required or not. The study is carried out to the best system that meet performance requirement. This entails identification, description and evaluation of candidate system and selection of the best system for the job. It simply identifies whether the propose system is feasible to the organization or not. There are three aspects in the feasibility study portion of the preliminary investigation

- Economic feasibility
- Technical feasibility
- Behavioral feasibility

2.2.1. ECONOMIC FEASIBILITY

Economic analysis is most frequently used method for evaluating the effectiveness of a candidate system. More commonly known as cost/benefit analysis, the procedure is to determine the benefits and savings that are expected from a candidate system and compare them with costs. The Trade-offs involved under economic feasibility are:

Cost of development: With all the hardware and software provided by the vendors. Selling of the software however does not depend upon the development cost, as the hardware and software bought and installed respectively for development purpose will remain with the developer for further development. The system is a web-based application where user need not develop any cost for hardware and all. The system requires an internet connection to work efficiently.

Only depreciation costs are to be considered for them. This costing varies due to the provision for negation and also as at this initial phase of development this is a rough estimation of cost.

Cost for Maintenance after Implementation: Cost of maintenance is an important issue for thedeveloper developing the system as well as for the organization using the system after development User friendliness is no doubt beneficial; provision of help file is also no doubt beneficial but the main thing to be taken into consideration is that whether the users are capable of using the system.

If the users are new to the world of computers it will be tough for them to understand the workingsof the system how much user friendly or well documented it is. Thus, the user training is always necessary and a fixed minimum amount of cost must be kept as provision for them. This cost effects the overall costing of the project depending upon the way the training is given. Maintenancecost thus plays an important role to the developer.

Cost & profit ratio: Development of a system is much easier than convincing an organization touse it. Thus cost/profit analysis plays a very important role in determining the economic feasibilityof a project.

After a careful analysis of the Economic Feasibility, it could be concluded that treating the projectis "Economically Feasible" for development.

2.2.2. TECHNICAL FEASIBILITY

The system must be evaluated from technical viewpoint first. The assessment of this feasibility must be based on outline design of the system requirement in the terms of input,

output, programs and procedure having identified an outline system, the investigation must go on to suggest the type of equipment, required method of the developing the system method of running the system once it has been designed. The project should be developed such that the necessary functions and performance are achieved within the constraints. The project is developed with latest technology. There are only minimal constraints involved in this project. In the proposed system the data can be easily stored and managed using data base management system software. And for development of project it uses Python as its front end and mysql as its backend. Therefore, the system is technically feasible.

2.2.3. BEHAVIORAL FEASIBILITY

In behavioural feasibility the entire application is checked whether the system will be use if it is developed and implemented. Also, it is checked whether there will be resistance from user that may undermine the possible application benefits. There is no barrier for implementing the system. The system also helps to access the information immediately as need arises. The proposed system has a user-friendly interface and the user can easily post complaints and get the status. User with minimum internet knowledge can easily access the system, register themselves and can view the features or facilities available in the system. Thus, the system is found to be operational feasible.

2.3. SOFTWARE REQUIREMENT SPECIFICATION

This documentation aims to define the overall software requirements for “Online Boutique Store” efforts have been made to define the requirements accurately. The final product will be having only features mentioned in this document and assumptions for any additional feature should not be made by any of the parties involved in

developing/testing/implementing/using this product. In case it is required to have some additional features, a formal change request will need to be raised and subsequently a new release of this document and product will be produced.

This specification document describes the capabilities that will be provided by the software application “Online Boutique Store”. It also states the various required constraints by which the system will abide. The intended audience for this document is the development team, testing team and end user of the product.

BMS (Boutique Management System) that designed to manage your boutique is very user-friendly software. With this software, you can generate report based on your preference (daily, weekly, monthly, or yearly). This project allows fashion designers to manage their customer details. The details include contact information and measurements. This project would enable fashion designers to easily automate the management of customer measurements. It would make it easy for customers to select designs according to their type and budget.

The system provides the user to perform their task in an easy and much less complex way to avoid redundancy. This system ensures that the users accessing the system can ensure maximum efficiency and they can depend on the system for desired results.

A summary of the major functions that the system will perform for various users (functional specification):

Customer Registration

This module deals with managing of the customer details Customer can register, edit and view their details. It has less privilege than the admin and staff.

Category & Subcategory Management

This module deals with managing the different categories and subcategories of dress . Here we can perform the functions like add, edit and view category.

Item Management

This module deals with managing the various dresses that come under each categories added etc. Here we can perform the functions like add, edit and view items.

Stock Updation

This module deals with managing the updation of stocks from different locations/vendors.

Add to Cart

This module deals with managing the cart details. Here the customer can add items to cart, remove and view their cart.

Order Management

This module deals with managing the order details placed by the customer. Customers can place order, edit order, and search order details.

Payment Management

This module facilitates the payment for orders by the customer. Here customer can pay for the order and search for the payment details. Payment can be done through either credit or debit cards.

Search or Filter

This module helps the customer to filter the products they are looking for with some filters or using keywords

Major non-functional specifications:

- Performance: The website should load quickly and respond promptly to user interactions, ensuring a smooth and seamless browsing experience. Response times for page loading, product searches, and checkout processes should be optimized to minimize waiting times and maximize user satisfaction.
- Scalability: The platform should be scalable to accommodate fluctuations in website traffic, especially during peak periods such as sales events or promotional campaigns. The system should be able to handle increased user loads without experiencing downtime or performance degradation.
- Reliability: The website should be highly reliable and available, with minimal downtime or service interruptions. Redundancy measures such as backup servers and failover mechanisms should be in place to ensure continuous availability and prevent data loss.
- Security: The online boutique store should implement robust security measures to protect user data, including personal information and payment details, from unauthorized access or breaches.
- Usability: The website should be user-friendly and intuitive, with clear navigation, search functionality, and product categorization. Product pages should provide detailed descriptions, high-quality images, and customer reviews to aid in purchasing decisions. Additionally, the checkout process should be streamlined and straightforward, with minimal steps required to complete a purchase.
- Compatibility: The website should be compatible with a wide range of devices and browsers, including desktop computers, laptops, tablets, and smartphones. It

should be responsive and adapt to different screen sizes and resolutions to provide an optimal viewing experience for all users.

2.3.1. Purpose

The purpose of Boutique Management system is to implement the computerization of the clothes inventory and sales etc. BMS (Boutique Management System) that designed to manage your boutique is very user-friendly software.

The purpose is to describe all the requirements for the Online Boutique Store. The following are some of the stake holders:

- Admin
- Designer
- Customer

2.3.2 Scope

The purpose of Boutique Management system is to implement the computerization of the clothes inventory and sales etc. By prioritizing data security and using advanced technologies, Online Boutique Store system is a time-saving and efficient project.

2.3.3 General Description

Product Perspective

Online Boutique Store is a web-based application designed to implement the computerization of the clothes inventory and sales etc.

Product Functions

The system functions can be described as follows:

Customer Registration

This module deals with managing of the customer details Customer can register, edit and view their details. It has less privilege than the admin and staff.

Category & Subcategory Management

This module deals with managing the different categories and subcategories of dress . Here we can perform the functions like add, edit and view category.

Item Management

This module deals with managing the various dresses that come under each categories added etc. Here we can perform the functions like add, edit and view items.

Stock Updation

This module deals with managing the updation of stocks from different locations/vendors.

Add to Cart

This module deals with managing the cart details. Here the customer can add items to cart, remove and view their cart.

Order Management

This module deals with managing the order details placed by the customer. Customers can place order, edit order, and search order details.

Payment Management

This module facilitates the payment for orders by the customer. Here customer can pay for the order and search for the payment details. Payment can be done through either credit or debit cards.

Search or Filter

This module helps the customer to filter the products they are looking for with some filters or using keywords

General Constraints: The system must be delivered by deadline. The system must be user-friendly

Operating Environment: This system will successfully work on any operating system. No additional hardware components are required.

Design and Implementation Constraints : The system should have Wamp server. The system will require a minimum of 4GB RAM.

General Constraints, Assumptions and Guidelines : User interface is only in English, no other language option is available . Only after accepting user by the moderator, he can login only with his username and password .For normal operation this s/w will require minimum of 4GB RAM in the client machine.

Database

MySQL is used as Backend which is free and open source.

2.3.4 External Interface Requirements

User Interfaces

Here the forms act as the user interface .The user can interact with the system using graphical user interface.

Hardware Interfaces

Processor	:	Intel i3 or above

CPU Clock	:	2.4GHz and above
Hard Disk	:	500 GB or Above
Memory	:	4GB
Keyboard	:	Standard106 key
Mouse	:	3buttons

Software Interfaces

Front End	:	PYTHON(DJANGO)
Back End	:	MySQL

2.3.5. Communications Interfaces

Each user can log on to the system using their username and password. The system must be connected to the internet to ensure the performance of the s/m.

2.3.6 Performance Requirements

The s/m must be connected to the server to ensure the performance of the system. Each user has user name and password for remote access of the system. Any number of users can simultaneously access this s/m. Its response time is also fast.

2.3.7. Security Requirements

The security issues are included during the development of the system in order to ensure the data base safety.

2.4. DATA FLOW DIAGRAM

The DFD also known as bubble chart. It is a simple graphical formalism that can be used to represent a system in terms of the input data to the system, various processing carried out on these data and the output data generated by the system.

Data flow diagram (DFD) is used to show how data flows through the system and the processes that transform the input data into output. Data flow diagrams are a way of expressing system requirements in a graphical manner. Four simple notations are used to complete a DFD. The notations are given below:

DATA FLOW



A directed arc or an arrow is used as a Data Flow Symbol. This represents the data flow occurring between two processes or between an external entity and a process; in direction of the Data Flow Arrow. Data flow Symbols are annotated with corresponding data names.

PROCESS



A function is represented using a circle. This symbol is called a process or bubble. Bubbles are annotated with the names of corresponding functions.

EXTERNAL ENTITY

An external entity such as a user, project manager etc. is represented by a rectangle. The external entities are essentially those physical entities external to the application system, which interact with the system by inputting data to the system or by consuming the data produced by the system. In addition to the human users the

external entity symbols can be used to represent external hardware and software such as application software.

DATA STORE

A Data Store represents a logical file; it is represented using two parallel lines. A logical file can represent either Data Store Symbol, which can represent either data structure or a physical file on disk. Each data store is connected to a process by means of a Data Flow Symbol. The direction of the Data Flow Arrow shows whether data is being read from or written into a Data Store. An arrow flowing in or out of a data store implicitly represents the entire area of the Data Store and hence arrows connecting to a data store need not be annotated with the names of the corresponding data items.

LEVEL -0 CONTEXT LEVEL



LEVEL 1 ADMIN



LEVEL 1 DESIGNER



LEVEL 1 CUSTOMER



2.5 ER DIAGRAM



GANTT CHART


DEC
JAN-APRIL
MAY
JUNE
Analysis
Design
Development
Testing
Bug Fixing
Monitoring

SYSTEM DESIGN

3. SYSTEM DESIGN

The most creative and challenging phase of the system development is system design, is a solution to how to approach to the creation of the proposed system. It refers to the technical specification that will be applied. It provides the understanding and procedural details necessary for implementing the system recommended in the feasibility study. Design goes through the logical and physical stages of development. At an early stage in designing a new system, the system analyst must have a clear understanding of the objectives, which the design is aiming to fulfil. The first step is to determine how the output is to be produced and in what format. Second, input data and master files (database) have to be designed to meet the requirements of the proposed output. The operational (processing) phases are handled through program construction and testing.

It is to be developed in a way that two users can access Admin and Customer with different permissions. It is a solution to a “how to” approach compared to system analysis which is a “what is” orientation. It translates the system requirements into ways of making them operational. The design phase focuses on the detailed implementation of the system recommended in the feasibility study.

3.1. MODULARIZATION DETAILS

Customer Registration

This module deals with managing of the customer details Customer can register, edit and view their details. It has less privilege than the admin and staff.

Category & Subcategory Management

This module deals with managing the different categories and subcategories of dress . Here we can perform the functions like add, edit and view category.

Item Management

This module deals with managing the various dresses that come under each categories added etc. Here we can perform the functions like add, edit and view items.

Stock Updation

This module deals with managing the updation of stocks from different locations/vendors.

Add to Cart

This module deals with managing the cart details. Here the customer can add items to cart, remove and view their cart.

Order Management

This module deals with managing the order details placed by the customer. Customers can place order, edit order, and search order details.

Payment Management

This module facilitates the payment for orders by the customer. Here customer can pay for the order and search for the payment details. Payment can be done through either credit or debit cards.

Search or Filter

This module helps the customer to filter the products they are looking for with some filters or using keywords

3.2. DATA & INTEGRITY CONSTRAINTS

The primary objective of a database design are fast response time to inquiries ,more information at low cost, control of redundancy, clarity and ease of use, accuracy and integrity of the system, fast recovery and availability of powerful end-user languages. The theme behind a database is to handle information as an integrated whole thus the main objective is to make information as access easy, quick, inexpensive and flexible for the users. In this project, we mainly concentrated into relational databases.

Relational database stores data in tables, which is turn, are composed of rows also known as records, columns also known as fields. The fields in the relational model are:-

Primary Key

The key which is uniquely identify records. They also notify the not null constraints.

Foreign Key

The key which reference the primary key, is the data inserted in the primary key column of the table.

Normalization

After the conceptual level, the next level of process of database design to organize the database structure into a good shape called Normalization. The normalization simplifies the entries, removing redundancies from the system data and finally builds a data structure, which is both flexible and adaptable to the system. The different normal forms obtained during the database design are given below:

In the database design, we create a database with different tables that is used to store the data. We normalize the data in the table. Database normalization is the process of organizing the fields and tables in a relational database to minimize redundancy and dependency. Normalization usually involves dividing large tables into smaller (and less redundant) tables and defining relationships between them. The objective is to isolate data so that additions, deletions, and modifications of a field can be made in just one table and then propagated through the rest of the database via the defined relationships.

In the project I have made used of the 3rd normal form, Third Normal Form (3NF) is a property of database tables. A relation is in third normal form if it is in Second Normal Form and there are no functional (transitive) dependencies between two (or more) non-primary key attributes. The overall objective in the development of database technology has been to treat data as an organizational resource and as an integrated whole. Database Management System allows data to be protected and organized separately from other resources. Database is an integrated collection of data. This is the difference between logical and physical data.

In my project, I have made use of tables which are stored in the database named boutique. The tables are used to store the values that are generated by the application. The main field names and the key constraints of all the tables are shown above in detail.

3.3 DATABASE DESIGN

A database is a collection of interrelated data stored within minimum redundancy to serve many users quickly and efficiently. It is a process of designing the database file, which is the key source of the information in the system. The objective of database is to design is to provide storage and it contributes to the overall efficiency of the system. The file should properly design and planned for collection, accumulation, editing and retrieving the required information.

TABLE DESIGN

tbl_cust

FIELD NAME	DATATYPE	CONSTRAINTS	DESCRIPTION
Cusid	Int(10)	PRIMARY KEY	Customer Id
Name	Varchar(20)	Not Null	Customer Name
Addr	Varchar(100)	Not Null	Address
Street	Varchar(20)	Not Null	Street
City	Varchar(20)	Not Null	City
Dist	Varchar(20)	Not Null	District
Pin	Int(6)	Not Null	Pin Code
Phn	Varchar(10)	Not Null	Phone Number
Em	Varchar(20)	Not Null	Email

tbl_login

FIELD NAME	DATATYPE	CONSTRAINTS	DESCRIPTION
Uid	Int	Foreign Key	User id
Uname	Varchar(50)	Not Null	Username
Upass	Varchar(50)	Not Null	User password
Utype	Varchar(50)	Not Null	User type

tbl_cart

FIELD NAME	DATATYPE	CONSTRAINTS	DESCRIPTION
Cartid	Int	PRIMARY KEY	Cart Id
cid	Int	Foreign Key	Customer Id
Icode	Varchar(20)	Foreign Key	Item Code
Qty	Int	Not Null	Quantity
Tamt	Int	Not Null	Total Amount

tbl_category

FIELD NAME	DATATYPE	CONSTRAINTS	DESCRIPTION
Ccode	Varchar(20)	PRIMARY KEY	Category Code
Cname	Varchar(20)	Not Null	Category Name
Cdesp	Varchar(1000)	Not Null	Category Description

tbl_subcategory

FIELD NAME	DATATYPE	CONSTRAINTS	DESCRIPTION
scode	Varchar(20)	PRIMARY KEY	Subcategory code
Sname	Varchar(20)	Not Null	Sub-category Name
Sdesp	Varchar(1000)	Not Null	Sub-category Description
ccode	Int(10)	Foreign Key	Category code

tbl_item

FIELD NAME	DATATYPE	CONSTRAINTS	DESCRIPTION
icode	Varchar(20)	PRIMARY KEY	Item Code
Iname	Varchar(30)	Not Null	Item Name
ccode	Varchar(20)	Foreign Key	Category Id
scode	Varchar(20)	Foreign Key	Sub-category Id
desp	Varchar(1000)	Not Null	Description
mrp	Int(10)	Not Null	Prize
Qty	Int(10)	Not Null	Quantity
Image	Varchar(100)	Not Null	Image

tbl_orderc

FIELD NAME	DATATYPE	CONSTRAINTS	DESCRIPTION
Ocid	Int(12)	PRIMARY KEY	Order Category Id
oid	Int(12)	Foreign Key	Order Id
icode	Varchar(20)	Foreign Key	Item Code
qty	Int(12)	Not Null	Quantity
amt	Int	Not Null	Amount

tbl_orderm

FIELD NAME	DATATYPE	CONSTRAINTS	DESCRIPTION
oid	Int(12)	PRIMARY KEY	Order Id
odate	Date	Not Null	Order Date
cid	Int(12)	Foreign Key	Costumer Id
tamt	Int(12)	Not Null	Total Amount
status	Varchar(50)	Not Null	Order Status

tbl_feedback

FIELD NAME	DATATYPE	CONSTRAINTS	DESCRIPTION
Fid	Int(10)	PRIMARY KEY	Feedback t id
Feedback	Varchar(1000)	Not Null	Feedback
Uid	Int(10)	Foreign key	User id

tbl_customization

FIELD NAME	DATATYPE	CONSTRAINTS	DESCRIPTION
Csid	Int(10)	PRIMARY KEY	Table id
Details	Varchar(1000)	Not Null	Details
cid	Int(10)	Foreign key	User id
Status	Varchar(20)	Not Null	Status
Dsid	Int(10)	Foreign key	Designer id

tbl_designer

FIELD NAME	DATATYPE	CONSTRAINTS	DESCRIPTION
Dsid	Int(10)	PRIMARY KEY	Table id
Name	Varchar(20)	Not Null	Designer name
Addr	Varchar(100)	Not Null	Address
Street	Varchar(20)	Not Null	Street
City	Varchar(20)	Not Null	City
Dist	Varchar(20)	Not Null	District
Pin	Int(6)	Not Null	Pin Code
Phn	Varchar(10)	Not Null	Phone Number
Em	Varchar(20)	Not Null	Email
Doj	Date	Not Null	Date of Joining

3.4. USER INTERFACE DESIGN

User interface design is one of the major functions in developing a system. It is a good understanding of the user needs very clearly. Because the user is the person who has to interact with system being developed. So that it should seek the needs of the user before developing it. The system is designed in a very user-friendly manner that makes the user with little knowledge of computer and of the organization can work very easily with the system.

The input forms that are used to enter the data are made clearer and easier to understand. Every time the user enters data the system is designed to check the validity of the data and if found as invalid meaningful prompting and warning messages are displayed. This makes the user comfortable to interact with the system.

Also, when a user login to the system it checks the username and password entered to see whether it is valid user or not. It ensures security of the system and database. The data

storage and data processing are made more efficient so that accurate results are being displayed on the output forms. And also, the retrieval of specific records as demanded by the user is made very faster that saves the user time.

PROGRAM CODING

4. CODING

When considered as a step-in software engineering, coding is viewed as a natural consequence of design. However, programming language characteristics and coding style can profoundly affect software quality and maintainability. The coding step translates a detail design representation into a programming language realization. The translation process continues when a compiler accepts source code as input and produces machine-independent object code as output. The initial translation step in detail design to programming language is a primary concern in the software engineering context. Improper interpretation of a detail design specification can lead to erroneous source code. Style is an important attribute of source code and can determine the intelligibility of a program. The elements of a style include internal documentation, methods for data declaration, procedures for statement construction, and I/O coding and declaration. In all cases, simplicity and clarity are key characteristics. An offshoot of coding style is the execution time and/or memory efficiency that is achieved. Coding is the phase in which we actually write programs using a programming language. In the coding phase, design must be translated into a machine-readable form. If design is performed in a detailed manner, coding can be accomplished mechanistically. It was the only recognized development phase in early or unsystematic development processes, but it is just one of several phases in a waterfall process. The output of this phase is an implemented and tested collection of modules.

In developing Online Boutique Store, I have utilized an array of cutting-edge technologies to create a robust and user-friendly web application. As the primary

programming language, I have leveraged Python to establish the application's backend functionality. To expedite the development process and ensure a seamless user experience, I have incorporated the Django web framework to design a sleek and intuitive user interface. Finally, MySQL serves as the primary database for Online Boutique Store, ensuring secure and dependable data storage for user data and other pertinent information.

4.1. PROJECT CODING

SCHEMA

```
-- phpMyAdmin SQL Dump

-- version 3.3.9

-- http://www.phpmyadmin.net

--

-- Host: localhost

-- Generation Time: May 16, 2024 at 10:19 AM

-- Server version: 5.5.8

-- PHP Version: 5.3.5


SET SQL_MODE="NO_AUTO_VALUE_ON_ZERO";



/*!40101 SET @OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT */;

/*!40101 SET @OLD_CHARACTER_SET_RESULTS=@@CHARACTER_SET_RESULTS */;

/*!40101 SET @OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION */;

/*!40101 SET NAMES utf8 */;



--

-- Database: `dressstore`

--
```

```
-- -------------------------------------------------------


--
-- Table structure for table `cart`
--


CREATE TABLE IF NOT EXISTS `cart` (
  `cartid` int(11) NOT NULL AUTO_INCREMENT,
  `userid` int(11) NOT NULL,
  `productcode` int(11) NOT NULL,
  `cqty` varchar(20) NOT NULL,
  PRIMARY KEY (`cartid`)
) ENGINE=InnoDB  DEFAULT CHARSET=latin1 AUTO_INCREMENT=11 ;


--
-- Dumping data for table `cart`
--


INSERT INTO `cart` (`cartid`, `userid`, `productcode`, `cqty`) VALUES
(9, 4, 691305, '2'),
(10, 4, 689696, '1');


-- -------------------------------------------------------


--
-- Table structure for table `custcart`
```

```
--


CREATE TABLE IF NOT EXISTS `custcart` (
  `cucaid` int(11) NOT NULL AUTO_INCREMENT,
  `userid` int(11) NOT NULL,
  `cuid` int(11) NOT NULL,
  `cqty` varchar(50) NOT NULL,
  PRIMARY KEY (`cucaid`)
) ENGINE=InnoDB DEFAULT CHARSET=latin1 AUTO_INCREMENT=1 ;


--
-- Dumping data for table `custcart`
--
-- -------------------------------------------------------
--
-- Table structure for table `custom`
--


CREATE TABLE IF NOT EXISTS `custom` (
  `cuid` int(11) NOT NULL AUTO_INCREMENT,
  `mid` int(11) NOT NULL,
  `qty` varchar(20) NOT NULL,
  `type` varchar(50) NOT NULL,
  `size` varchar(50) NOT NULL,
  `colour` varchar(50) NOT NULL,
  PRIMARY KEY (`cuid`)
```

```
) ENGINE=InnoDB  DEFAULT CHARSET=latin1 AUTO_INCREMENT=3 ;


--

-- Dumping data for table `custom`

--


INSERT INTO `custom` (`cuid`, `mid`, `qty`, `type`, `size`, `colour`) VALUES

(1, 1, '2', 'ddd', 'xl', 'red'),

(2, 1, '2', 'ddd', 'xl', 'red');

- -------------------------------------------------------

--

-- Table structure for table `customization_material`

--


CREATE TABLE IF NOT EXISTS `customization_material` (

  `mid` int(11) NOT NULL AUTO_INCREMENT,

  `Material_Design` varchar(10) NOT NULL,

  `Image` varchar(100) NOT NULL,

  `Material_Length` varchar(15) NOT NULL,

  `apm` varchar(50) NOT NULL,

  `stamt` varchar(20) NOT NULL,

  PRIMARY KEY (`mid`)

) ENGINE=MyISAM  DEFAULT CHARSET=utf8mb4 AUTO_INCREMENT=2 ;


--

-- Dumping data for table `customization_material`
```

```
--

INSERT INTO `customization_material` (`mid`, `Material_Design`, `Image`, `Material_Length`, `apm`, `stamt`) VALUES
(1, 'kurtha', 'uploads/images (6).jpg', '100', '60', '500');

-- --------------------------------------------------------

--
-- Table structure for table `login`
--

CREATE TABLE IF NOT EXISTS `login` (
  `uid` int(11) NOT NULL,
  `username` varchar(15) NOT NULL,
  `userpass` varchar(20) NOT NULL,
  `utype` varchar(10) NOT NULL
) ENGINE=MyISAM DEFAULT CHARSET=utf8mb4;

--
-- Dumping data for table `login`
--

INSERT INTO `login` (`uid`, `username`, `userpass`, `utype`) VALUES
(0, 'admin', 'admin', 'admin'),
(1, 'anju@gmail.com', '123', 'user'),
```

```
(2, 'amala@gmail.com', '123', 'user');

-- -------------------------------------------------------

--

-- Table structure for table `orderc`

--


CREATE TABLE IF NOT EXISTS `orderc` (

  `ocid` int(11) NOT NULL AUTO_INCREMENT,

  `oid` int(11) NOT NULL,

  `productcode` int(11) NOT NULL,

  `qty` varchar(20) NOT NULL,

  `amt` varchar(20) NOT NULL,

  PRIMARY KEY (`ocid`)

) ENGINE=InnoDB  DEFAULT CHARSET=latin1 AUTO_INCREMENT=6 ;


--

-- Dumping data for table `orderc`

--


INSERT INTO `orderc` (`ocid`, `oid`, `productcode`, `qty`, `amt`) VALUES

(1, 1, 682016, '1', '1222'),

(2, 1, 682016, '1', '1222'),

(3, 2, 682016, '2', '2444'),

(4, 3, 682016, '1', '1222'),

(5, 4, 682016, '2', '2444');
```

```
-- -------------------------------------------------------
--
-- Table structure for table `orderm`
--

CREATE TABLE IF NOT EXISTS `orderm` (
  `oid` int(11) NOT NULL AUTO_INCREMENT,
  `odate` date NOT NULL,
  `userid` int(11) NOT NULL,
  `ostatus` varchar(50) NOT NULL,
  `tqty` varchar(20) NOT NULL,
  `tamt` varchar(20) NOT NULL,
  PRIMARY KEY (`oid`)
) ENGINE=InnoDB  DEFAULT CHARSET=latin1 AUTO_INCREMENT=5 ;

--
-- Dumping data for table `orderm`
--

INSERT INTO `orderm` (`oid`, `odate`, `userid`, `ostatus`, `tqty`, `tamt`) VALUES
(1, '2023-10-10', 1, 'Delivered', '2', '2444'),
(2, '2023-11-14', 1, 'Delivered', '2', '2444'),
(3, '2024-01-06', 1, 'Delivered', '1', '1222'),
(4, '2024-01-06', 1, 'Delivered', '2', '2444');

-- -------------------------------------------------------
```

```
--
-- Table structure for table `product_details`
--

CREATE TABLE IF NOT EXISTS `product_details` (
  `productcode` int(11) NOT NULL,
  `productname` varchar(50) NOT NULL,
  `design` varchar(20) NOT NULL,
  `colours` varchar(20) NOT NULL,
  `amount` float NOT NULL,
  `image` varchar(50) NOT NULL,
  `qty` varchar(20) NOT NULL
) ENGINE=MyISAM DEFAULT CHARSET=utf8mb4;

--
-- Dumping data for table `product_details`
--

INSERT INTO `product_details` (`productcode`, `productname`, `design`, `colours`, `amount`, `image`, `qty`) VALUES
(682016, 'pada', 'kurthi', 'pink', 1222, 'uploads/theature1.jpg', '44');

-- ------------------------------------------------------

--
```

```
-- Table structure for table `registration`
--

CREATE TABLE IF NOT EXISTS `registration` (
  `userid` int(11) NOT NULL AUTO_INCREMENT,
  `Name` varchar(15) NOT NULL,
  `DOB` date NOT NULL,
  `Phone_no` varchar(10) NOT NULL,
  `Email_Id` varchar(15) NOT NULL,
  `Address` varchar(30) NOT NULL,
  `Pincode` varchar(6) NOT NULL,
  PRIMARY KEY (`userid`)
) ENGINE=MyISAM  DEFAULT CHARSET=utf8mb4 AUTO_INCREMENT=5 ;

--
-- Dumping data for table `registration`
--

INSERT INTO `registration` (`userid`, `Name`, `DOB`, `Phone_no`, `Email_Id`, `Address`, `Pincode`) VALUES
(1, 'anju', '2023-10-08', '0789065435', 'anju@gmail.com', 'anju house', '689694'),
(2, 'amala', '2023-05-06', '0765478990', 'amala@gmail.com', 'amala villa', '689694'),
(3, 'amala', '2023-05-06', '0765478990', 'amala@gmail.com', 'amala villa', '689694'),
(4, 'amala', '2023-05-06', '0765478990', 'amala@gmail.com', 'amala villa', '689694');

-- --------------------------------------------------------
```

```
--
-- Table structure for table `stock_details`
--

CREATE TABLE IF NOT EXISTS `stock_details` (
  `productcode` int(11) NOT NULL AUTO_INCREMENT,
  `quantity` varchar(15) NOT NULL,
  `date` date NOT NULL,
  PRIMARY KEY (`productcode`)
) ENGINE=MyISAM  DEFAULT CHARSET=utf8mb4 AUTO_INCREMENT=691306 ;

--
-- Dumping data for table `stock_details`
--

INSERT INTO `stock_details` (`productcode`, `quantity`, `date`) VALUES
(678789, '15', '2023-10-13'),
(691305, '10', '2023-10-10');

-- -------------------------------------------------------

--
-- Table structure for table `uorderc`
--
```

```
CREATE TABLE IF NOT EXISTS `uorderc` (
  `uocid` int(11) NOT NULL AUTO_INCREMENT,
  `uoid` int(11) NOT NULL,
  `cuid` int(11) NOT NULL,
  `qty` varchar(20) NOT NULL,
  `amt` varchar(20) NOT NULL,
  PRIMARY KEY (`uocid`)
) ENGINE=InnoDB  DEFAULT CHARSET=latin1 AUTO_INCREMENT=3 ;


--
-- Dumping data for table `uorderc`
--


INSERT INTO `uorderc` (`uocid`, `uoid`, `cuid`, `qty`, `amt`) VALUES
(1, 1, 1, '2', '620'),
(2, 2, 1, '2', '620');


-- -------------------------------------------------------


--
-- Table structure for table `uorderm`
--


CREATE TABLE IF NOT EXISTS `uorderm` (
  `uoid` int(11) NOT NULL AUTO_INCREMENT,
  `uodate` varchar(20) NOT NULL,
```

```
  `userid` int(11) NOT NULL,
  `uostatus` varchar(50) NOT NULL,
  `tqty` varchar(50) NOT NULL,
  `tamt` varchar(40) NOT NULL,
  PRIMARY KEY (`uoid`)
) ENGINE=InnoDB  DEFAULT CHARSET=latin1 AUTO_INCREMENT=3 ;


--
-- Dumping data for table `uorderm`
--


INSERT INTO `uorderm` (`uoid`, `uodate`, `userid`, `uostatus`, `tqty`, `tamt`) VALUES
(1, '2024-01-06', 1, 'Delivered', '2', '620'),
(2, '2024-01-06', 1, 'Delivered', '2', '620');
```

CODING

```
<!DOCTYPE html>
<html>

<head>
  <!-- Basic -->
  <meta charset="utf-8" />
  <meta http-equiv="X-UA-Compatible" content="IE=edge" />
  <!-- Mobile Metas -->
  <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no" />
  <!-- Site Metas -->
  <meta name="keywords" content="" />
  <meta name="description" content="" />
  <meta name="author" content="" />
  <link rel="shortcut icon" href="images/favicon.png" type="image/x-icon">

  <title>
    Giftos
  </title>

  <!-- slider stylesheet -->
  <link rel="stylesheet" type="text/css" href="https://cdnjs.cloudflare.com/ajax/libs/OwlCarousel2/2.3.4/assets/owl.carousel.min.css" />

  <!-- bootstrap core css -->
  <link rel="stylesheet" type="text/css" href="css/bootstrap.css" />

  <!-- Custom styles for this template -->
```

```
  <link href="css/style.css" rel="stylesheet" />
  <!-- responsive style -->
  <link href="css/responsive.css" rel="stylesheet" />
</head>

<body>
  <div class="hero_area">
    <!-- header section strats -->
    <header class="header_section">
      <nav class="navbar navbar-expand-lg custom_nav-container ">
        <a class="navbar-brand" href="index">
          <span>
            Giftos
          </span>
        </a>
        <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle navigation">
          <span class=""></span>
        </button>

        <div class="collapse navbar-collapse" id="navbarSupportedContent">
          <ul class="navbar-nav  ">
            <li class="nav-item active">
              <!-- <a class="nav-link" href="index.html">Home <span class="sr-only">(current)</span></a> -->
            </li>
            <li class="nav-item">
              <a class="nav-link" href='/adminhome'>
                Home
              </a>
            </li>
```

```
            <li class="nav-item">
              <a class="nav-link" href='/regview'>
               User View
              </a>
</li>
              <li class="nav-item">
              <a class="nav-link" href='/stock'>
              Add stock
              </a>
</li>
<li class="nav-item">
              <a class="nav-link" href='/Product detail'>
              Add Product
              </a>
</li>
<li class="nav-item">
              <a class="nav-link" href='/Customisation material'>
              customisation Material
              </a>
</li>
<!-- <li class="nav-item">
              <a class="nav-link" href='/customview'>
              View Customisation material
              </a> -->
</li>

<li class="nav-item">
              <a class="nav-link" href='/adminstockview'>
              stock view
              </a>
<!-- </li>
              <li class="nav-item">
```

```
            <a class="nav-link" href='/custaffvorder'>
            cus orderstomised
            </a>
</li> -->
<li class="nav-item">
            <a class="nav-link" href='/vorders'>
            view orders
            </a>
</li>
<li class="nav-item">
            <a class="nav-link" href='/uvorders'>
            view custom orders
            </a>
</li>
<li class="nav-item">
            <a class="nav-link" href='/index'>
            Logout
            </a>
</li>


              <!-- </li>
          <li class="nav-item">
            <a class="nav-link" href="testimonial.html">
              Testimonial
            </a>
          </li> -->
          <!-- <li class="nav-item">
            <a class="nav-link" href="contact.html">Contact Us</a>
          </li> -->
        </ul>
        <!-- <div class="user_option">
          <a href="">
```

```
            <i class="fa fa-user" aria-hidden="true"></i>
            <span>
              Login
            </span> -->
          </a>
          <a href="">
            <i class="fa fa-shopping-bag" aria-hidden="true"></I


<!DOCTYPE html>
<html>

<head>
  <!-- Basic -->
  <meta charset="utf-8" />
  <meta http-equiv="X-UA-Compatible" content="IE=edge" />
  <!-- Mobile Metas -->
  <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no" />
  <!-- Site Metas -->
  <meta name="keywords" content="" />
  <meta name="description" content="" />
  <meta name="author" content="" />
  <link rel="shortcut icon" href="images/favicon.png" type="image/x-icon">

  <title>
    Giftos
  </title>

  <!-- slider stylesheet -->
```

```
  <link rel="stylesheet" type="text/css" href="https://cdnjs.cloudflare.com/ajax/libs/OwlCarousel2/2.3.4/assets/owl.carousel.min.css" />

  <!-- bootstrap core css -->
  <link rel="stylesheet" type="text/css" href="css/bootstrap.css" />

  <!-- Custom styles for this template -->
  <link href="css/style.css" rel="stylesheet" />
  <!-- responsive style -->
  <link href="css/responsive.css" rel="stylesheet" />
</head>

<body>
  <div class="hero_area">
    <!-- header section strats -->
    <header class="header_section">
      <nav class="navbar navbar-expand-lg custom_nav-container ">
        <a class="navbar-brand" href="index.html">
          <span>
            Giftos
          </span>
        </a>
        <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle navigation">
          <span class=""></span>
        </button>
        <div class="collapse navbar-collapse" id="navbarSupportedContent">
          <ul class="navbar-nav  ">
            <li class="nav-item active">
```

```
            <!-- <a class="nav-link" href="index.html">Home <span class="sr-only">(current)</span></a> -->
          </li>
          <li class="nav-item">
            <a class="nav-link" href='/index'>
              Home
            </a>
          </li>
          <li class="nav-item">
            <a class="nav-link" href='/login'>
             Login
            </a>
</li>
</a>
          <a href="">
            <i class="fa fa-shopping-bag" aria-hidden="true"></i>
          </a>
          <form class="form-inline ">
            <button class="btn nav_search-btn" type="submit">
              <i class="fa fa-search" aria-hidden="true"></i>
            </button>
          </form>
        </div>
      </div>
    </nav>
  </header>
  <!-- end header section -->
  <!-- slider section -->

  <!-- <section class="slider_section">
    <div class="slider_container">
      <div id="carouselExampleIndicators" class="carousel slide" data-ride="carousel">
```

```
<div class="carousel-inner">
  <div class="carousel-item active">
    <div class="container-fluid">
      <div class="row">
        <div class="col-md-7">
          <div class="detail-box">
            <h1>
              Welcome To Our <br>
              Gift Shop
            </h1>
            <p>
              Sequi perspiciatis nulla reiciendis, rem, tenetur impedit, eveniet non
necessitatibus error distinctio mollitia suscipit. Nostrum fugit doloribus consequatur
distinctio esse, possimus maiores aliquid repellat beatae cum, perspiciatis enim,
accusantium perferendis.
            </p>
            <a href="">
              Contact Us
            </a>
          </div>
        </div> -->
        <!-- <div class="col-md-5 ">
          <div class="img-box">
            <img src="images/slider-img.png" alt="" />
          </div>
        </div>
      </div>
    </div>
  </div>
  <div class="carousel-item ">
    <div class="container-fluid">
      <div class="row">
```

```
                <div class="col-md-7">
                  <di



<!DOCTYPE html>
<html>

<head>
  <!-- Basic -->
  <meta charset="utf-8" />
  <meta http-equiv="X-UA-Compatible" content="IE=edge" />
  <!-- Mobile Metas -->
  <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no" />
  <!-- Site Metas -->
  <meta name="keywords" content="" />
  <meta name="description" content="" />
  <meta name="author" content="" />
  <link rel="shortcut icon" href="images/favicon.png" type="image/x-icon">

  <title>
    Giftos
  </title>

  <!-- slider stylesheet -->
  <link rel="stylesheet" type="text/css" href="https://cdnjs.cloudflare.com/ajax/libs/OwlCarousel2/2.3.4/assets/owl.carousel.min.css" />

  <!-- bootstrap core css -->
  <link rel="stylesheet" type="text/css" href="css/bootstrap.css" />
```

```
  <!-- Custom styles for this template -->
  <link href="css/style.css" rel="stylesheet" />
  <!-- responsive style -->
  <link href="css/responsive.css" rel="stylesheet" />
</head>

<body>
  <div class="hero_area">
    <!-- header section strats -->
    <header class="header_section">
      <nav class="navbar navbar-expand-lg custom_nav-container ">
        <a class="navbar-brand" href="index">
          <span>
            Giftos
          </span>
        </a>
        <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle navigation">
          <span class=""></span>
        </button>

        <div class="collapse navbar-collapse" id="navbarSupportedContent">
          <ul class="navbar-nav  ">
            <li class="nav-item active">
              <a class="nav-link" href="index">Home <span class="sr-only">(current)</span></a>
            </li>
            <li class="nav-item">
              <a class="nav-link"href='/login'>
                Login
              </a>
```

```
      </li>
      <li class="nav-item">
        <a class="nav-link"href='/reg'>
         SignUp
        </a>
      <!-- </li>
      <li class="nav-item">
        <a class="nav-link" href="testimonial.html">
          Testimonial
        </a>
      </li> -->
      <!-- <li class="nav-item">
        <a class="nav-link" href="contact.html">Contact Us</a>
      </li> -->
    </ul>
    <div class="user_option">
      <a href="">
        <i class="fa fa-user" aria-hidden="true"></i>
        <span>
          Login
        </span>
      </a>
      <a href="">
        <i class="fa fa-shopping-bag" aria-hidden="true"></i>
      </a>
      <form class="form-inline ">
        <button class="btn nav_search-btn" type="submit">
          <i class="fa fa-search" aria-hidden="true"></i>
        </button>
      </form>
    </div>
  </div>
```

```
  </nav>
</header>
<!-- end header section -->
<!-- slider section -->

<section class="slider_section">
  <div class="slider_container">
    <div id="carouselExampleIndicators" class="carousel slide" data-ride="carousel">
      <div class="carousel-inner">
        <div class="carousel-item active">
          <div class="container-fluid">
            <div class="row">
              <div class="col-md-7">
                <div class="detail-box">
                  <h1>
                    Welcome To Our <br>
                    Gift Shop
                  </h1>
                  <p>
                    Sequi perspiciatis nulla reiciendis, rem, tenetur impedit, eveniet non
necessitatibus error distinctio mollitia suscipit. Nostrum fugit doloribus consequatur
distinctio esse, possimus maiores aliquid repellat beatae cum, perspiciatis enim,
accusantium perferendis.
                  </p>
                  <a href="">
                    Contact Us
                  </a>
```

4.2. STANDARDIZATION OF THE CODING

A set of comprehensive coding guidelines encompasses all aspects of code development. To ensure that all developers work in a harmonized manner (the source code should reflect a harmonized style as a single developer had written the entire code in one session), the developers should be aware of the coding guidelines before starting a software project. Moreover, coding guidelines should state how to deal with the existing code when the software incorporates it or when maintenance is performed.

Since there are numerous programming languages for writing software codes, each having different features and capabilities, coding style guidelines differ from one language to another. However, there are some basic guidelines which are followed in all programming languages. These include naming conventions, commenting conventions, and formatting conventions.

There are certain rules for naming variables, functions and methods in the software code. These naming conventions help software; developers in understanding the use of a particular variable or function. The guidelines used to assign a name to any variable, function, and method are listed below.

- All the variables, functions, and methods should be assigned names that make the code more understandable to the reader. By using meaningful names, the code can be self-explanatory, thus, minimizing the effort of writing comments for variables. For example, if two variables are required to refer to 'sales tax' and 'income tax', they should be assigned names such as 'sales Tax' and 'income Tax'.
- For names, a full description in a commonly spoken language (for example, English) should be used. In addition, the use of abbreviations should be avoided. For example,

variable names like 'contact Number' and 'address' should be used instead of 'cno' and 'add'.

- Short and clear names should be assigned in place of long names. For 'example, 'multiply The Two Numbers' can be shortened to 'multiply Numbers' as it is clear and short enough to be expressed in reasonable length.

TESTING

5 .IMPLEMENTATION AND TESTING STRATEGIES

Implementation is the stage of the project when the theoretical stage is turned out into a working system. Thus it can be considered as the most crucial stage to achieve a successful system. This phase involves the construction of actual project result. The process of implementation depends on the characteristics of project. The implementation stage involves careful planning, investigation of existing system, constraints of implementation etc. This work is implemented to avoid undesired message from undesired creators by using filtering rules and black list rules.

Implementation methods

Implementation is the stage of the project when the theoretical stage is turned out into a working system. Thus it can be considered as the most crucial stage to achieve a successful system. This phase involves the construction of actual project result. The process of implementation depends on the characteristics of project. The implementation stage involves careful planning, investigation of existing system, constraints of implementation etc. This work is implemented to avoid undesired message from undesired creators by using filtering rules and black list rules

Implementation Plan:

Implementation plans are intended to be scalable and flexible; reflecting the degree of urgency, innovation, complexity or sensitivity.

5.1. TESTING

Testing is a process of executing a program with the interest of finding error. A good test is one that has high probability of finding the yet undiscovered error. Testing should

systematically uncover different classes of error in a minimum amount of time with a minimum amount of efforts. Two classes of inputs are provided to test the process.

1.A software configuration that configuration that includes a software requirements specification, a design specification and source code.

2.A software configuration that includes a test plan and procedure, any testing tool and test cases and their expected result.

Testing is divided into several distinct operations.

Unit Testing

This testing is carried out during the programming stage itself. In this testing step each module is found to be working satisfactorily as regards to the expected output from the module. Using a method called white box testing in which the software tester has knowledge of the inner workings, structure and language of the software, or at least its purpose and where each module or component of the software is tested individually. In the unit test case we will be testing the separate modules of the Software. We will test the components by passing data through it and we will be monitoring data to find the errors. We will be looking for entry and exit conditions of the data. We will make sure that all the components work without any troubles.

Integration Testing

After splitting the program into units, the units were tested together to see the defects between each module and function. It is testing two or more modules or functions together with the intent of finding interface defects between the modules or functions. Testing completed at as part of unit or functional testing, and sometimes, becomes its own standalone test phase. On a larger level, integration testing can involve putting

together of groups of modules and functions with the goal of completing and verifying that the system meets the system requirements.

Validation Testing

After validation testing , software is completely assembled as a package, interfacing errors that have been uncovered and corrected and the final series of software test; the validation test begin.

Steps taken during software design and testing can greatly improve the probability of successful integration in the larger system. System testing is actually a series of different test whose primary purpose is to fully exercise the compute-based system.

Recovery Testing

It is a system that forces the software to fail in a variety of ways and verifies that the recovery is properly performed.

Security Testing

It attempts to verify that protection mechanism built into a system will in fact protect it from improper penetration. The system's security must of course be tested from in vulnerability form frontal attack.

Stress Testing

Stress tools are designed to confront programs with abnormal situations. Stress testing executes a system in a manner that demands resources in abnormal quantity and volume.

Black Box Testing

Black box testing is done to find out the following information as shown in below:

1. Incorrect or missing functions.
2. Interface errors.

3. Errors or database access.
4. Performance error.
5. Termination error.

   The mentioned testing is carried out successfully for this application according to the user's requirement specification.

Test Data Output

After preparing test data, the system under study is tested using the test data. While testing the system using test data, errors are again uncovered and corrected by using above testing and corrections are also noted for future use.

5.2. TEST PLAN

The Software Test Plan (STS) describes plans for qualification testing of Software —"Online Boutique Store". It identifies the software test environment to be used for the testing. Tests to be performed provides schedule for test activities. The primary goal of test plan is to define testing procedures that will ensure that the software is functionally correct from a document perspective and will verify application scalability limits. It's also proves that reliability and fail over aspects of the system can indeed survive instances of system failure. It describes and identifies the tests to be performed, and provides schedules for test activities.

5.3 TEST REPORTS FOR UNIT TEST CASES AND SYSTEM TEST CASES

This section describes as detailed test procedure including test tactics and test cases for the software.

5.3.1 Unit test cases

The procedure for unit testing is described for each software component (that will be unit tested) is presented.

5.3.2 System Testing

System testing of software is testing conducted on a completed, integrated system to evaluate the system‘s compliance with its specified requirements. System testing falls within the scope of black box testing, and as such, should require no knowledge of the inner design of the code or logic. The purpose of integration testing is to detect any inconsistencies between the software units that are integrated together.

5.3.2.1 Recovery testing

In software testing, recovery testing is the activity of testing how well the software is able to recover from crashes, hardware failures and other similar problems, Recovery testing is the forced failure of the software in a variety of ways to verify that recovery is properly performed.

5.3.2.2 Security testing

It is a process to determine that an information system protects data and maintains functionality as intended.

5.3.2.3 Stress testing

Stress testing means testing of software for its effectiveness in giving consistence or satisfactory performance under extreme and unfavourable conditions. So, to test the software I artificially create such conditions.

5.3.2.4 Performance testing

This is to determine how fast some aspect of a system performance under a particular workload. It can also serve to validate and verify other quality attribute of the system, such as scalability, reliability and resource usage.

5.3.2.5 Alpha/beta testing

Alpha testing is a type of acceptance testing carried out at our site by uses. In this type of testing the users goes on testing the system and the outcome is observed by us simultaneously. Beta testing is a type of testing done at user‘s site. The users provide their feedback to us for the outcome of testing. This type of testing is also known as field testing. Feedback from users is used to improve our system before it is released to our customers.

5.4 DEBUGGING & CODE IMPROVEMENT

Testing means verifying correct behaviour. Testing can be done at all stages of module development: requirements analysis, interface design, algorithm design, implementation, and integration with other modules. In the following, attention will be directed at implementation testing. Implementation testing is not restricted to execution testing. An implementation can also be tested using correctness proofs, code tracing, and peer reviews, as described below.

Debugging is a cyclic activity involving execution testing and code correction. The testing that is done during debugging has a different aim than final module testing. Final module testing aims to demonstrate correctness, whereas testing during debugging is primarily aimed at locating errors. This difference has a significant effect on the choice of testing strategies.

- **Report error conditions immediately** - Much debugging time is spent zeroing in on the cause of errors. The earlier an error is detected, the easier it is to find the cause. If an incorrect module state is detected as soon as it arises then the cause can often be determined with minimal effort. If it is not detected until the symptoms appear in the client interface then may be difficult to narrow down the list of possible causes.
- **Maximize useful information and ease of interpretation** - It is obvious that maximizing useful information is desirable, and that it should be easy to interpret. Ease of interpretation is important in data structures. Some module errors cannot easily be detected by adding code checks because they depend on the entire structure. Thus it is important to be able to display the structure in a form that can be easily scanned for correctness.
- **Minimize useless and distracting information** - Too much information can be as much of a handicap as too little. If you have to work with a printout that shows entry and exit from every procedure in a module then you will find it very difficult to find the first place where something went wrong. Ideally, module execution state reports should be issued only when an error has occurred. As a general rule, debugging information that says "the problem is here" should be preferred in favor of reports that say "the problem is not here".

- **Avoid complex one-use testing code -** One reason why it is counter collective to add module correctness checks for errors that involve the entire structure is that the code to do so can be quite complex. It is very discouraging to spend several hours debugging a problem, only to find that the error was in the debugging code, not the module under test. Complex testing code is only practical if the difficult parts of the code are reusable.

INPUT AND OUTPUT SCREENS

6.SCREENSHOTS

Login



Homepage



Admin Home



Product View



Order View


HOME
STOCK VIEW
PRODUCT VIEW
ORDER
CUSTOM ORDER
VIEW CUSTOMISATION MATERIAL
LOGOUT
ORDER VIEW
Product Name
Amount
Image
Ordered Date
order status

SYSTEM SECURITY MEASURES

7. SYSTEM SECURITY MEASURES

The software quality assurance is comprised of a variety of tasks associated with seven major activities.

- Application of technical methods
- Conduct of formal technical reviews.
- Software testing.
- Enforcement of standards.
- Record keeping and reporting.

The quality begins with a set of technical methods and tools that help the analyst to achieve high quality specification and the designer to develop high quality design. The next activity involves assessment for quality for the design that is created which is the formal technical review. Software testing combines a multi-step strategy with a series of test case design methods that help ensure effective error detection.

7.1 DATA SECURITY

The software maintains a well-organized database for storing the details that are provided by the user. This helps us to eliminate the entering of invalid data. Data is not accessible to unauthorized users. The system analyst will provide the test data, specially designed to show that the system will operate successfully in all its aspects and produce expected results under expected conditions. Preparation of test data and the checking of results should be carried out in conjunction with the appropriate users and operational departments. Also the extent to which the system should be tested must be planned.

7.2 CREATION OF USER PROJECTS AND ACCESS RIGHTS

Customer Registration

This module deals with managing of the customer details Customer can register, edit and view their details. It has less privilege than the admin and staff.

Category & Subcategory Management

This module deals with managing the different categories and brands of optical. Here we can perform the functions like add, edit and view category.

Item Management

This module deals with managing the various dresses that come under each categories added etc. Here we can perform the functions like add, edit and view items.

Stock Updation

This module deals with managing the updation of stocks from different locations/vendors.

Add to Cart

This module deals with managing the cart details. Here the customer can add items to cart, remove and view their cart.

Order Management

This module deals with managing the order details placed by the customer. Customers can place order, edit order, and search order details.

Payment Management

This module facilitates the payment for orders by the customer. Here customer can pay for the order and search for the payment details. Payment can be done through either credit or debit cards.

Search or Filter

This module helps the customer to filter the products they are looking for with some filters or using keywords

LIMITATIONS OF THE PROJECT

8.LIMITATIONS OF PROJECT

Limited Customer Base: The reach of the online boutique store may be limited to areas with internet connectivity and access to online shopping platforms. Customers without internet access or those who prefer in-person shopping may not be able to utilize the store.

Technical Constraints: The performance of the online boutique store may be affected by technical issues such as website downtime, slow loading times, or compatibility issues with different devices and browsers. These technical constraints can impact the user experience and deter potential customers from making purchases.

Limited Product Selection: The online boutique store may have a limited selection of products compared to physical retail stores. Customers may have preferences for trying on clothing or accessories before making a purchase, which can be challenging to replicate in an online setting.

Inventory Management Challenges: Managing inventory levels and stock availability across different categories and items can be complex, especially during peak seasons or sales events. Inaccurate inventory data or stock outs can result in missed sales opportunities and dissatisfied customers.

FURTHER ENHANCEMENT

9. FUTURE SCOPE AND FURTHER ENHANCEMENT

Any system which has been in use for a number of years gradually decays and become less effective because of change in environment to which it has to be adapted. For the time being it is possible to overcome problems by amendments and minor modifications to acknowledge the need of fundamental changes.“ Online Boutique Store” satisfies the requirements of the management. The system is developed in a user-friendly manner. It has one module for manipulating the database. The application can be enhanced in the future with the needs of the management. The database and the information can be updated to the latest coming versions. There are also possibilities for enhancing and further developing the project with the latest information and needs of the management, since the coding are in procedural block formats, altering the code is also made easy.

BIBLIOGRAPHY

10.BIBLIOGRAPHY

www.stackoverflow.com

www.w3schools.com

www.tutorialspoint.com

BOOK OF STUDY

Software Engineering (3rd ed.) By K.K. Aggarwal & Yogesh Singh