PHP

12. Create a PHP program to display the bio data of a person by reading the personal details using an HTML page.

```
<!DOCTYPE html>
<html>
	<head>
		<title></title>
		<meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
	</head>
	<body>
		<form method='POST'>
			<h2>Please input your name:</h2>
				<input type="text" name="name">
			<h2>Please input your address:</h2>
				<input type="text" name="add">
			<h2>Please input your phone:</h2>
				<input type="text" name="ph">
			<input type="submit" value="Submit Name">
		</form>
		<?php
			$name = $_POST['name'];
			echo "<h3> Hello $name </h3>";
			$add = $_POST['add'];
			echo "<h3> $add </h3>";
			$ph = $_POST['ph'];
			echo "<h3> $ph </h3>";
		?>
	</body>
</html>
```

13. Write a PHP function to reverse a string

```
<?php
	function Reverse($str2)
	{
		for($i2=strlen($str2)-1, $j2=0; $j2<$i2; $i2--, $j2++)
		{
			$temp2 = $str2[$i2];
			$str2[$i2] = $str2[$j2];
			$str2[$j2] = $temp2;
		}
		return $str2;
	}
	$str2 = "PAVANKUMARSAKE";
	print_r(Reverse($str2));
?>
```

14. Write a PHP program to check whether a given number is perfect, abundant or deficient.

```
<html>
	<head>
		<title>Number</title>
	</head>
	<body>
		<form action="" method="post">
			Enter the number:
				<input type="number" name="num"><br>
			<input type="submit" value="submit" value="submit">
		</form>
	</body>
</html>
<?php
	$num=$_POST["num"];
	$sum=0;
	if(is_numeric($num))
	{
		for($i=1;$i<$num;$i++)
		{
			$temp=$i;
			if($num%$temp==0)
				$sum=$sum+$i;
		}
		if($sum==$num)
			echo "<b>".$num." is a perfect number"."</b>";
		else if($sum<$num)
			echo "<b>".$num." is a deficient number"."</b>";
		else
			echo "<b>".$num." is an abundant number"."</b>";
	}
?>
```

15. Create a login page using database.

```
<!DOCTYPE html>
<html>
	<head>
		<title></title>
		<meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
	</head>
	<body>
		<form method='POST'>
			</br>Enter username
				<input type="text" name="un1">
			</br>Enter password
				<input type="text" name="pw1">
			<input type="submit" value="Submit Name">
			<?php
				$servername = "localhost";
				$username = "root";
				$password = "";
				$db="db1";
				$conn = new mysqli($servername,$username, $password,$db);
				if ($conn->connect_error)
				{
					die("Connection failed: ". $conn->connect_error);
				}
				else
				{
					?><br/>
					<?php
					echo "Connected successfully";
				}
				$result = mysqli_query($conn,"SELECT * FROM tb1");
				$row = mysqli_fetch_array($result);
				$name = $_POST['un1'];
				$pass = $_POST['pw1'];
				if( $name == $row["un"] && $pass == $row["pw"] )
				{
					?><br/>
					<?php
					echo "login successfull";
				}
				else
				{
					?>
					<br/>
					<?php
					echo "login fail";
				}
			?>
		</form>
	</body>
</html>
```

16. Create a table student with fields roll no, name, mark, grade. Insert some records in the table. Write a PHP program to display the mark list of a student by accepting the register no of the student.

```
<html>
	<body>
		<h1>Marksheet</h1>
		<form method="POST" action="">
			Regno: <input type="text" name="txtreg" />
			<input type="submit" value="Get Result">
		</form>
	</body>
</html>
<?php
	if ($_POST)
	{
		$rg = $_POST['txtreg'];
		echo $rg;
		$servername = "localhost";
		$username = "root";
		$password = "";
		$db="db1";
		$conn = new mysqli($servername,$username, $password,$db);
		if ($conn)
			echo "Successfully Connected.";
		$qry = "select * from result where regno=$rg";
		$result = mysqli_query($conn, $qry);
		$nos = mysqli_num_rows($result);
		while ($row = mysqli_fetch_row($result))
		{
			echo "<br>\n";
			echo "rollno: $row[0] name: $row[1] mark: $row[2] ";
		}
	}
?>
```

17. Write a PHP application to generate the pay slip of an employee by accepting name, basic salary and designation. The net salary will be calculated based on the following conditions.

Designation	conveyance extra allowance	allowance	Income tax Gross upto 2500 0
Manager	500	1000	Gross upto 4000 3%
Supervisor	200	750	Gross upto 5000 5%
clerk	100	500	Gross >5000 8%
Peon	100	250	
HRA – 25 %			Gross= basic + HRA +conveyance + extra
			Net = Gross – Income tax

```
<html>
	<head>
		<title>Pay Slip</title>

	</head>
	<body>
		<form method="post">
			Name: <input type="text" name="txtName"><br>
			salary: <input type="text" name="txtBasicSal"><br>
			designation: <input type="text" name="selDesig"><br>
			<input type="submit" value="submit">
		</form>

		<?php
			$conveyance_allowance = array('Manager'=> 1000, 'Supervisor'=> 750,
'Clerk'=> 500, 'Peon'=> 250);
			$extra_allowance = array('Manager'=> 500, 'Supervisor'=> 200, 'Clerk'=>
100, 'Peon'=> 0);

			$name = &$_POST['txtName'];
			$basicSal = &$_POST['txtBasicSal'];
			$desig = &$_POST['selDesig'];

			if($name == '' || $basicSal == '' || $desig == '')
			{
				echo "ERROR: All fields are mandatory.";
				exit;
			}

			$hra = $basicSal * 0.25;
			$gross = $basicSal + $hra + $conveyance_allowance[$desig] +
$extra_allowance[$desig];

			if($gross < 2500)
			{
				$it = 0;
			}
```

```
                        else if($gross >= 2500 && $gross <= 4000)
                        {
                                $it = 0.03;
                        }
                        else if($gross <= 5000)
                        {
                                $it = 0.05;
                        }
                        else
                        {
                                $it = 0.08;
                        }

                        $net = $gross - ($it*$gross);

                        echo "<h1>Pay Slip of $name</h1>";
                        echo "<p><label>Name: </label> $name</p>";
                        echo "<p><label>Designation: </label> $desig</p>";
                        echo "<hr/><p><label>Basic Salary: </label> $basicSal</p>";
                        echo "<p><label>Conveyance Allowance:
</label>".$conveyance_allowance[$desig]."</p>";
                        echo "<p><label>Extra Allowance:
</label>".$extra_allowance[$desig]."</p>";
                        echo "<p><label>HRA: </label> $hra</p>";
                        echo "<p><label>Gross Salary: </label> $gross</p>";
                        echo "<p><label>Income Tax: </label> ".($it*$gross).'  ('.($it*100).'%) </p>';
                        echo "<p style='font-weight:bold'><label>Net Salary: </label> $net</p>";
                ?>
        </body>
</html>
```

18. PHP program to store current date-time in a cookie and display the Last visited date-time on the web page upon revisiting the same web page.

```
<html>
	<body bgcolor="87ceeb">
		<center><h2> Last visited time on the web page</h2></center>
		<br>
		<?php

			$inTwoMonths = 60 * 60 * 24 * 60 + time();
			setcookie('lastVisit', date("G:i - m/d/y"), $inTwoMonths);
			if(isset($_COOKIE['lastVisit']))
			{
				$visit = $_COOKIE['lastVisit'];
				echo "Your last visit was - ". $visit;
			}
			else
				echo "You've got some stale cookies!";
		?>
	</body>
</html>
```

19. Create a table product with fields itemcode, itemname, unitprice. Write PHP program to insert 5 records into the table and display it in a table format.

```
<html>
	<body>
		<h1>Marksheet</h1>
		<form method="POST" action="">
			Item Code: <input type="text" name="txticode" />
			Item Name: <input type="text" name="txtiname" />
			Unit price: <input type="text" name="txtiprice" />
			<input type="submit" value="Get Result">
		</form>
	</body>
</html>
<?php
	if ($_POST)
	{
		$ticode = $_POST['txticode'];
		$tiname = $_POST['txtiname'];
		$tiprice = $_POST['txtiprice'];

		echo $ticode;
		echo $tiname;
		echo $tiprice;

		$servername = "localhost";
		$username = "root";
		$password = "";
		$db="db11";

		$conn = new mysqli($servername,$username, $password,$db);

		if ($conn)
			echo "Successfully Connected.";

		$sql = "INSERT INTO tb11 (icode, iname, iprice) VALUES ('$ticode', '$tiname',
'$tiprice')";

		if ($conn->query($sql) === TRUE)
		{
			 echo "New record created successfully";
		}
		else
		{
			 echo "Error: " . $sql . "<br>" . $conn->error;
		}

		$qry = "select * from tb11";
		$tb11 = mysqli_query($conn, $qry);
		$nos = mysqli_num_rows($tb11);
		while ($row = mysqli_fetch_row($tb11))
```

```
		{
			echo "<br>\n";
			echo "item code: $row[0] item name: $row[1] item price: $row[2] ";
		}
	}
?>
```

20. Create a table bank with the following fields accno, cust_name, balance. Insert some Records. Design HTML page to accept Account Number and amount using TextBoxes and type of transaction (Deposit or Withdrawal) using Radio Button. Write PHP program to update balance according to the transaction.

```
<html>
	<body>
		<h1>Account</h1>
		<form method="POST" action="">
			Acc No: <input type="text" name="txtacno" />
			Balance: <input type="text" name="txtibalance" />


			<br/><input type="radio" name="trans" value="deposit"/>Deposit
			<br/><input type="radio" name="trans" value="withdraw"/>Withdraw
			<input type="submit" value="Get Result">

		</form>
	</body>
</html>
<?php
	if ($_POST)
	{
		$tacno = $_POST['txtacno'];
		$tbalance = $_POST['txtibalance'];
		$tran = $_POST['trans'];

		echo $tacno;
		echo "<br/>";
		echo $tbalance;
		echo "<br/>";
		echo $tran;

		$servername = "localhost";
		$username = "root";
		$password = "";
		$db="db12";

		$conn = new mysqli($servername,$username, $password,$db);

		if ($conn)
			echo "Successfully Connected.";

		if($tran=="deposit")
		{
			echo "</br></br> ...........You want to deposit.............</br>";

			$qryd = "select * from tb12 where acno=$tacno";
			$tbd = mysqli_query($conn, $qryd);
			$nosd = mysqli_num_rows($tbd);
```

```
                        while ($rowd = mysqli_fetch_row($tbd))
                        {
                                echo "<br><br>.............account you want deposit......</br>\n";
                                echo "Account Number: $rowd[0] Holder name: $rowd[1] Balance:
$rowd[2] </br>";

                                $tot=$tbalance+$rowd[2];

                                $sqld = "UPDATE tb12 SET acbalance=$tot WHERE acno=$tacno";

                                if ($conn->query($sqld) === TRUE)
                                {
                                        echo "deposited successfully";
                                }
                                else
                                {
                                        echo "Error: " . $sqld . "<br>" . $conn->error;
                                }

                        }


                }
                if($tran=="withdraw")
                {
                        echo "</br></br> .............You want to withdraw....................</br>";

                        $qryw = "select * from tb12 where acno=$tacno";
                        $tbw = mysqli_query($conn, $qryw);
                        $nosw = mysqli_num_rows($tbw);



                        while ($roww = mysqli_fetch_row($tbw))
                        {
                                echo "<br><br>.............account you want withdraw......</br>\n";
                                echo "Account Number: $roww[0] Holder name: $roww[1] Balance:
$roww[2] </br>";

                                $tot=$roww[2]-$tbalance;

                                $sqlw = "UPDATE tb12 SET acbalance=$tot WHERE acno=$tacno";

                                if ($conn->query($sqlw) === TRUE)
                                {
                                        e<html>
        <body>
                <form action = "" method = "POST" enctype = "multipart/form-data">
                        Select a File
                                <input type = "file" name = "image" />
                                <input type = "submit"/>
```

```
                </form>
        </body>
</html>


<?php if(isset($_FILES['image']))
{
        echo "File Name: ".$_FILES['image']['name']."<br>";
        echo "File Size: ".$_FILES['image']['size']."<br>";
        echo "File Type: ".$_FILES['image']['type']."<br>";
        echo "<br>Success Uploaded";
}
?>

cho "withdraw successfully<br/></br>";
                                }
                                else
                                {
                                        echo "Error: " . $sqlw . "<br>" . $conn->error;
                                }
                        }

                }



                $qry = "select * from tb12";
                $tb12 = mysqli_query($conn, $qry);
                $nos = mysqli_num_rows($tb12);

                while ($row = mysqli_fetch_row($tb12))
                {
                        echo "<br>\n";
                        echo "Account Number: $row[0] Holder name: $row[1] Balance: $row[2] ";

                }







        }
?>
```

21. Write an HTML page to display a list of fruits in a list box Write php program to display the selected fruits in a webpage

```
<html>
	<body>
		<form action="" method="POST">
			Choose any fruit
			<select name="fruits">
				<option value="Mango">Mango</option>
				<option value="Grape">Grape</option>
				<option value="Banana">Banana</option>
				<option value="Chicku">Chicku</option>
				<option value="Apple">Apple</option>
				<option value="Orange">Orange</option>
				<option value="Pine Apple">Pine Apple</option>
			</select><br><br>
			<input type="submit" value="SELECT">
		</form>
	</body>
</html>
<?php
if ($_POST)
{
	echo "<h2> You have selected : </h2>";
	echo $_POST["fruits"];
}
?>
```

22. Write a PHP program to create an array and store 10 names in the array. Do the following operations.
a. Display the contents using for each statement.
b. Display the array in a sorted order.
c. Display the array without the duplicate elements
d. Remove the last element and display
e. Display the array in reverse order
f. Search an element in the given array.

```
<html>
	<body>
		<h1>Array Operations</h1>
		<form action="" method="post">
			<input type=radio name=choice value=display>Display Array<br />
			<input type=radio name=choice value=sort>Sorted Array<br />
			<input type=radio name=choice value=dupli>Without Duplicate<br /><input
type=radio name=choice value=pop>Delete Last<br />
			<input type=radio name=choice value=rev>Array Reverse<br />
			<input type=radio name=choice value=search>Array Search<br /><br/>
			<input type=Submit>
		</form>
	</body>
</html>
<?php
if ($_POST)
{
	$countries = array("Chile", "Colombia", "Pakistan", "Pakistan", "Italy","Chile", "Austria",
"New Zealand", "United States");
	$val = $_POST['choice'];
	switch ($val)
	{
		case "display":
			foreach ($countries as $value)
			echo "<br>" . $value;
			break;
		case "sort":
			sort($countries);
			foreach ($countries as $value)
			echo "<br>" . $value;
			break;
		case "dupli":
			$uarray = array_unique($countries);
			foreach ($uarray as $value)
			echo "<br>" . $value;
			break;
		case "pop":
			array_pop($countries);
			foreach ($countries as $value)
			echo "<br>" . $value;
```

```
                break;
            case "rev":
                $revarr = array_reverse($countries);
                foreach ($revarr as $value)
                echo "<br>" . $value;
                break;
            case "search":
                echo "<br/><br/>Position - " . array_search("Italy", $countries, true);
                break;
        }
}
?>
```

23. Display Multiplication table using PHP and AJAX

```
<html>
	<head>

	</head>
	 <script>
		function loadDoc()
			{
				var xhttp = new XMLHttpRequest();
				xhttp.onreadystatechange = function()
				{
					if (this.readyState == 4 && this.status == 200)
					{
						document.getElementById("demo").innerHTML =
this.responseText;
					}
				};
				xhttp.open("GET", "ajax_info.txt", true);
				xhttp.send();
			}
	 </script>
	<body>
		<center>

			<h3>
				Program to print multiplication<br>
					table of any number in PHP
			</h3>

			<form method="POST">
				Enter a number:
					<input type="text" name="number">
				<input type="submit" value="Get Multiplication Table" >
			</form>
		</center>


		 <div id="demo">
			<h2>Let AJAX display the details</h2>
			<button type="button" onclick="loadDoc()">Explaind the details of program
by ajax</button>
		</div>



	</body>

</html>
```

```
<?php
	if($_POST)
	{
		$num = $_POST["number"];
		for ($i = 1; $i <= 10; $i++)
		{
			echo ("<p style='text-align: center;'>$num" . " X " . "$i" . " = " . $num *
$i . "</p>");
		}
	}
?>
```

this is another file create the file like below(sudo gedit ajax_info.txt) and add the content to that file

sudo gedit ajax_info.txt

```
<h1>AJAX</h1>
<p>by AJAX it is displaying this text, telling that this is multiplication table</p>
<p>by this program we can do any multiplication table </p>
<p>we only need to type the number of which multiplication table we want </p>
<p>this details are printing by ajax methods </p>
```

24. Write a PHP script to upload the file to the server through HTML Page

```
<html>
	<body>
		<form action = "" method = "POST" enctype = "multipart/form-data">
			Select a File
				<input type = "file" name = "image" />
				<input type = "submit"/>
		</form>
	</body>
</html>


<?php if(isset($_FILES['image']))
{
	echo "File Name: ".$_FILES['image']['name']."<br>";
	echo "File Size: ".$_FILES['image']['size']."<br>";
	echo "File Type: ".$_FILES['image']['type']."<br>";
	echo "<br>Success Uploaded";
}
?>
```