

RAJALAKSHMI ENGINEERING COLLEGE

An Autonomous Institution, Affiliated to Anna University

Rajalakshmi Nagar, Thandalam – 602 105

Web Technology And Mobile Application

Experiment 12

2026-2027

By

NAVDEEP.N

B.Tech-AIML

241501127

AIM:

To develop an Android application that allows users to send an email using installed email clients.

ALGORITHM:

- Open Android Studio and create a new project (Empty Activity).
- Design the UI with input fields: recipient email, subject, and message body, plus a "Send" button.
- Use an implicit intent with action `Intent.ACTION_SEND`.
- Set MIME type as `"message/rfc822"` to target email apps.
- Pass recipient, subject, and message using intent extras.
- Trigger the intent when the button is clicked.
- Run the app on an emulator or physical device.

CODE:

XML:

```
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"
    android:orientation="vertical"
    android:padding="16dp"
    android:layout_width="match_parent"
    android:layout_height="match_parent">
```

```
<EditText
    android:id="@+id/toEmail"
    android:hint="Recipient Email"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"/>
```

```
<EditText
    android:id="@+id/subject"
    android:hint="Subject"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"/>
```

```
<EditText
    android:id="@+id/message"
    android:hint="Message"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"/>
```

```
<Button
    android:id="@+id/sendBtn"
    android:text="Send Email"
```

```
        android:layout_width="match_parent"  
        android:layout_height="wrap_content"/>  
</LinearLayout>
```

MainActivity.java:

```
package com.example.emailsender;
```

```
import androidx.appcompat.app.AppCompatActivity;  
import android.content.Intent;  
import android.os.Bundle;  
import android.view.View;  
import android.widget.Button;  
import android.widget.EditText;
```

```
public class MainActivity extends AppCompatActivity {
```

```
    EditText toEmail, subject, message;  
    Button sendBtn;
```

```
    @Override  
    protected void onCreate(Bundle savedInstanceState) {  
        super.onCreate(savedInstanceState);  
        setContentView(R.layout.activity_main);
```

```
        toEmail = findViewById(R.id.toEmail);  
        subject = findViewById(R.id.subject);  
        message = findViewById(R.id.message);  
        sendBtn = findViewById(R.id.sendBtn);
```

```
        sendBtn.setOnClickListener(new View.OnClickListener() {  
            @Override  
            public void onClick(View v) {
```

```
                Intent intent = new Intent(Intent.ACTION_SEND);  
                intent.setType("message/rfc822");
```

```
                intent.putExtra(Intent.EXTRA_EMAIL, new String[]{toEmail.getText().toString()});  
                intent.putExtra(Intent.EXTRA_SUBJECT, subject.getText().toString());  
                intent.putExtra(Intent.EXTRA_TEXT, message.getText().toString());
```


```
                startActivity(Intent.createChooser(intent, "Choose Email Client"));
```

```
            }  
        });
```

```
    }
```

```
}
```

OUTPUT:



RESULT:

The application opens a list of installed email clients and sends the composed email through the selected app.