

RAJALAKSHMI ENGINEERING COLLEGE

An Autonomous Institution, Affiliated to Anna University

Rajalakshmi Nagar, Thandalam – 602 105

Web Technology And Mobile Application

Experiment 5

2026-2027

By

NAVDEEP.N

B.Tech-AIML

241501127

AIM:

To demonstrate the difference between the HTTP GET and POST methods by creating a form in an HTML page and handling the form submissions using two different HTTP methods in a Java Servlet.

ALGORITHM:

1. Input:

The user fills out a web form with their name and email.

The form will use both GET and POST methods for data submission.

2. Steps for Creating and Handling the HTTP GET and POST Requests:

1. Create an HTML Form:

- o Design an HTML form with two input fields: one for the name and one for the email.

- o Create two buttons to allow the user to submit the form using GET or POST methods.

- o Use the action attribute to define the Servlet URL and specify the form method (either GET or POST).

2. Create the Servlet to Handle GET and POST Requests:

- o Write a Java Servlet class that will handle both GET and POST requests.

- o The servlet will have two methods:

- doGet() to handle the GET requests.

- doPost() to handle the POST requests.

- o In both methods, retrieve the form data using request.getParameter().

- o In the doGet() method, process and display the data in the URL.

- o In the doPost() method, process and display the data in the HTTP request body.

3. Handle GET Requests in the Servlet:

- o In the doGet() method, use request.getParameter() to retrieve the name and email submitted via GET.

- o Output the data as a response, including the name and email in the URL (visible to the user).

4. Handle POST Requests in the Servlet:

- o In the doPost() method, use request.getParameter() to retrieve the name and email submitted via POST.

- o Output the data as a response, displaying the name and email without exposing them in the URL (more secure).

5. Return the Output:

- o The Servlet should return an HTML page displaying the name and email entered by the user.
- o For the GET method, the output should be visible in the URL.
- o For the POST method, the output should be visible in the response body, not the URL.

6. Deploy and Test the Servlet:

- o Compile the Servlet class and deploy it to a Servlet container (like Apache Tomcat).
- o Test the form using GET and POST methods to see the difference in data submission.

7. Observe and Compare GET and POST Results:

- o Test the GET method: The form data is sent in the URL.
- o Test the POST method: The form data is sent in the HTTP request body, not visible in the URL.

CODE:

Html Code:

```
<!DOCTYPE html>
<html>
<head>
<title>Railway Reservation</title>
<style>
body {
font-family: Georgia, serif;
background-color: #0d1117;
margin: 0;
padding: 20px;
}

h2 {
background-color: #1f6feb;
color: white;
padding: 15px;
text-align: center;
border-radius: 8px;
letter-spacing: 2px;
}

h3 {
color: #58a6ff;
border-left: 5px solid #f0a500;
padding-left: 10px;
}
```

```
.container {  
max-width: 500px;  
margin: 0 auto;  
}
```

```
form {  
background-color: #161b22;  
padding: 25px;  
border-radius: 10px;  
box-shadow: 0 4px 15px rgba(0,0,0,0.5);  
margin-bottom: 25px;  
border: 1px solid #30363d;  
}
```

```
input[type="text"] {  
padding: 10px 12px;  
border: 1px solid #30363d;  
border-radius: 5px;  
width: 100%;  
font-size: 14px;  
margin-bottom: 14px;  
box-sizing: border-box;  
background-color: #0d1117;  
color: #c9d1d9;  
}
```

```
input[type="text"]::placeholder {  
color: #6e7681;  
}
```

```
input[type="text"]:focus {  
outline: none;  
border-color: #1f6feb;  
}
```

```
input[type="submit"] {  
margin-top: 5px;  
padding: 10px 25px;  
background-color: #1f6feb;  
color: white;  
border: none;  
border-radius: 6px;  
font-size: 15px;  
cursor: pointer;  
width: 100%;  
}
```

```
input[type="submit"]:hover {  
background-color: #f0a500;  
color: #0d1117;  
}
```

```
hr {
```

```

border: none;
border-top: 1px solid #30363d;
margin: 20px 0;
}
</style>
</head>
<body>

<div class="container">

<h2> Online Railway Reservation System</h2>

<!-- GET Form - Search Train -->
<h3>Search Train (GET)</h3>
<form action="exp5" method="get">
<input type="text" name="from" placeholder="From Station (e.g. Chennai)" />
<input type="text" name="to" placeholder="To Station (e.g. Mumbai)" />
<input type="submit" value="Search Train" />
</form>

<hr/>

<!-- POST Form - Book Ticket -->
<h3>Book Ticket (POST)</h3>
<form action="exp5" method="post">
<input type="text" name="name" placeholder="Passenger Name" />
<input type="text" name="trainNo" placeholder="Train Number (e.g. 12163)" />
<input type="submit" value="Book Ticket" />
</form>

</div>

</body>
</html>

```

Servlet code:

```

package WTMA;

import jakarta.servlet.ServletException;
import jakarta.servlet.annotation.WebServlet;
import jakarta.servlet.http.HttpServlet;
import jakarta.servlet.http.HttpServletRequest;
import jakarta.servlet.http.HttpServletResponse;
import java.io.IOException;
import java.io.PrintWriter;

@WebServlet("/exp5")
public class exp5 extends HttpServlet {

    private static final long serialVersionUID = 1L;

    public exp5() {

```

```

super();
}

private String getStyle() {
return "<style>"
+ "body { font-family: Georgia, serif; background-color: #0d1117; padding: 30px; color: #c9d1d9; }"
+ "h2 { background-color: #1f6feb; color: white; padding: 15px; }"
+ "  text-align: center; border-radius: 8px; letter-spacing: 2px; }"
+ ".card { background: #161b22; max-width: 450px; margin: 20px auto; padding: 25px; "
+ "  border-radius: 10px; box-shadow: 0 4px 15px rgba(0,0,0,0.5);"
+ "  border: 1px solid #30363d; }"
+ "h3 { color: #58a6ff; border-left: 5px solid #f0a500; padding-left: 10px; }"
+ "p { font-size: 16px; color: #c9d1d9; border-bottom: 1px solid #21262d; padding: 8px 0; }"
+ "span { font-weight: bold; color: #58a6ff; }"
+ ".success { color: #3fb950; font-size: 18px; text-align: center; font-weight: bold; }"
+ ".back-btn { display: block; text-align: center; margin-top: 15px; padding: 10px; "
+ "  background-color: #1f6feb; color: white; text-decoration: none;"
+ "  border-radius: 6px; font-size: 15px; }"
+ ".back-btn:hover { background-color: #f0a500; color: #0d1117; }"
+ "</style>";
}

```

```

protected void doGet(HttpServletRequest request, HttpServletResponse response)
throws ServletException, IOException {

```

```

response.setContentType("text/html");
PrintWriter pw = response.getWriter();

```

```

String from = request.getParameter("from");
String to = request.getParameter("to");
String contextPath = request.getContextPath();

```

```

pw.println(getStyle());
pw.println("<h2> Online Railway Reservation System</h2>");
pw.println("<div class='card'>");
pw.println("<h3>Data Received Using GET Method</h3>");
pw.println("<p>From Station : <span>" + from + "</span></p>");
pw.println("<p>To Station : <span>" + to + "</span></p>");
pw.println("<p>Available Train : <span>Chennai Express (12163)</span></p>");
pw.println("<p>Fare : <span>Rs. 850</span></p>");
pw.println("<a class='back-btn' href='" + contextPath + "/index.html'>← Go Back</a>");
pw.println("</div>");
}

```

```

protected void doPost(HttpServletRequest request, HttpServletResponse response)
throws ServletException, IOException {

```

```

response.setContentType("text/html");

```

```
PrintWriter pw = response.getWriter();
```

```
String name = request.getParameter("name");
```

```
String trainNo = request.getParameter("trainNo");
```

```
String contextPath = request.getContextPath();
```

```
pw.println(getStyle());
```

```
pw.println("<h2> Online Railway Reservation System</h2>");
```

```
pw.println("<div class='card'>");
```

```
pw.println("<h3>Data Received Using POST Method</h3>");
```

```
pw.println("<p>Passenger Name : <span>" + name + "</span></p>");
```

```
pw.println("<p>Train Number : <span>" + trainNo + "</span></p>");
```

```
pw.println("<p class='success'>✔ Ticket Booked Successfully!</p>");
```

```
pw.println("<a class='back-btn' href='" + contextPath + "/index.html'>← Go  
Back</a>");
```

```
pw.println("</div>");
```

```
}
```

```
}
```

OUTPUT:

🚂 Online Railway Reservation System

Search Train (GET)

chennai

mumbai

Search Train

Book Ticket (POST)

Passenger Name

Train Number (e.g. 12163)

Book Ticket



Online Railway Reservation System

Data Received Using GET Method

From Station : **chennai**

To Station : **mumbai**

Available Train : **Chennai Express (12163)**

Fare : **Rs. 850**

← Go Back

🚂 Online Railway Reservation System

Search Train (GET)

Book Ticket (POST)



Online Railway Reservation System

Data Received Using POST Method

Passenger Name : Navdeep N

Train Number : 12345

✅ Ticket Booked Successfully!

RESULT:

The browser will display the message "Hello, World!" returned by the Servlet.