Wildlife Ecology

Week 7 Assignment Solutions (2026)

1 In an estuary, species may use areas of

(a) **high, intermediate, and low salinity**

(b) only high temperature and high fertility

(c) only alpine wind and poor soil

(d) only forest canopy and grassland patches

2 The movement of individuals away from their place of birth or hatching or seed production into a new habitat or area to survive and reproduce is called

a. translocation

b. migration

c. **dispersal**

d. drifting

3 Transplantation experiments are used to find

a. **potential range**

b. effective range

c. actual range

d. economic range

4 Pneumatophores are roots that

(a) move downward to store excess salts

(b) spread into sand dunes to stop wind erosion

(c) **grow upward from the ground to obtain air**

(d) become thorns to reduce transpiration

5 At night, cooler and denser air from upper hill areas flows down towards the valley. This wind pattern is called

(a) valley breeze

(b) **hill wind**

(c) ocean breeze

(d) estuary current

6 Flamingos in the Rann of Kutch are associated with water bodies because they need

(a) high wind speeds and snow-covered slopes

(b) **food organisms in water and safe breeding conditions**

(c) dry deciduous leaves for summer feeding

(d) tall coniferous trees for nesting

7 Estuaries are specialized habitats because they contain

(a) only freshwater throughout the year

(b) only saline water throughout the year

(c) only dry land and thorny shrubs

(d) **a meeting zone of freshwater and saline water**

8 The movement of lions across the Gir landscape is an example of

a. **diffusion**

b. secular dispersal

c. jump dispersal

d. drifting

9 Mangroves are adapted to areas that experience

(a) low salinity and permanent dryness

(b) snow accumulation and alpine winds

(c) deep desert sand with no water movement

(d) **high salinity and partial or complete inundation**

10 Scarcity of food is a

a. chemical factor

b. demographic factor

c. **push factor**

d. pull factor