

Rajalakshmi Engineering College

Name: Naveed Sheriff
Email: 240701348@rajalakshmi.edu.in
Roll no: 240701348
Phone: 9025573780
Branch: REC
Department: I CSE FD
Batch: 2028
Degree: B.E - CSE

Scan to verify results



NeoColab_REC_CS23221_Python Programming

REC_Python_Week 4_CY

Attempt : 1
Total Mark : 40
Marks Obtained : 40

Section 1 : Coding

1. Problem Statement

Develop a text analysis tool that needs to count the occurrences of a specific substring within a given text string.

Write a function `count_substrings(text, substring)` that takes two inputs: the text string and the substring to be counted. The function should count how many times the substring appears in the text string and return the count.

Function Signature: `count_substrings(text, substring)`

Input Format

The first line of the input consists of a string representing the text.

The second line consists of a string representing the substring.

Output Format

The output should display a single line of output containing the count of occurrences of the substring in the text string.

Refer to the sample output for the formatting specifications.

Sample Test Case

Input: programming is fun and programming is cool
programming

Output: The substring 'programming' appears 2 times in the text.

Answer

```
def count_substring(s,v):  
    e = s.split(" ")  
    count = s.count(v)  
    return count  
s = input()  
v = input()  
c = count_substring(s,v)  
print(f"The substring '{v}' appears {c} times in the text.")
```

Status : Correct

Marks : 10/10

2. Problem Statement

Implement a program for a retail store that needs to find the highest even price in a list of product prices. Your goal is to efficiently determine the maximum even price from a series of product prices. Utilize the max() inbuilt function in the program.

For example, if the prices are 10 15 24 8 37 16, the even prices are 10 24 8 16. So, the maximum even price is 24.

Input Format

The input consists of a series of product prices separated by a space.

The prices should be entered as a space-separated string of numbers.

Output Format

If there are even prices in the input, the output prints "The maximum even price is: " followed by the maximum even price.

If there are no even prices in the input, the output prints "No even prices were found".

Refer to the sample output for formatting specifications.

Sample Test Case

Input: 10 15 24 8 37 16

Output: The maximum even price is: 24

Answer

```
n = list(map(int,input().split(" ")))
m = []
l = len(n)
for i in range(0,l):
    if( n[i]%2 == 0):
        m.append(n[i])
if len(m)>0:
    maximum = max(m)
    print("The maximum even price is:",maximum)
else:
    print("No even prices were found")
```

Status : Correct

Marks : 10/10

3. Problem Statement

Amrita is developing a password strength checker for her website. She

wants the checker to consider the length and the diversity of characters used in the password. A strong password should be long and include a mix of character types: uppercase, lowercase, digits, and special symbols.

She also wants the feedback to be user-friendly, so she wants to include the actual password in the output. Help Amrita finish this password checker using Python's built-in string methods.

Character Types Considered:

Lowercase letters (a-z) Uppercase letters (A-Z) Digits (0-9) Special characters (from string.punctuation, e.g. @, !, #, \$)

Input Format

The input consists of a single string representing the user's password.

Output Format

The program prints the strength of the password in this format:

If the password length < 6 characters or fewer than 2 of the 4 character types, the output prints "<password> is Weak"

If password length ≥ 6 and at least 2 different character types, the output prints "<password> is Moderate"

If Password length ≥ 10 and all 4 character types present, the output prints "<password> is Strong"

Refer to the sample output for formatting specifications.

Sample Test Case

Input: password123

Output: password123 is Moderate

Answer

```
s = input()
l = len(s)
uc = 0
```

```

lc = 0
dc = 0
sc = 0
special_char = "!@#$%^&*."
for char in s:
    if char.isupper():
        uc += 1
    elif char.islower():
        lc += 1
    elif char.isdigit():
        dc += 1
    elif char in special_char:
        sc += 1
types = 0
if uc>0:
    types += 1
if lc>0:
    types += 1
if dc>0:
    types += 1
if sc>0:
    types += 1
if(l >= 10 and types==4):
    print(s," is Strong")
elif(l >= 6 and types >= 2):
    print(s," is Moderate")
else:
    print(s," is Weak")

```

Status : Correct

Marks : 10/10

4. Problem Statement

Meena is analyzing a list of integers and needs to count how many numbers in the list are even and how many are odd. She decides to use lambda functions to filter the even and odd numbers from the list.

Write a program that takes a list of integers, counts the number of even

and odd numbers using lambda functions, and prints the results.

Input Format

The first line contains an integer n, representing the number of integers in the list.

The second line contains n space-separated integers.

Output Format

The first line of output prints an integer representing the count of even numbers.

The second line of output prints an integer representing the count of odd numbers.

Refer to the sample output for the formatting specifications.

Sample Test Case

Input: 7
12 34 56 78 98 65 23

Output: 5
2

Answer

```
n = int(input())
m = list(map(int, input().split(" ")))
l = len(m)
even = sum(map(lambda ch : ch%2 == 0, m))
odd = n - even
print(even)
print(odd)
```

Status : Correct

Marks : 10/10