

1)

```
mysql> create database viva;
Query OK, 1 row affected (0.03 sec)

mysql> use viva;
Database changed
mysql> CREATE TABLE STUDENT(
  -> RegNo INT PRIMARY KEY,
  -> SName VARCHAR(30),
  -> Dept VARCHAR(10),
  -> Age INT
  -> );
Query OK, 0 rows affected (0.03 sec)

mysql>
mysql> INSERT INTO STUDENT VALUES
  -> (101,'Arjun','CSE',20),
  -> (102,'Praveen','IT',21),
  -> (103,'Karthik','ECE',22),
  -> (104,'Naveen','AIDS',20),
  -> (105,'Rahul','AIML',21);
Query OK, 5 rows affected (0.01 sec)
Records: 5  Duplicates: 0  Warnings: 0

mysql>
mysql> CREATE TABLE FACULTY(
  -> FacNo INT PRIMARY KEY,
  -> FName VARCHAR(30),
  -> Gender CHAR(1),
  -> Age INT
  -> );
Query OK, 0 rows affected (0.03 sec)

mysql>
mysql> INSERT INTO FACULTY VALUES
  -> (1,'Mohan','M',45),
  -> (2,'Priya','F',38),
  -> (3,'Rani','F',42),
  -> (4,'Suresh','M',50),
  -> (5,'Kumar','M',47);
Query OK, 5 rows affected (0.01 sec)
Records: 5  Duplicates: 0  Warnings: 0
```

```
mysql>
mysql> CREATE TABLE DEPARTMENT(
    -> DeptNo INT PRIMARY KEY,
    -> DeptName VARCHAR(30)
    -> );
Query OK, 0 rows affected (0.03 sec)

mysql>
mysql> INSERT INTO DEPARTMENT VALUES
    -> (10,'CSE'),
    -> (20,'IT'),
    -> (30,'ECE'),
    -> (40,'AIDS'),
    -> (50,'AIML');
Query OK, 5 rows affected (0.00 sec)
Records: 5  Duplicates: 0  Warnings: 0

mysql>
mysql> CREATE TABLE COURSE(
    -> CourseNo INT PRIMARY KEY,
    -> CourseName VARCHAR(30),
    -> SemNo INT
    -> );
Query OK, 0 rows affected (0.04 sec)

mysql>
mysql> INSERT INTO COURSE VALUES
    -> (1001,'DBMS',3),
    -> (1002,'Operating System',4),
    -> (1003,'Computer Networks',5),
    -> (1004,'Java',4),
    -> (1005,'Python',2);
Query OK, 5 rows affected (0.00 sec)
Records: 5  Duplicates: 0  Warnings: 0

mysql>
mysql> CREATE TABLE STUDENT3(
    -> RegNo INT PRIMARY KEY,
    -> Marks INT,
    -> Grade CHAR(1)
    -> );
Query OK, 0 rows affected (0.04 sec)
```

```
mysql>
```

```
mysql> INSERT INTO STUDENT3 VALUES
```

```
    -> (101,89,'A'),
```

```
    -> (102,75,'B'),
```

```
    -> (103,93,'A'),
```

```
    -> (104,68,'C'),
```

```
    -> (105,81,'A');
```

```
Query OK, 5 rows affected (0.01 sec)
```

```
Records: 5  Duplicates: 0  Warnings: 0
```

2)

```
mysql> SELECT * FROM STUDENT;
```

RegNo	SName	Dept	Age
101	Arjun	CSE	20
102	Praveen	IT	21
103	Karthik	ECE	22
104	Naveen	AIDS	20
105	Rahul	AIML	21

5 rows in set (0.01 sec)

```
mysql> SELECT * FROM FACULTY;
```

FacNo	FName	Gender	Age
1	Mohan	M	45
2	Priya	F	38
3	Rani	F	42
4	Suresh	M	50
5	Kumar	M	47

5 rows in set (0.00 sec)

```
mysql> SELECT * FROM DEPARTMENT;
```

DeptNo	DeptName
10	CSE
20	IT
30	ECE
40	AIDS
50	AIML

5 rows in set (0.00 sec)

```
mysql> SELECT * FROM COURSE;
```

CourseNo	CourseName	SemNo
1001	DBMS	3
1002	Operating System	4
1003	Computer Networks	5
1004	Java	4
1005	Python	2

5 rows in set (0.00 sec)

```
mysql> SELECT * FROM STUDENT3;
```

RegNo	Marks	Grade
101	89	A
102	75	B
103	93	A
104	68	C
105	81	A

5 rows in set (0.00 sec)

```
mysql> |
```