

1)

```
-> MobileNo NUMBER(10),
-> City VARCHAR(15)
-> };
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near '{
  RegNo NUMBER(3),
  Name VARCHAR(15),
  Gender CHAR(1),
  DOB DATE,
  ' at line 2
mysql> CREATE TABLE STUDENT
-> (
->   RegNo INT(3) PRIMARY KEY,
->   Name VARCHAR(15),
->   Gender CHAR(1),
->   DOB DATE,
->   MobileNo BIGINT,
->   City VARCHAR(15)
-> );
Query OK, 0 rows affected, 1 warning (0.05 sec)

mysql> desc student;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| RegNo | int  | NO   | PRI | NULL    |       |
| Name  | varchar(15) | YES |     | NULL    |       |
| Gender | char(1) | YES |     | NULL    |       |
| DOB   | date  | YES |     | NULL    |       |
| MobileNo | bigint | YES |     | NULL    |       |
| City  | varchar(15) | YES |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
6 rows in set (0.01 sec)

mysql>
```

2)

```
| DOB | date | YES | | NULL | |  
| MobileNo | bigint | YES | | NULL | |  
| City | varchar(15) | YES | | NULL | |  
+-----+-----+-----+-----+-----+  
6 rows in set (0.01 sec)
```

```
mysql> CREATE TABLE FACULTY  
-> (  
-> FacNo VARCHAR(4) PRIMARY KEY,  
-> FacName VARCHAR(15),  
-> Gender CHAR(1),  
-> DOB DATE,  
-> DOJ DATE,  
-> MobileNo BIGINT  
-> );
```

Query OK, 0 rows affected (0.03 sec)

```
mysql> desc faculty  
-> ;
```

```
+-----+-----+-----+-----+-----+  
| Field | Type | Null | Key | Default | Extra |  
+-----+-----+-----+-----+-----+  
| FacNo | varchar(4) | NO | PRI | NULL | |  
| FacName | varchar(15) | YES | | NULL | |  
| Gender | char(1) | YES | | NULL | |  
| DOB | date | YES | | NULL | |  
| DOJ | date | YES | | NULL | |  
| MobileNo | bigint | YES | | NULL | |  
+-----+-----+-----+-----+-----+  
6 rows in set (0.00 sec)
```

```
mysql>
```

3)

```
-> MobileNo BIGINT
-> );
Query OK, 0 rows affected (0.03 sec)

mysql> desc faculty
-> ;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| FacNo | varchar(4) | NO | PRI | NULL | |
| FacName | varchar(15) | YES | | NULL | |
| Gender | char(1) | YES | | NULL | |
| DOB | date | YES | | NULL | |
| DOJ | date | YES | | NULL | |
| MobileNo | bigint | YES | | NULL | |
+-----+-----+-----+-----+-----+-----+
6 rows in set (0.00 sec)

mysql> CREATE TABLE DEPARTMENT
-> (
-> DeptNo VARCHAR(4) PRIMARY KEY,
-> DeptName VARCHAR(15),
-> DeptHead VARCHAR(4)
-> );
Query OK, 0 rows affected (0.03 sec)

mysql> desc department;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| DeptNo | varchar(4) | NO | PRI | NULL | |
| DeptName | varchar(15) | YES | | NULL | |
| DeptHead | varchar(4) | YES | | NULL | |
+-----+-----+-----+-----+-----+-----+
3 rows in set (0.00 sec)

mysql> .
```

4)

Query OK, 0 rows affected (0.03 sec)

mysql> desc department;

Field	Type	Null	Key	Default	Extra
DeptNo	varchar(4)	NO	PRI	NULL	
DeptName	varchar(15)	YES		NULL	
DeptHead	varchar(4)	YES		NULL	

3 rows in set (0.00 sec)

mysql> CREATE TABLE COURSE

```
-> (  
->   CourseNo VARCHAR(3) PRIMARY KEY,  
->   CourseDesc VARCHAR(14),  
->   CourseType CHAR(1),  
->   SemNo CHAR(1),  
->   HallNo VARCHAR(4),  
->   FacNo VARCHAR(4)  
-> );
```

Query OK, 0 rows affected (0.03 sec)

mysql> desc course;

Field	Type	Null	Key	Default	Extra
CourseNo	varchar(3)	NO	PRI	NULL	
CourseDesc	varchar(14)	YES		NULL	
CourseType	char(1)	YES		NULL	
SemNo	char(1)	YES		NULL	
HallNo	varchar(4)	YES		NULL	
FacNo	varchar(4)	YES		NULL	

6 rows in set (0.00 sec)

mysql>

5)

```
-> );
Query OK, 0 rows affected (0.03 sec)

mysql> desc course;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| CourseNo | varchar(3) | NO | PRI | NULL | |
| CourseDesc | varchar(14) | YES | | NULL | |
| CourseType | char(1) | YES | | NULL | |
| SemNo | char(1) | YES | | NULL | |
| HallNo | varchar(4) | YES | | NULL | |
| FacNo | varchar(4) | YES | | NULL | |
+-----+-----+-----+-----+-----+-----+
6 rows in set (0.00 sec)

mysql> ALTER TABLE FACULTY
-> ADD Dept VARCHAR(10);
Query OK, 0 rows affected (0.08 sec)
Records: 0 Duplicates: 0 Warnings: 0

mysql> desc faculty;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| FacNo | varchar(4) | NO | PRI | NULL | |
| FacName | varchar(15) | YES | | NULL | |
| Gender | char(1) | YES | | NULL | |
| DOB | date | YES | | NULL | |
| DOJ | date | YES | | NULL | |
| MobileNo | bigint | YES | | NULL | |
| Dept | varchar(10) | YES | | NULL | |
+-----+-----+-----+-----+-----+-----+
7 rows in set (0.00 sec)

mysql>
```