

1)

```
mysql> CREATE DATABASE college;
Query OK, 1 row affected (0.04 sec)

mysql> USE college;
Database changed
mysql>
mysql> CREATE TABLE STUDENT2(
  ->     RegNo INT,
  ->     SName VARCHAR(30),
  ->     Dept VARCHAR(10),
  ->     Age INT
  -> );
Query OK, 0 rows affected (0.05 sec)

mysql>
mysql> INSERT INTO STUDENT2 VALUES
  -> (101,'Arjun','CSE',20),
  -> (102,'Praveen','IT',21),
  -> (103,'Karthik','ECE',22);
Query OK, 3 rows affected (0.02 sec)
Records: 3  Duplicates: 0  Warnings: 0

mysql>
mysql> ALTER TABLE STUDENT2
  -> ADD PRIMARY KEY(RegNo);
Query OK, 0 rows affected (0.09 sec)
Records: 0  Duplicates: 0  Warnings: 0

mysql>
mysql> SELECT * FROM STUDENT2;
+-----+-----+-----+-----+
| RegNo | SName  | Dept  | Age  |
+-----+-----+-----+-----+
| 101   | Arjun  | CSE   | 20   |
| 102   | Praveen | IT    | 21   |
| 103   | Karthik | ECE   | 22   |
+-----+-----+-----+-----+
3 rows in set (0.00 sec)
```

2)

```
mysql> CREATE DATABASE college;
ERROR 1007 (HY000): Can't create database 'college'; database exists
mysql> USE college;
Database changed
mysql>
mysql> CREATE TABLE FACULTY(
    ->     FacNo INT,
    ->     FName VARCHAR(30),
    ->     Gender CHAR(1),
    ->     Age INT
    -> );
Query OK, 0 rows affected (0.03 sec)

mysql>
mysql> INSERT INTO FACULTY VALUES
    -> (1, 'Mohan', 'M', 45),
    -> (2, 'Priya', 'F', 40),
    -> (3, 'Rani', 'F', 42);
Query OK, 3 rows affected (0.01 sec)
Records: 3  Duplicates: 0  Warnings: 0

mysql>
mysql> ALTER TABLE FACULTY
    -> ADD PRIMARY KEY(FacNo);
Query OK, 0 rows affected (0.08 sec)
Records: 0  Duplicates: 0  Warnings: 0

mysql>
mysql> ALTER TABLE FACULTY
    -> ADD CONSTRAINT chk_gender
    -> CHECK(Gender IN ('M', 'F'));
Query OK, 3 rows affected (0.06 sec)
Records: 3  Duplicates: 0  Warnings: 0

mysql>
mysql> SELECT * FROM FACULTY;
+-----+-----+-----+-----+
| FacNo | FName | Gender | Age |
+-----+-----+-----+-----+
| 1     | Mohan | M      | 45  |
| 2     | Priya | F      | 40  |
| 3     | Rani  | F      | 42  |
+-----+-----+-----+-----+
3 rows in set (0.00 sec)
```

3)

```
mysql> CREATE DATABASE college;
ERROR 1007 (HY000): Can't create database 'college'; database exists
mysql> USE college;
Database changed
mysql>
mysql> CREATE TABLE DEPARTMENT(
  ->     DeptNo INT,
  ->     DeptName VARCHAR(30)
  -> );
Query OK, 0 rows affected (0.02 sec)

mysql>
mysql> INSERT INTO DEPARTMENT VALUES
  -> (10,'CSE'),
  -> (20,'IT'),
  -> (30,'ECE');
Query OK, 3 rows affected (0.01 sec)
Records: 3  Duplicates: 0  Warnings: 0

mysql>
mysql> ALTER TABLE DEPARTMENT
  -> ADD PRIMARY KEY(DeptNo);
Query OK, 0 rows affected (0.08 sec)
Records: 0  Duplicates: 0  Warnings: 0

mysql>
mysql> SELECT * FROM DEPARTMENT;
+-----+-----+
| DeptNo | DeptName |
+-----+-----+
|      10 | CSE      |
|      20 | IT       |
|      30 | ECE      |
+-----+-----+
3 rows in set (0.00 sec)
```

4)

```
mysql> CREATE DATABASE college;
ERROR 1007 (HY000): Can't create database 'college'; database exists
mysql> USE college;
Database changed
mysql>
mysql> CREATE TABLE COURSE(
  ->     CourseNo INT,
  ->     CourseName VARCHAR(30),
  ->     SemNo INT
  -> );
Query OK, 0 rows affected (0.06 sec)

mysql>
mysql> INSERT INTO COURSE VALUES
  -> (101,'DBMS',3),
  -> (102,'OS',4),
  -> (103,'CN',5);
Query OK, 3 rows affected (0.00 sec)
Records: 3  Duplicates: 0  Warnings: 0

mysql>
mysql> ALTER TABLE COURSE
  -> ADD PRIMARY KEY(CourseNo);
Query OK, 0 rows affected (0.09 sec)
Records: 0  Duplicates: 0  Warnings: 0

mysql>
mysql> ALTER TABLE COURSE
  -> ADD CONSTRAINT chk_sem
  -> CHECK(SemNo BETWEEN 1 AND 6);
Query OK, 3 rows affected (0.06 sec)
Records: 3  Duplicates: 0  Warnings: 0

mysql>
mysql> SELECT * FROM COURSE;
+-----+-----+-----+
| CourseNo | CourseName | SemNo |
+-----+-----+-----+
|      101 | DBMS      |      3 |
|      102 | OS        |      4 |
|      103 | CN        |      5 |
+-----+-----+-----+
3 rows in set (0.00 sec)
```

5)

```
mysql> CREATE DATABASE college;
ERROR 1007 (HY000): Can't create database 'college'; database exists
mysql> USE college;
Database changed
mysql>
mysql> CREATE TABLE STUDENT2(
  ->     RegNo INT,
  ->     SName VARCHAR(30),
  ->     Dept VARCHAR(10)
  -> );
ERROR 1050 (42S01): Table 'student2' already exists
mysql>
mysql> INSERT INTO STUDENT2 VALUES
  -> (101,'Arjun','CSE'),
  -> (102,'Praveen','IT'),
  -> (103,'Karthik','ECE');
ERROR 1136 (21S01): Column count doesn't match value count at row 1
mysql>
mysql> ALTER TABLE STUDENT2
  -> ADD CONSTRAINT uq_sname UNIQUE(SName);
Query OK, 0 rows affected (0.03 sec)
Records: 0  Duplicates: 0  Warnings: 0

mysql>
mysql> SELECT * FROM STUDENT2;
+-----+-----+-----+-----+
| RegNo | SName  | Dept  | Age  |
+-----+-----+-----+-----+
| 101   | Arjun  | CSE   | 20   |
| 102   | Praveen | IT    | 21   |
| 103   | Karthik | ECE   | 22   |
+-----+-----+-----+-----+
3 rows in set (0.00 sec)
```

6)

```
mysql> CREATE DATABASE college;
ERROR 1007 (HY000): Can't create database 'college'; database exists
mysql> USE college;
Database changed
mysql>
mysql> CREATE TABLE STUDENT2(
  ->     RegNo INT PRIMARY KEY,
  ->     SName VARCHAR(30),
  ->     Dept VARCHAR(10)
  -> );
ERROR 1050 (42S01): Table 'student2' already exists
mysql>
mysql> INSERT INTO STUDENT2 VALUES
  -> (101,'Arjun','CSE'),
  -> (102,'Praveen','IT'),
  -> (103,'Karthik','ECE');
ERROR 1136 (21S01): Column count doesn't match value count at row 1
mysql>
mysql> CREATE TABLE STUDENT3(
  ->     RegNo INT,
  ->     Marks INT
  -> );
Query OK, 0 rows affected (0.02 sec)

mysql>
mysql> INSERT INTO STUDENT3 VALUES
  -> (101,85),
  -> (102,90),
  -> (103,88);
Query OK, 3 rows affected (0.01 sec)
Records: 3 Duplicates: 0 Warnings: 0

mysql>
mysql> ALTER TABLE STUDENT3
  -> ADD CONSTRAINT fk_regno
  -> FOREIGN KEY(RegNo)
  -> REFERENCES STUDENT2(RegNo);
Query OK, 3 rows affected (0.09 sec)
Records: 3 Duplicates: 0 Warnings: 0
```

```
mysql>
mysql> SELECT * FROM STUDENT2;
+-----+-----+-----+-----+
| RegNo | SName   | Dept  | Age  |
+-----+-----+-----+-----+
| 101   | Arjun   | CSE   | 20   |
| 102   | Praveen | IT     | 21   |
| 103   | Karthik | ECE    | 22   |
+-----+-----+-----+-----+
3 rows in set (0.00 sec)

mysql> SELECT * FROM STUDENT3;
+-----+-----+
| RegNo | Marks |
+-----+-----+
| 101   | 85    |
| 102   | 90    |
| 103   | 88    |
+-----+-----+
3 rows in set (0.00 sec)

mysql> |
```