

EX-5

```
mysql> create database tup;
Query OK, 1 row affected (0.01 sec)

mysql> use tup;
Database changed
mysql> CREATE TABLE Student (
    ->     RegNo INT PRIMARY KEY,
    ->     StudentName VARCHAR(50),
    ->     DOB DATE,
    ->     Gender VARCHAR(10),
    ->     City VARCHAR(30)
    -> );
Query OK, 0 rows affected (0.07 sec)

mysql>
mysql> INSERT INTO Student VALUES
    -> (111,'Naveen','2007-09-13','Male','Chennai'),
    -> (121,'Praveen','2007-10-21','Male','Coimbatore'),
    -> (131,'Divya','2007-12-10','Female','Trichy'),
    -> (141,'Arjun','2007-05-23','Male','Madurai'),
    -> (151,'Kaviya','2007-08-02','Female','Chennai'),
    -> (161,'Lokesh','2007-01-18','Male','Salem'),
    -> (171,'Harsh','2007-04-15','Male','Salem'),
    -> (181,'Amritha','2007-11-09','Female','Salem'),
    -> (191,'Ramesh','2007-03-27','Male','Erode'),
    -> (201,'Sham','2007-06-30','Male','Salem');
Query OK, 10 rows affected (0.01 sec)
Records: 10  Duplicates: 0  Warnings: 0

mysql>
mysql> CREATE TABLE Course (
    ->     CourseCode VARCHAR(10) PRIMARY KEY,
    ->     CourseName VARCHAR(50),
    ->     HallNo VARCHAR(10)
    -> );
Query OK, 0 rows affected (0.05 sec)

mysql>
mysql> INSERT INTO Course VALUES
    -> ('C001','Database Management System','H001'),
    -> ('C002','Java Programming','H002'),
    -> ('C003','Python Programming','H003'),
    -> ('C004','Computer Networks','H001'),
    -> ('C005','Operating Systems','H004');
Query OK, 5 rows affected (0.01 sec)
Records: 5  Duplicates: 0  Warnings: 0
```

EX-5

```
mysql>
mysql> CREATE TABLE Registration (
    ->     RegNo INT,
    ->     CourseCode VARCHAR(10),
    ->     PRIMARY KEY (RegNo, CourseCode),
    ->     FOREIGN KEY (RegNo) REFERENCES Student(RegNo),
    ->     FOREIGN KEY (CourseCode) REFERENCES Course(CourseCode)
    -> );
Query OK, 0 rows affected (0.06 sec)
```

```
mysql>
mysql> INSERT INTO Registration VALUES
    -> (111, 'C001'),
    -> (121, 'C002'),
    -> (131, 'C001'),
    -> (141, 'C003'),
    -> (151, 'C004'),
    -> (161, 'C005'),
    -> (171, 'C001'),
    -> (181, 'C002'),
    -> (191, 'C003'),
    -> (201, 'C001');
Query OK, 10 rows affected (0.01 sec)
Records: 10  Duplicates: 0  Warnings: 0
```

```
mysql>
mysql> CREATE TABLE Faculty (
    ->     FacultyID INT PRIMARY KEY,
    ->     FacultyName VARCHAR(50),
    ->     DOJ DATE
    -> );
Query OK, 0 rows affected (0.04 sec)
```

```
mysql>
mysql> INSERT INTO Faculty VALUES
    -> (1, 'Ramesh', '2012-05-15'),
    -> (2, 'Priya', '2014-10-20'),
    -> (3, 'Kumar', '2015-01-10'),
    -> (4, 'Anitha', '2013-08-18'),
    -> (5, 'Suresh', '2014-09-05');
Query OK, 5 rows affected (0.03 sec)
Records: 5  Duplicates: 0  Warnings: 0
```

EX-5

WHERE

1)

```
mysql> SELECT RegNo, StudentName, DOB
-> FROM Student;
```

RegNo	StudentName	DOB
111	Naveen	2007-09-13
121	Praveen	2007-10-21
131	Divya	2007-12-10
141	Arjun	2007-05-23
151	Kaviya	2007-08-02
161	Lokesh	2007-01-18
171	Harsh	2007-04-15
181	Amritha	2007-11-09
191	Ramesh	2007-03-27
201	Sham	2007-06-30

10 rows in set (0.03 sec)

2)

```
mysql> SELECT *
-> FROM Student
-> WHERE Gender = 'Female';
```

RegNo	StudentName	DOB	Gender	City
131	Divya	2007-12-10	Female	Trichy
151	Kaviya	2007-08-02	Female	Chennai
181	Amritha	2007-11-09	Female	Salem

3 rows in set (0.00 sec)

3)

```
mysql> SELECT S.RegNo, S.StudentName, R.CourseCode
-> FROM Student S
-> JOIN Registration R
-> ON S.RegNo = R.RegNo
-> WHERE R.CourseCode = 'C001';
```

RegNo	StudentName	CourseCode
111	Naveen	C001
131	Divya	C001
171	Harsh	C001
201	Sham	C001

4 rows in set (0.03 sec)

EX-5

4)

```
mysql> SELECT *  
      -> FROM Faculty  
      -> WHERE DOJ < '2014-11-01';
```

FacultyID	FacultyName	DOJ
1	Ramesh	2012-05-15
2	Priya	2014-10-20
4	Anitha	2013-08-18
5	Suresh	2014-09-05

4 rows in set (0.00 sec)

5)

```
mysql> SELECT *  
      -> FROM Course  
      -> WHERE HallNo <> 'H001';
```

CourseCode	CourseName	HallNo
C002	Java Programming	H002
C003	Python Programming	H003
C005	Operating Systems	H004

3 rows in set (0.00 sec)

EX-5

LIKE

6)

```
mysql> SELECT *
-> FROM Student
-> WHERE StudentName LIKE '%sh';
```

RegNo	StudentName	DOB	Gender	City
161	Lokesh	2007-01-18	Male	Salem
171	Harsh	2007-04-15	Male	Salem
191	Ramesh	2007-03-27	Male	Erode

```
3 rows in set (0.04 sec)
```

7)

```
mysql> SELECT *
-> FROM Student
-> WHERE StudentName LIKE '%sh%';
```

RegNo	StudentName	DOB	Gender	City
161	Lokesh	2007-01-18	Male	Salem
171	Harsh	2007-04-15	Male	Salem
191	Ramesh	2007-03-27	Male	Erode
201	Sham	2007-06-30	Male	Salem

```
4 rows in set (0.00 sec)
```

EX-5

8)

```
mysql> SELECT *
-> FROM Student
-> WHERE StudentName LIKE '%sh%';
```

RegNo	StudentName	DOB	Gender	City
161	Lokesh	2007-01-18	Male	Salem
171	Harsh	2007-04-15	Male	Salem
191	Ramesh	2007-03-27	Male	Erode
201	Sham	2007-06-30	Male	Salem

```
4 rows in set (0.00 sec)
```

9)

```
mysql> SELECT *
-> FROM Student
-> WHERE StudentName NOT LIKE '_____';
```

RegNo	StudentName	DOB	Gender	City
121	Praveen	2007-10-21	Male	Coimbatore
131	Divya	2007-12-10	Female	Trichy
141	Arjun	2007-05-23	Male	Madurai
171	Harsh	2007-04-15	Male	Salem
181	Amritha	2007-11-09	Female	Salem
201	Sham	2007-06-30	Male	Salem

```
6 rows in set (0.02 sec)
```

EX-5

10)

```
mysql> SELECT *  
-> FROM Student  
-> WHERE StudentName LIKE '%am%';
```

RegNo	StudentName	DOB	Gender	City
181	Amritha	2007-11-09	Female	Salem
191	Ramesh	2007-03-27	Male	Erode
201	Sham	2007-06-30	Male	Salem

```
3 rows in set (0.00 sec)
```