

1)

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

```
mysql> create database thing;
Query OK, 1 row affected (0.01 sec)
```

```
mysql> use thing;
Database changed
```

```
mysql> CREATE TABLE STUDENT2(
  ->   RegNo BIGINT PRIMARY KEY,
  ->   SName VARCHAR(30),
  ->   Dept VARCHAR(10),
  ->   Age INT
  -> );
Query OK, 0 rows affected (0.06 sec)
```

```
mysql>
mysql> INSERT INTO STUDENT2 VALUES
  -> (191711342, 'Arjun', 'CSE', 20),
  -> (191711343, 'Karthik', 'IT', 21),
  -> (191711344, 'Praveen', 'ECE', 22);
Query OK, 3 rows affected (0.01 sec)
Records: 3  Duplicates: 0  Warnings: 0
```

```
mysql>
mysql> UPDATE STUDENT2
  -> SET SName='Naveen'
  -> WHERE RegNo=191711342;
Query OK, 1 row affected (0.01 sec)
Rows matched: 1  Changed: 1  Warnings: 0
```

```
mysql>
mysql> SELECT * FROM STUDENT2;
+-----+-----+-----+-----+
| RegNo   | SName  | Dept  | Age  |
+-----+-----+-----+-----+
| 191711342 | Naveen | CSE   | 20   |
| 191711343 | Karthik | IT    | 21   |
| 191711344 | Praveen | ECE   | 22   |
+-----+-----+-----+-----+
3 rows in set (0.00 sec)
```

2)

```
mysql> CREATE TABLE FACULTY(  
->     FacNo INT PRIMARY KEY,  
->     FName VARCHAR(30),  
->     Gender CHAR(1),  
->     Age INT  
-> );
```

Query OK, 0 rows affected (0.22 sec)

```
mysql>
```

```
mysql> INSERT INTO FACULTY VALUES
```

```
-> (101, 'Mohan', 'M', 59),  
-> (102, 'Priya', 'F', 45),  
-> (103, 'Rani', 'F', 50),  
-> (104, 'Suresh', 'M', 62);
```

Query OK, 4 rows affected (0.01 sec)

Records: 4 Duplicates: 0 Warnings: 0

```
mysql>
```

```
mysql> DELETE FROM FACULTY
```

```
-> WHERE FName='Priya';
```

Query OK, 1 row affected (0.00 sec)

```
mysql>
```

```
mysql> SELECT * FROM FACULTY;
```

FacNo	FName	Gender	Age
101	Mohan	M	59
103	Rani	F	50
104	Suresh	M	62

3 rows in set (0.00 sec)

3)

3 rows in set (0.00 sec)

```
mysql> CREATE TABLE FACULTY(
```

```
->   FacNo INT PRIMARY KEY,
```

```
->   FName VARCHAR(30),
```

```
->   Gender CHAR(1),
```

```
->   Age INT
```

```
-> );
```

ERROR 1050 (42S01): Table 'faculty' already exists

```
mysql>
```

```
mysql> INSERT INTO FACULTY VALUES
```

```
-> (101, 'Mohan', 'M', 45),
```

```
-> (102, 'Priya', 'F', 40),
```

```
-> (103, 'Rani', 'F', 50),
```

```
-> (104, 'Suresh', 'M', 62);
```

ERROR 1062 (23000): Duplicate entry '101' for key 'faculty.PRIMARY'

```
mysql>
```

```
mysql> UPDATE FACULTY
```

```
-> SET Age=59
```

```
-> WHERE FName='Mohan';
```

Query OK, 0 rows affected (0.00 sec)

Rows matched: 1 Changed: 0 Warnings: 0

```
mysql>
```

```
mysql> SELECT * FROM FACULTY;
```

FacNo	FName	Gender	Age
101	Mohan	M	59
103	Rani	F	50
104	Suresh	M	62

3 rows in set (0.00 sec)

4)

3 rows in set (0.00 sec)

```
mysql> CREATE TABLE FACULTY(
```

```
->   FacNo INT PRIMARY KEY,
```

```
->   FName VARCHAR(30),
```

```
->   Gender CHAR(1),
```

```
->   Age INT
```

```
-> );
```

ERROR 1050 (42S01): Table 'faculty' already exists

```
mysql>
```

```
mysql> INSERT INTO FACULTY VALUES
```

```
-> (101, 'Mohan', 'M', 59),
```

```
-> (102, 'Priya', 'F', 45),
```

```
-> (103, 'Rani', 'F', 68),
```

```
-> (104, 'Suresh', 'M', 70),
```

```
-> (105, 'Kumar', 'M', 60);
```

ERROR 1062 (23000): Duplicate entry '101' for key 'faculty.PRIMARY'

```
mysql>
```

```
mysql> DELETE FROM FACULTY
```

```
-> WHERE Age>65;
```

Query OK, 0 rows affected (0.00 sec)

```
mysql>
```

```
mysql> SELECT * FROM FACULTY;
```

FacNo	FName	Gender	Age
101	Mohan	M	59
103	Rani	F	50
104	Suresh	M	62

3 rows in set (0.00 sec)