```
NAME - BHANNU PRATAP
  COURSE - MCA 2A
  STUDENT 10 - 20711062
   ROLL NO - 2001047
Quel- Inclex. html
   < html>
   2 head?
    < body>
   V form action = "login" method = "post'>

Namu: V input type = "text" name: "username "/zbr/>
Password: V input type = "password" name "userpass"

(chr/)
    2 input type = "Submit" Value = "login" />
     2 /forms
      1 bodys
      x/html>
      login. java -
        impart jaua. 10.*;
impart jaua. Servlet.*;
        impart jaua servelet hottp.*;
      public class Login extends Httpserviet?
      public void dopost (http Sexvlet Request reg,
                        httpservletkesponse rus)
               servlet Exception, Io Exception.
      throws
              set contenttype (" text / html"))
      Print Mriter Out = response get Writer ();
```

```
String p = request. get parameter ("user Name");
String p = request. get parameter (" UserPass);
 if (p. equals ('Thanos")?
  Request Dels patcher Ad 2
   request get Request Dels patcher (° Serviet 2")
  ord. forward (request, response);
  else ?
     Out. print (" Pass word mismatch");
    Request Dels partcher rdz
    request get lequest Despatcher ('/index-htm1');
     ord include (request, response);
  vielcome jaua-
   impart jalea. io *;
   impart jaleax servlet '*;
   impart janax · Servlet. http. *;
  public class welcome extend httpserviet [
public void doposit (http Servlet Request request,
                   httpservlet Response response)
        Serviet Exception Io Exception
  throws
```

```
prind Writerout = susponse get Writer();
String n= request. get parameter ("username");
out. print ("welcome " +n)"
Web. XML -
     zweb - app>
     < Servlet >
  < Servlet-names login / Servlet - names
  < Servlet - class > login < / Servlet - class>
  2/ Serviets
  < Servict>
  « Serviet - names welcome serviet </ Serviet - names
  L'Surviet - class's welcome 2/ Serviet - class >
 2 |Serviet >
 <Servlet - mapping>
 & Serviet - name > login < / Serviet - names
 Lorl - patterns/ Serviet/ < / wil - patterns
 21 Servlet - mappings
 ~ Servlet-mapping>
 2 Serviet - names Welcome Serviet </ Serviet-names
 2011- patterns / Servlet 2 2/wil - patterns
    < | servlet - mapping>
```

```
& Welcome - file - lists
2 Welcome - file > index. html / /Welcome-file>
2/welcome - file - l'ist>
 2/wcb-app>
```

```
Name - BHANNU PRATAP
  COURSE - MCA ZA
  STUDENTID - 20711062
   ROLL NO - 2001047
Que 2 -
      ржоднат - Воок. јача
     public class Book
     private string bookName;
     prévate int bookprice;
      private string deethor Name;
      public void setBookName (String bookName)
     thes. bookName = book Name ()
      public string get Book Name ()
       return their . Book Name;
     public void setBookNamePrice (int bookPrice)
      thes. bookPrice z bookPrice;
     public inst get Book prièce ()
      return this book Price;
```

```
public void set Author Name (String author Name)
thes author Name = author Name;
public string get AuthorName()
 retorn thes author Name;
 Test Book. java
 import jaua util Scanner;
  public class TestBook
   public static void main (String [Jargs)
   Scanner Scz new Scanner (System-in);
 System : out printin ("Enter the Book name");
  string bookname = sc. nextline ();
System. out printin (" Enter the price");
   int price = sc. nevet int ();
   Sc. nextlène ();
 System. out printin ("Enter the Author name");
  string authorname = Sc. neset-Line ();
  Book obj = new book();
  obj. Set BookName (bookname);
  obj. Set Bookbrice (price);
```

```
obj. Set Author Name (author Name);
System. out. println ("Book Details);
 System. out println (BookName: "+obj.get BookName());
System.out. println("BookRrice: "+obj. get BookRrice());
System. out. println("Author Name!"+obj. get Author
Name());
```