

NAME \Rightarrow ROHIT RAWAT

STUDENT ID \Rightarrow 20711021

ROLL NO \Rightarrow 2001124

COURSE \Rightarrow MCA '2A'

Ans 1

<!DOCTYPE html>

<html>

<head>

<title> Insert title here </title>

</head>

<body>

<form action = "login.jsp">

<table>

<tr><td> Enter username </td>

<td> <input type = "text" name = "t1"> </td>

</tr>

<tr><td> Enter password </td>

</tr>

<input type = "password" name = "t2">

</td> </tr>

<tr><td> </td> <td>

<input type = "submit" value = "login"> </td>

</tr>

<tr><td> <a href = "newuser.html"

> new user </td>


</tr>

</table>

</form>

</body>

</html>



NAME ⇒ ROHIT RAWAT

STUDENT ID ⇒ 20711021

ROLL NO ⇒ 200124

COURSE ⇒ MCA '2A'

Ans 1 ⇒

Package web login;

import java.sql.*;

Public class dbutil {

static Connection con = null;

static PreparedStatement pst = null;

static ResultSet rs = null;

Public static Connection getConn() {

try {

Class.forName("com.mysql.jdbc.Driver");

String url = "jdbc:mysql://localhost:3306/";

String user = "root";

String passwd = "admin";

con = DriverManager.getConnection(url, user, passwd);

} catch (Exception e) {

System.out.println(e);

return con;

Public static ResultSet getData() throws Exception

con = getConn();

pst = con.prepareStatement("Select * from userdata");

rs = pst.executeQuery();

return rs;

Public static int addData(int a, int b) throws Exception {

int i = 0;

con = getConn();

pst = con.prepareStatement("insert into userdata values (?, ?)");

pst.setString(1, a);

pst.setInt(2, b);

return i;

Filename: New Microsoft Word Document.docx
Directory: C:\Users\Rohit Rawat\OneDrive\Documents
Template: C:\Users\Rohit
Rawat\AppData\Roaming\Microsoft\Templates\Normal.dotm
Title:
Subject:
Author: ROHIT RAWAT
Keywords:
Comments:
Creation Date: 07-Aug-21 11:11:00 AM
Change Number: 1
Last Saved On:
Last Saved By:
Total Editing Time: 0 Minutes
Last Printed On: 07-Aug-21 11:12:00 AM
As of Last Complete Printing
Number of Pages: 2
Number of Words: 0 (approx.)
Number of Characters: 2 (approx.)