Name + Nishant Boothwal ROLLNO. + 2001096 M(AZB Codes index. Hml fil-< ! DOLTYPE HIML > <h+ml> < head > <title > Ques One </title> </head> <body> < form action = "login"> < label > user home </ lakel > " < "input type = " text" placeholder = " Exter your name" name = "login"/> < bo/> \bo/> </p "ten" planeholder = " Enter passwood " name = "Passwood, (Lbot) < ho/7

Submit"> login</br/>
/button>

/> <1 body> </ hotml>

Nishant Barthmal 2001096 MCA2B Sq. Java filo 3 indox+ Jana, 591. +0) Kuhlic class Connect ? public Static Void main (Storing email, String pars) boolean st=false; Clars. Jos. Name (" Com. mysq 1. jdbc. Doinor"); 4848 Connection Com = Doiner Manager. get Connection (" Jdbc: my & L: // local host : 3306 / Wser", "soot ", "1234"), Prepared Statement ps = lonn, prepare Statement ("Select * from login where Usernonne = ? and passwood =?"); Ps. set String (1, email), PS. Set String (2, Pars); Rosult Set 05 = PS. evente Query(); St = 85. ne 4+(); Catch (Exception c) { C. posset Stuck Toance();

Nishand Burthmal 2001096 MLAZB Login Java file Impost Javo, io: impost Savar. Seculet. "; impost Java . Serulet. http. * " 1000 impost java. Sal, *; extends HHb Serulet } public class login protected void do Post (HHtp serulet Request request, H the Serulet Response response) therous Servelet Exception, JOEXCeption Hesponse. Set Content Type ("text/html; Charect=UTF-8! Point Moiter Out = sesponce, get writer (); Stoing user nome = de quest, get Boarneten l'username! String Pars = request, get parameter ("Parsword) if (conn. check user (username, pars)) Request Pispotcher os = resquest getRequest 85. Joshand (request, sesponso), else g System. out. pointslul" user name or possuos i'n love (+"); Request Dispatcher 85 = request, get Request Dispotcher 3 3 85. include (se quest, ("index. html");

```
Nishant Barthmal
2001096
MCA 2B
```

Mel Come . Java file +

Code: 7 impost jawa, io. *; impost Javax. Serulet; impost Java x. Serulet. http. *;

impost Jana. Sql. *;

public class melcome extends H++b Semlet {

protected void

do Post (H++ b Sombet Request regnest, H++ b Sombet Response vespionse) throws

Serilet Exception,

desponse, Set Constert Type ("text/ horn); charset= Point muiter out = sesponder. get miniter();

8. System. out. printen (" wellome user");