```
Name - Apy Niegi
       PPOIIFOX - DI tribute
          MCA (2B)
Old <! Doctype HTML>
       < HTML>
       < head>
        <title> sqltable < Ititle>
         < Thead>
         < pody >
              < from action =" login">
              < lable > Username < / lable > < input
                         type = " +ext"
                   place holder = " enter your username"
                    name = " login"/> < br/> < br/>
             < lablel > password < I babel > < input
                   type = "text" place holder = "enter pass
                               - word "
                       name = " pass word" > < 6 1> < 6 1>
                   <button type = " Submit" > login < 1 button>
                                < 67/>
                   < Iform>
                  < 10097 >
```

< I h+m1>

```
Import Jova. Sq. IX
     public class conn &
   Public static boolean check user (string email, string pur
           boolean St = false;
            ery s
                  class. for Name ("com. my sq.f. Jobc. Drivel);
             connection con = DriverManager get connection
                    ( "Jobc: oracle: thin: @ localhost: 1521: xe
                                "system", "abcd");
         Prepared statement ps = con. prepare Statement
                            ("seled * from login where
              username = ? and password = ?");
                  Ps. setstring (1, email);
                  Result set rs = Ps. execute Query U;
                  St = rs. next();
                  catch (Exceptione) &
                     e. printstack trace ();
                  weturnst;
```

import java io "; import tour x soulet x; import Java x. sexulet http. x; import your sql x; Public class Login externs HTTP somet & Protected void do Post (Httpsomlet Request request 1-1 ++p serulet Response oresponse) throws sexuled exception, I o exception ? cresponse. set content Type ("text / 4tml; charset = UTF-8"); Print Writer out = Besponse get writer(); string user name = exequest, get parameter String pass = wequest get parameter (" passwad

3