Name attack Vartham Hanral
MGA 2 (8)
Roll to a 2001066
3Hid a 20711124

Modele 1

L! DOCTYPE WINT >

Lhtoul >

2 head >

Zueta cherset. "186-8859-1">

CAther Tuest Atle here Clather

2/head >

160dy >

Ljora actou = "logh.jep" >

2table>

21+>

L++ > Enter user name 2/40 >

2+d > in part type = "test" name = "+s"

placeholder = "Enfer your name" > 2/4 > 2/4 >

4+7

2+d> Enter password 21+d >

Ltd > in part type . "password" name . "+2" > 2/14)

11/0>

2 ++ >

2+d > in put type - "submit" value = "Login" > 2/4/> 2/4: >

Lto > 4+d > a href = "Lew Oser. Ltml "> New

Uper cas

Choles

Lyone >

Library 3

Mobile 2 package coom. mca. temo; import Java. 89 1.+; public class Doubil } Static Consection con mull; Static Repared Statement pst = well; Static Result bet ro = well; public static Connection get Coan () } Class. for Name ("oracle jobe durer. Oracle Durer); con = Drivertanger. get Connection (" ide: Goacle! then: Cloublest: 1521:XE", " system", " Klarches"); Catch (Execption e) } System out pointle (e); return con; public static levulthel get Dota () throws Execption } conseget Conul); psta con preparentatement ("lelect + from users"); es - pst · execute Chien (): & return TS! Ho.8L

static int add Data (User Beau 6) throws Exerption & jufiso; conspet Coun(); peta con prepare Statement ("Insert into weeks values (?, ???) pst. set String (1, 6 aget Name ()); post est string (2, byet Password ()); pot set Int (3, 6.get Age ()); pst. set Int (4, 6. get Phone (1); is post execute Opdate (); return ;

```
Mohile 3
package coommea.demo;
public class Uner Boon &
poirote 3 tring have;
private storing passions;
 potrate sut age;
potrate int phone;
 public String get Name () }
 return name;
  public roit set Namo (String name) } this name a name;
    public String get Password () }
    quetern password?
    public void Set Passwood (String passwood) }
        this password = password,
    public int getage () }
   Return age,
     public void retAge (Int age) }

-this. age = age;
      public int get Phone () }
```

260dy > Lt. ! Us er beau us well; Resultlet rs = hull; %> Request Dispotcher «d = request get lequest Dispotches ("succes, jep"). String ida reguest. get Paromotos ("+1") 8 try ps w = nequest get baronote, ("to "); ne a DBatil. get Da to (); booleau status a false; while (os. rext()) } id if ((id.equals (rs. get 3toing (3))) & & (psio-equals (rs. get 8toing (2))) E status a torul, if (stubus) } rd forwood (request, expoule)! else & out-pointlu ("Juralit it or posseno.d"); 900 216 dy 7 Altho

Harsh Vard han Hen val scenin phose; public roid cot Phone (not phone) } 3 This phone = phone; Mobile 4 24°C page language : jaro" content Type = "test / hotal; charet = 150 - 8859 - 1" page Encoting > " 180-8859-1" y.) 24. C page importe "cooninca. demo. Oler Beau" % > 24. C page imports "coom mea demo. Doutil "% > LACPage Import 2 " (com. doma. domo. DButil" ros 24.0 page suports "Jara 1891. " 4.) L! DOCTYPE Liful > Lhtul> Lheat > Lue ta chareet = "(50-8839-1") Little > Jusert title here 214:16 > 21 head >

Motale 5

Lv. C page language = "javo"

content Type = "text / Ltml;

e Larget = ISO-8859-1"

popeEucoding = "150-8859-1"40>

2! DOCTYPE LLuls

Lhtul>

. Lheat >

Luneta charcet - "150-8859-1">

Ltitle > Sugord Little have < 144/e>

21 Lead >

2 60 dy >

Lr. String

were regnet. getheramoter ("+1")."

out-print la l'WELCOME "+ URes +"?");

4. 5

1160dy >

Albhal >