```
Name - Smisnam Kumay
Course - MCA (B)
Roll no. - 20551091
Subject - java programming (PMC - 202)
0
  Index . HTML
 <! DOCTYPE H+MI>
 Th+m13
 < head >
 < title > quustion one </title>
 </ri>
 < hody)
 Form action = "login"
   < label > Uxxx name < 1 label > < input type= "text";
   place holder z' Enter jour usvename. "
   vome = "login"/> < br/> < bn/>
   < iabil > padsword < Itabel > < input type = 11 to f 10
    place holder = " Enter pais arond " 1/> < br/>
- br/>
   Loutron type z' Submit "> login <! button> < br/>
    < /body>
    < Intm >
```

```
Conn . html
Import java. sal. *;
public wars conn &
                         check Vier (string email. string pus)
public static boolean
 boolean St = false;
 try of
  class. for name (" com. my sq1. jdbc. Driver");
 Connect con=
 Drivey manager get Connection (" jubic: oracle: this: @local
  host: 1821: xe", "systems ", " abcd");
       Preapaied statement 1s = lon. Purpose statement &
              ("select * from 10/in www. usurname= ? f
             Password 2?");
     1s. Set string (1, email);
     Ps . set string (2, 10m);
     Busult Set rs = ps. 1xe cute Pung ();
       9+ = rs. next ();
   catch ( ex caption c) &
    e. fuint stack Trace ();
   where st
```

```
login java. html
the Car!
împort java. io. *;
Puport java. Servht. *;
import jwax sorulet. http. *,
 import java . sql. *;
Public class login extends uttop sorulat &
 Protected void do Post ( Http Scrubt request request,
                    H Hp servelet Response response)
                    throws scrulet exception, To exception)
  usponse. Set Content Type ("text | html; charcet = UT G - 8");
            Print wniter out = susponse get weiter();
        String v sername = mquest. get parameter ("usement);
       String parameter "parsum degs
         if (conn. Check. User (username, pas) 15
           majorest Dispatcher 75 2 majorest. get
       Request Dispatcher (1'wdcome!);
           rs. forward (nequest, mes pouse);
```

```
out print in (" user names or parsword incorrect!)
   request Dispatcher rs = request get fequest Dispatcher
              rs. include (sugues to sus force);
   b
Welcome java file
Import java. 10'. 7
import javax. sexulit.
import j'ava & souwlet, littp. *;
 import java. sq1. *;
Public class welcome extends littps enulite &
 Profested void do post (http sewest arguest arguest
  litte see servet Response response)
             throws servlet exception,
  Io exception &
    suspones. Set content Type ("text/html; charlet=
                                       OFA UT A - 8 11);
       print writer out = suspon se get writer ();
     out print In ( "welcome voer);
```

## Welcome User

User name enter your username.

Password enter password

login