Name > Vasu Pant Scr > MCA (B) Roll -> 2001162

```
<1 DOCTYPE html>
       < html>
        = head>
     <title>question I </title>
       < I head>
      < body>

Zform action = "legin">
    Zlabel>usernome // Label> <input type = "text" place holders</pre>
    = "enter your werrame"
         name = "login"/> <box> <box>
     clabel > Parswood 2/label> Zinput type = "tent"place holder = "enter parswood"
              name = "paraword" /> < bil Ebil>
            < button type = "submit"> login </button XbnD
         Proposet java squl. ";
      public class conn ?
        public static beclean there & Usen Cstoning email, string pand
    ? boolean st = false;
        try!
          class for Name (" com. mysqul. jdbc. Disever");
          connection con= Driver Maragon. get Connection
E"jdbc.avacle: thin: @ laalfort: 1571: xe", "System", "ated"
```

Priepared Statement ps = con. priepare Statement ("Select Y * from login where username = 72 panword =? "); -Ps. setstering (1, email); ps. set storing (2, pars); Result set ns = ps. execute Querry (); St= 31s.next(); catch (Exception e). le printstack Trace (); return st; imposet java. 10. 9 m pout Javax · servlet.* imposet javax. serulet, http. ; Proposit java . Sql 4; Public dans loginenterds Http Servlet ? protected void do Post (Http Servlet Request sug, Http Servlet Response response) E throws. Sould Ente Euception, 10 Exception response. set content Type (" tent I html; charset = UTT -8"); Print Waiter aut = norpone get winter (). -String Usoname = seq get Parament (" usonam"); String pars = reg. get Parameter ("parsword"). if Conn. check User (cusername, pass)

Request Dipartches sus = suguest get Request Dispatcher ("Welcome"); ors. Jornand Crequest, response); Request Dispatcher res-request. get Request Dispatche ("Index. html"); ors.include (request, response) Emposit java x. servlet. *;
Emposit java x. servlet. httpt; Emposet java. sql. + j public Oclass welcome enterds tittp seruled protected void do Post (Http Sowlet Request request, Http Servlett Response nesponse) throws. Serviett Exception, 10 Exception nesponse. Set Content Type ("tent/html; charset= 1000 UT(=8"), Parint walter out = reponse. getwaiter(); out pointln ("Welcome user");