11.61 10.11 Name - Verrain Section - B Vall no > 2001165 Indon html <1 DOCType html> <ht m/> < head < title > Question one / title > 1 head 7 (hody) < form action = " login"> Llable> Oser name </lable> Input type = "tend" praceholder = "Enter your. Usor name - " noune = "login"/>26/>26/> < label > password </lable > <infrul type = " tent" place holder = " enter Pass word \_" name = " password" 1 > < bo < 607/> < button type=6 Submil" > log 1/4/ button > < 68/> Storm> </body) </hrm1

```
conne pile
 9mport java sq1. #;
Public static boolean che de User (String email
String pass)
   boolean St = false;
 Class for Name ("Com mysq1. Idbc . Driver");
     Connection con =
Oriver Manager get Connection
(" Jabe: cracle: get to thin: @ local host:
  1521: xe", " System", " abcd"/;
   Prepared Statement ps = Con. propare Statement
(" Select * from log in Where Username =? and
 Parsword = ?")
       PS. Set String (1, email);
       PS. Sel String (2, Pers);
       Resulfset os = ps. executo Query ();

3 Set = ors. next();
        g e printStack Trace ();
return St;
```

Login file 9mport java x servlet. \*; Im part java. Sorvelet http. 4; im port java. Sq1. x. Public Class login extends HttpServelets Protected Void do post (Http Servelet Request request). ALT p Servelel Response response) throws Sorvelet to expution to Ecophons response set Court en Type ("text / html; Charset = UTF - 8"); Prind writer out = respons : get writer (); String User name = request gel parameter (" User haine). Smily Pass = request get Parameter ("Possorod") if (connichect Us or ( Usormane, Pars)) { Request Dispatcher os = request, get Request Dispatcher (" telcome"). os. forward ( request, respons ).

July 1180 Request Dispetcher & = request get Request Dispatcher ("indon: htm)"); 1 15. include (nequest, response). and the African as the Falling of the Second

Welcome Java file Import Java . 10. xo Import javax. Sorvelet: x; Import Javax servet . http 4; Import Java. Sql. \*; Public Class welcome extends Http Sowled Protected Void do post ( Httpsowlet Request request HHP Soudiet Rosponse nesponse) throws sorvelet Exception, 10 Exception & nespons. Set. Content Typed" tent / Wen1; Choosel = UTF -8"); PrintWriter out = response get Writer (). System. out. println (" Welcom User");

Name - Vekram Section - B noll no - 2001165 que 2 "import java . Sq1. 4"; Import sova will. \*; Public Class 02 { Public Static Void main (String [7 args) { 11 TODA Auto generated method stubby { Class for Name (com my 591 cj . Jdb c . Driver"); Conn = Driver Manager get Connection ("jdbc: mysq 1: [ localhost: 3306 | mydb", " root", "123 4"); System out - printh (" Connected"); Proppined Statemount Pst = Conn- prepare Statement ("Insert into book details values (??????); Scanner Sc = new Scanner (System. in);
System - out. printhn ("Enter book name");
String bname = Sc . next Line ();

```
Systam out-printly ("Entor author hame");
  String name = sc. next Line ();
  System oud printh ("Entor number of Pages");
    int nop = Sc. next lat ();
     System out printh (" Enter price");
      Int price = Sc next 2nt ();
      Pst Sel string (1, 6 name);
      Pst - Set String (2, name);
      Pst. Set Int (3, nop);
      PSt - Set Put ( 4, price);
      Int x = pst. execute Opdate();
      Pst. Close ();
      if (x!=0) {
     System-out printh ("Dat inserted");
     else {
     System out printh (" Enter Again");
 Pst = Conn. prepare Statement ("Select * from
     book delaces");
 Resultset os = pst. oxecute Query ();
    while (os next ()) {
Systemoul println ("Book Name: "trsgetString());
```

System oct-println ("Acethor Name: "trs. get String (2)); System out printh ("No of pages: " + r.get ut (3)), System out print in (" Price: " rs. get Ent (4)); 11 create procedure 11 rs. first (); Conn. Close (); Catch (Eception e) { ¿ c. printe Stack Frace ();